

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 20/04/2017 Revision date: 12/01/2021 Supersedes: 20/04/2017 Version: 1.1

CLM-10350

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%)

EC-No. : 204-145-2 (Unlabeled) CAS-No. : 116-53-0 (Unlabeled)

Product code : CLM-10350

Formula : CH3CH2CH(*CH3)COOH

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302 Acute Tox. 4 (Dermal) H312 Skin Corr. 1 H314 Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R21/22 C; R35 Xi; R41

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 4 H227
Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Skin Corr. 1A H314
Eye Dam. 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

12/01/2021 EN (English US) 1/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. **Label elements**

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H312 - Harmful if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) P260 - Do not breathe dust, mist, spray, vapors.

P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective clothing, protective gloves. P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H227 - Combustible liquid

H302+H312 - Harmful if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US)

: P210 - Keep away from sparks, open flames, hot surfaces, heat. - No smoking.

P260 - Do not breathe vapors, spray, mist, dust, fume.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing.

P301+P312 - If swallowed: Call a doctor if you feel unwell

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P312 - Call a doctor if you feel unwell

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

P322 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - Rinse mouth.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use D-powder, carbon dioxide (CO2), alcohol resistant foam to

extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

Substances

12/01/2021 EN (English US) 2/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Directive 67/548/EEC
DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%)	(CAS-No.) 116-53-0 (Unlabeled) (EC-No.) 204-145-2 (Unlabeled) (EC Index-No.)	100	Xn; R21/22 C; R35 Xi; R41
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%)	(CAS-No.) 116-53-0 (Unlabeled) (EC-No.) 204-145-2 (Unlabeled) (EC Index-No.)	100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%) (Main constituent)	(CAS-No.) 116-53-0 (Unlabeled)	100	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-phrases: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.4	Description	of first sid	

First-aid measures general

- : If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.
- First-aid measures after inhalation
- : When symptoms occur: go into open air and ventilate suspected area. If not breathing, give artificial respiration. Get medical advice/attention.
- First-aid measures after skin contact
- Wash with plenty of soap and water. Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.
- First-aid measures after eye contact
- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion
- : Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth out with water. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

- : May be harmful if inhaled. May cause respiratory irritation.
- Symptoms/effects after skin contact
- : Harmful in contact with skin. Causes severe skin burns and eye damage. Repeated exposure to this material can result in absorption through skin causing significant health hazard.
- Symptoms/effects after eye contact
- : Causes serious eye damage.
- Symptoms/effects after ingestion
- : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions

: Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Wear recommended personal protective equipment.

12/01/2021 EN (English US) 3/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Avoid dust formation. Ensure adequate air ventilation. Remove all sources of ignition. Evacuate danger

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Provide adequate ventilation to minimize dust and/or vapor concentrations.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed. Storage conditions : Store at room temperature away from light and moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Materials for protective clothing

: Wear suitable protective clothing and gloves.

Hand protection

: Wear suitable protective clothing and gloves.

Eye protection

: Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection

: Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection

: In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

Environmental exposure controls

: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Molecular mass : 103.12 g/mol (Labeled)

Color : Colorless
Odor : Stench

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available

12/01/2021 EN (English US) 4/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available Melting point Freezing point : No data available

: 176 - 177 °C (349 - 351 °F) - lit. **Boiling point** : 74 °C (165 °F) - closed cup Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Flammability (solid, gas)

: 0.7 hPa (0.5 mmHg) at 20 °C (68 °F) Vapor pressure

Relative vapor density at 20 °C : No data available Relative density No data available

Specific gravity / density : 0.936 g/ml at 25 °C (77 °F)

Solubility : No data available

Log Pow

Log Kow No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties No data available Oxidizing properties **Explosion limits** : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

No additional information available

10.2. **Chemical stability**

Stable if stored under recommended conditions.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

Heat. Sparks. Open flame.

Incompatible materials

Strong oxidizing agents. Bases. Reducing agents.

Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Acute toxicity

DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%) (116-53-0 (Unlabeled))	
LD50 oral rat	1750 mg/kg Remarks: Gastrointestinal:Changes in structure or function of salivary glands. Diarrhoea Other changes
LD50 dermal	1367 mg/kg - Rabbit; Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes. Behavioral:Ataxia. Gastrointestinal:Other changes.
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight

: Causes severe skin burns and eye damage. Skin corrosion/irritation

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified : Not classified Germ cell mutagenicity Carcinogenicity Not classified Reproductive toxicity : Not classified Specific target organ toxicity - single exposure : Not classified : Not classified Specific target organ toxicity - repeated exposure

12/01/2021 EN (English US) 5/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard

: Not classified

Potential Adverse human health effects and symptoms

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, Shortness of breath, Headache, Nausea. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Harmful if swallowed. Harmful in contact with

Symptoms/effects after inhalation

: May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact

: Harmful in contact with skin. Causes severe skin burns and eye damage. Repeated exposure to this material can result in absorption through skin causing significant health hazard.

Symptoms/effects after eye contact

: Causes serious eye damage.

Symptoms/effects after ingestion

: Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%) (116-53-0 (Unlabeled))	
Log Pow	1.18

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.

Product/Packaging disposal recommendations

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Ecology - waste materials

: Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 3265 DOT NA no. UN3265

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquid, acidic, organic, n.o.s.

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive

CORROSIVE

DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : II - Medium Danger

12/01/2021 EN (English US) 6/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 55 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T11 - 6 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Emergency Response Guide (ERG) Number : 153

Other information : No supplementary information available.

Special transport precautions : Not classified as dangerous in the meaning of transport regulations.

Overland transport

Packing group (ADR) : II

Class (ADR) : 8 - Corrosive substances

Hazard identification number (Kemler No.) : 80 Classification code (ADR) : C3

Hazard labels (ADR) : 8 - Corrosive substances



Orange plates

80 3265

Tunnel restriction code (ADR) : E
Limited quantities (ADR) 11
EAC : 2X
APP : B
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 153

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

Civil Aeronautics Law : Corrosive substances

12/01/2021 EN (English US) 7/5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : Not classified as dangerous in the meaning of transport regulations.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%) (116-53-0 (Unlabeled))	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.

15.2. International regulations

CANADA

DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%) (116-53-0 (Unlabeled))

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

DL-2-METHYLBUTYRIC ACID (METHYL-13C, 99%)(116-53-0 (Unlabeled))		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List	

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1	Skin corrosion/irritation Category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
R21/22	Harmful in contact with skin and if swallowed
R35	Causes severe burns
R41	Risk of serious damage to eyes
С	Corrosive

12/01/2021 EN (English US) 8/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Xi	Irritant
Xn	Harmful

NFPA health hazard : 3 - Materials that, under emergency conditions, can cause


serious or permanent injury.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to

relatively high ambient temperatures before ignition can

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

Flammability : 2 Moderate Hazard Physical : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

12/01/2021 EN (English US) 9/9