

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 17/12/2010 Revision date: 19/08/2022 Supersedes: 07/01/2019 Version: 10.2

CLM-189

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product form : Substance

: CARBON MONOXIDE (13C, 99%) (<5% 18O) Substance name

EC Index-No. : 006-001-00-2 (Unlabeled) EC-No. : 211-128-3 (Unlabeled) CAS-No. : 1641-69-6 (Unlabeled)

Product code : CLM-189 Formula : *CO

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

No additional information available

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 1 H220 Press. Gas (Comp.) H280 Acute Tox. 3 (Inhalation) H331 Repr. 1A H360FD STOT RF 1 H372

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Repr.Cat.1; R60 Repr.Cat.1; R61 F+: R12 T; R48/23

Full text of R-phrases: see section 16

GHS-US classification

Flam. Gas 1 H220 Press. Gas (Comp.) H280 Acute Tox. 3 (Inhalation) H331 Repr. 1A H360 STOT RE 1 H372

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Blood, Nerves.

19/08/2022 EN (English US) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









Signal word (CLP) : Danger

Hazard statements (CLP) : H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H331 - Toxic if inhaled

H360FD - May damage fertility. May damage the unborn child.

H372 - Causes damage to organs (blood) through prolonged or repeated exposure (in contact

with skin, if inhaled, if swallowed)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (CLP)

smoking.

P260 - Do not breathe dust, fume, gas, mist, spray, vapors. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, protective gloves.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

GHS-US labeling

Hazard pictograms (GHS-US)









Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H331 - Toxic if inhaled

H360 - (Dermal, Inhalation, oral)

H372 - Causes damage to organs (blood) through prolonged or repeated exposure (Dermal,

Inhalation, oral)

Precautionary statements (GHS-US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.

P260 - Do not breathe dust, fume, gas, mist, spray, vapors.

P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.

P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective clothing, protective gloves.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention.

P311 - Call a poison center or doctor

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - Eliminate all ignition sources if safe to do so.

P403 - Store in a well-ventilated place.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

P501 - Dispose of contents/container to Comply with applicable regulations

Other hazards

No additional information available

19/08/2022 EN (English US) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
|--------------------------------------|--|-----|---|
| CARBON MONOXIDE (13C, 99%) (<5% 18O) | (CAS-No.) 1641-69-6 (Unlabeled) (EC-No.) 211-128-3 (Unlabeled) (EC Index-No.) 006-001-00-2 (Unlabeled) | 100 | Repr.Cat.1; R60 Repr.Cat.1; R61 F+; R12 T; R48/23 R5 |
| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
| CARBON MONOXIDE (13C, 99%) (<5% 18O) | (CAS-No.) 1641-69-6 (Unlabeled) (EC-No.) 211-128-3 (Unlabeled) (EC Index-No.) 006-001-00-2 (Unlabeled) | 100 | Flam. Gas 1, H220 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation), H331 Repr. 1A, H360FD STOT RE 1, H372 |

Full text of R- and H- phrases: see section 16

| Name | Product identifier | % | GHS-US classification |
|---|---------------------------------|-----|---|
| CARBON MONOXIDE (13C, 99%) (<5% 18O) (Main constituent) | (CAS-No.) 1641-69-6 (Unlabeled) | 100 | Flam. Gas 1, H220 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation), H331 Repr. 1A, H360 STOT RE 1, H372 |

Full text of H-phrases: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a

physician.

First-aid measures after skin contact : Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a

physician.

First-aid measures after eye contact : Flush eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse

mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory tract irritation.

Symptoms/effects after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : May cause eye irritation.

Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable in the presence of an oxidizing gas (eg air), a source of ignition, and when the

concentration of the gas is between the lower and upper explosive limits. Keep away from heat, sparks, open flames, hot surfaces, oxidizing gases. No smoking.

Reactivity : Not available.

5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool unopened containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

19/08/2022 EN (English US) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe area.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

For containment : Clean up promptly by sweeping or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for

preventive fire protection.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

Technical measures

: Store tightly closed in a dry and cool place.

Storage conditions

: Store at room temperature away from light and moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| CARBON MONOXIDE (13C, 99%) (<5% 18O) (1641-69-6 (Unlabeled)) | | |
|--|----------------------|-----------------|
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 25.00000000 ppm |
| USA OSHA | OSHA PEL (TWA) (ppm) | 50 ppm |

8.2. Exposure controls

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Eve protection

: Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection

: Wear complete suit protecting against chemicals according to concentration and amount of

Respiratory protection

: When appropriate, use NIOSH/CEN approved respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Compressed Gas.

Molecular mass : 29 g/mol Color : Colorless.

Odor : No data available. : No data available Odor threshold pΗ No data available : No data available Relative evaporation rate (butyl acetate=1) Melting point : -205 °C (- 337 °F) - lit Freezing point : No data available Boiling point : -191.5 °C (- 312.7 °F) - lit Flash point : No data available

19/08/2022 EN (English US) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 609 °C (1,128 °F) Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : 0.97 - (Air = 1.0)Relative density : No data available : No data available Solubility Log Pow : No data available Log Kow No data available Viscosity, kinematic No data available : No data available Viscosity, dynamic Explosive properties : No data available : No data available Oxidizing properties **Explosion limits** : 12.5 - 74 % (V)

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Not available.

Chemical stability

Stable if stored under recommended conditions.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Sodium/sodium oxides, Potassium, Strong oxidizing agents.

Hazardous decomposition products

Formed nder fire conditions: Carbon oxides.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity : Inhalation: Toxic if inhaled.

| CARBON MONOXIDE (13C, 99%) (<5% 18O) (1641-69-6 (Unlabeled)) | |
|--|-----------------|
| LC50 inhalation rat (ppm) | 1807 ppm 4 h |
| ATE CLP (gases) | 700.000 ppmV/4h |
| ATE CLP (vapors) | 3.000 mg/l/4h |
| ATE CLP (dust, mist) | 0.500 mg/l/4h |

: Not classified Skin corrosion/irritation

> No data available : Not classified

Serious eye damage/irritation

No data available

Respiratory or skin sensitization : Not available

No data available

: Not available Germ cell mutagenicity Carcinogenicity Not classified : Not available Reproductive toxicity Specific target organ toxicity - single exposure : Not classified

No data available

Specific target organ toxicity - repeated

exposure

: Causes damage to organs (blood) through prolonged or repeated exposure (in contact with

skin, if inhaled, if swallowed).

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

19/08/2022 EN (English US) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and

symptoms

: Blood disorders.

Symptoms/effects after inhalation
Symptoms/effects after skin contact

: May be harmful if inhaled. May cause respiratory tract irritation.: May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact Symptoms/effects after ingestion : May cause eye irritation.: May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Class (DOT)

UN-No.(DOT) : UN1016

14.2. UN proper shipping name

Proper Shipping Name (DOT)

: Carbon monoxide, compressed: 2.3 - Class 2.3 - Poisonous gas 49 CFR 173.115

Hazard labels (DOT)

: 2.3 - Poison gas





DOT Special Provisions (49 CFR 172.102)

: 4 - This material is poisonous by inhalation (see 171.8 of this subchapter) in Hazard Zone D (see 173.116(a) of this subchapter), and must be described as an inhalation hazard under the provisions of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : None
DOT Packaging Non Bulk (49 CFR 173.xxx) : 302
DOT Packaging Bulk (49 CFR 173.xxx) : 314;315
Marine pollutant : No

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : IATA/DOT: Not permitted on passenger aircraft.

Overland transport

Class (ADR) : 2 - Gases Hazard identification number (Kemler No.) : 263

19/08/2022 EN (English US) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification code (ADR) : 1TF

Hazard labels (ADR) : 2.3 - Toxic gases

2.1 - Flammable gases



Orange plates

263 1016

Tunnel restriction code (ADR) : B/D
Limited quantities (ADR) 0

EAC : 2SE
Excepted quantities (ADR) : E0

Transport by sea

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 119

Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 25 kg

CFR 175.75)

Civil Aeronautics Law : Gases under pressure/Gases toxic under pressure

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : IATA/DOT: Not permitted on passenger aircraft.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| CARBON MONOXIDE (13C, 99%) (<5% 18O) (1641-69-6 (Unlabeled)) | | |
|--|---|--|
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | |
| SARA Section 311/312 Hazard Classes | Fire hazard Sudden release of pressure hazard Immediate (acute) health hazard Delayed (chronic) health hazard | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | |

15.2. International regulations

CANADA

CARBON MONOXIDE (13C, 99%) (<5% 18O) (1641-69-6 (Unlabeled))

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

19/08/2022 EN (English US) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

| CARBON MONOXIDE (13C, 99%) (<5% 18O)(1641-69-6 (Unlabeled)) | | |
|--|--|--|
| U.S California - Proposition 65 - Carcinogens List | No | |
| U.S California - Proposition 65 - Developmental Toxicity | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | Yes | |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | Yes | |
| State or local regulations | RTK - U.S Massachusetts - Right To Know List RTK - U.S Pennsylvania - RTK (Right to Know) List RTK - U.S New Jersey - Right to Know Hazardous Substance List | |

SECTION 16: Other information

Other information

This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

| tok of it, if and both philadoc. | | |
|----------------------------------|--|--|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhalation) Category 3 | |
| Flam. Gas 1 | Flammable gases Category 1 | |
| Press. Gas (Comp.) | Gases under pressure Compressed gas | |
| Repr. 1A | Reproductive toxicity Category 1A | |
| STOT RE 1 | Specific target organ toxicity (repeated exposure) Category 1 | |
| H220 | Extremely flammable gas | |
| H280 | Contains gas under pressure; may explode if heated | |
| H331 | Toxic if inhaled | |
| H360FD | May damage fertility. May damage the unborn child. | |
| H372 | Causes damage to organs through prolonged or repeated exposure | |
| R12 | Extremely flammable | |
| R48/23 | Toxic: danger of serious damage to health by prolonged exposure through inhalation | |
| R5 | Heating may cause an explosion | |
| R60 | May impair fertility | |
| R61 | May cause harm to the unborn child | |
| F+ | Extremely flammable | |
| Т | Toxic | |

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

4 - Materials that rapidly or completely vaporize at atmospheric pressure and normal ambient temperature or that are readily dispersed in air and burn readily.

NFPA reactivity

0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 4 Severe Hazard Physical : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

19/08/2022 EN (English US) 8/8