

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 /

Rules and Regulations

Date of issue: 19/03/2015 Revision date: : Version: 1.0

CLM-4683-S

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name. : METHOXYCHLOR (RING-13C12, 99%) 100 UG/ML IN NONANE

Product code : CLM-4683-S

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <a href="mailto:cilsales@isotope.com">cilsales@isotope.com</a> www.isotope.com

## **Emergency telephone number**

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-202-483-7616 (24 hours)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation:dust,mist) H332
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 3 H336
Asp. Tox. 1 H304

Full text of H-phrases: see section 16

## Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20 Xn; R65 R10

Full text of R-phrases: see section 16

## Classification (GHS-US)

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation:dust,mist) H332
Skin Irrit. 2 H315
Eye Irrit. 2A H319
STOT SE 3 H336
Asp. Tox. 1 H304

## Adverse physicochemical, human health and environmental effects

Central Nervous System.

24/03/2015 EN (English US) 1/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **Label elements**

## Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

Signal word (CLP) : Danger

Hazardous ingredients : N-NONANE UNLABELED

H226 - Flammable liquid and vapor Hazard statements (CLP)

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H319 - Causes serious eye irritation

H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof ventilating, lighting, electrical equipment P261 - Avoid breathing vapors, spray, gas, fume, dust, mist P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves, protective clothing, face protection, eye protection

## **GHS-US** labeling

Signal word (GHS-US)

Hazard pictograms (GHS-US)







GHS02

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) P210 - Keep away from sparks, open flames, hot surfaces, heat. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof ventilating, electrical, lighting equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing vapors, spray, mist, gas, fume, dust P264 - Wash Both hands thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves, protective clothing, face protection, eye protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P331 - If swallowed, do NOT induce vomiting

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam., Carbon dioxide., Dry chemical., Water

spray for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

24/03/2015 EN (English US) 2/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P405 - Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations.

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.9861	R10 Xn; R20 Xn; R65 R67
METHOXYCHLOR (RING-13C12, 99%)	(CAS No) 72-43-5 (Unlabeled) (EC no) 200-779-9	0.0139	Xn; R20/21/22 Carc.Cat.3; R40 Xi; R36/37/38 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.9861	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
METHOXYCHLOR (RING-13C12, 99%)	(CAS No) 72-43-5 (Unlabeled) (EC no) 200-779-9	0.0139	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Carc. 2, H351 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Name	Product identifier	%	Classification (GHS-US)
N-NONANE UNLABELED	(CAS No) 111-84-2	99.9861	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of R-, H- and EUH-phrases: see section 16

## **SECTION 4: First aid measures**

4.1.	Description	

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs:

Wash with plenty of soap and water. Wash contaminated clothing before reuse. It skin irritation occur
Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see

Hazard pictograms (CLP) on this label).

First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

24/03/2015 EN (English US) 3/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ı	SECTI	ION 5:	Firefi	aht	ina	measu	ires

## **Extinguishing media**

suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture. Reactivity : Vapors may form explosive mixture with air.

## Advice for firefighters

Firefighting instructions : Use water spray to cool unopened containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

General measures Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smokina.

### For non-emergency personnel

: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate **Emergency procedures** ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours

accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and material for containment and cleaning up

: Contain spillage, then collect with non-combustible absorbent material. Disposal should be in For containment accordance with applicable Federal, State and local regulations.

## Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

## Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No naked lights, No smoking, Take precautionary measures against static discharge. Use only

non-sparking tools. Use only outdoors or in a well-ventilated area.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

## Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store at room temperature away from light and moisture.

Incompatible materials : Heat sources.

#### Specific end use(s) 7.3.

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## **Control parameters**

N-NONANE UNLABELED (111-84-2)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.

METHOXYCHLOR (RING-130	C12, 99%) (72-43-5 (Unlabeled))	
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m³)	10.0000000000 mg/m³ Central nervous system
	· - ·	impairment. Liver damage.

24/03/2015 EN (English US) 4/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Exposure controls**

Personal protective equipment : Gloves. Protective goggles. Protective clothing. Self-contained breathing apparatus.



Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection Wear suitable protective clothing

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. Wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture. Physical state : Liquid : Liquid. Appearance Molecular mass : 128.3

Color No data available Odor : No data available Odor threshold : No data available No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available : -53 °C (- 63 °F) - lit Freezing point Boiling point : 151 °C (304 °F) - lit

: 31.0 °C (87.8 °F) - closed cup Flash point

Self ignition temperature : 205 °C (401 °F) Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

: 12.4 hPa (9.3 mmHg) at 37.7 °C (99.9 °F) Vapor pressure

Relative vapor density at 20 °C : No data available Relative density No data available Solubility Water: 0 % : 5.65

Log Pow

: No data available Log Kow : No data available Viscosity, kinematic Viscosity, dynamic : No data available : No data available Explosive properties : No data available Oxidizing properties : 0.87 - 2.9 % (V) Explosive limits

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Vapors may form explosive mixture with air.

## **Chemical stability**

See storage and expiration date on CoA.

## Possibility of hazardous reactions

No additional information available

## **Conditions to avoid**

Open flame. Overheating. Direct sunlight. Heat. Sparks.

## Incompatible materials

Strong oxidizing agents.

24/03/2015 EN (English US) 5/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

40.0	A December of Association of	and a second and the following	and the second second
10.6.	Hazardous d	ecomposition	products

May release flammable gases.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity : Harmful if inhaled.

METHOXYCHLOR	(RING-13C12, 99%) 10	0 UG/ML IN NONANE

ATE (dust, mist) 1.500 mg/l/4h

<b>N-NONANE</b>	UNLABELED	(111-84-2)
-----------------	-----------	------------

 LC50 inhalation rat (ppm)
 3200 ppm/4h

 ATE (dust, mist)
 1.500 mg/l/4h

## METHOXYCHLOR (RING-13C12, 99%) (72-43-5 (Unlabeled))

LD50 oral rat	1855 mg/kg
ATE (oral)	1855.000 mg/kg body weight
ATE (dermal)	1100.000 mg/kg body weight
ATE (dust, mist)	1.500 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential Adverse human health effects and

symptoms

: Harmful if inhaled.

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

METHOXYCHLOR (RING-13C12, 99%) (72-43-5	5 (Unlabeled))
LC50 fish 1	0.03 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h
EC50 Daphnia 1	0.016 mg/l Daphnia magna (Water flea) - 48 h

## 12.2. Persistence and degradability

METHOXYCHLOR	(RING-13C12, 99%) 100	UG/ML IN NONANE

Persistence and degradability Not available.

## **N-NONANE UNLABELED (111-84-2)**

Persistence and degradability Not available.

## METHOXYCHLOR (RING-13C12, 99%) (72-43-5 (Unlabeled))

Persistence and degradability Not available.

## 12.3. Bioaccumulative potential

METHOXYCHLOR (RING-13C12, 99%) 100 UG	/ML IN NONANE
Log Pow	5.65
Bioaccumulative potential	Indication of bioaccumulation.

N-NONANE UNLABELED (111-84-2)	
Log Pow	5.65

24/03/2015 EN (English US) 6/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

socialing to regulation (20) not 100/2010 talla according to reductar regulation 7 vol. 17, not 507 instruction 20, 2012 / reduced and regulation		
N-NONANE UNLABELED (111-84-2)		
Bioaccumulative potential	Indication of bioaccumulation.	
12.4. Mobility in soil		
METHOXYCHLOR (RING-13C12, 99%) 100 UG/ML IN NONANE		
Ecology - soil	Not available.	
N-NONANE UNLABELED (111-84-2)		
Ecology - soil	Not available.	
METHOXYCHLOR (RING-13C12, 99%) (72-43-5 (Unlabeled))		
Ecology - soil	Not available.	

### Results of PBT and vPvB assessment

No additional information available

#### Other adverse effects 12.6.

Other adverse effects

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## SECTION 13: Disposal considerations

## Waste treatment methods

Regional legislation (waste)

: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.

Waste disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

: Handle empty containers with care because residual vapors are flammable. Hazardous waste due to toxicity.

Ecology - waste materials

## **SECTION 14: Transport information**

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

**UN** number

Additional information

UN-No.(DOT) : 1920 DOT NA no. UN1920

## **UN** proper shipping name

**DOT Proper Shipping Name** 

Nonanes

Department of Transportation (DOT) Hazard

Hazard labels (DOT)

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Classes

: 3 - Flammable liquid



Packing group (DOT)

: III - Minor Danger

DOT Special Provisions (49 CFR 172.102)

B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

## **Additional information**

Other information : No supplementary information available.

24/03/2015 EN (English US) 7/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **Overland transport**

Packing group (ADR) : III

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 30 Classification code (ADR) : F1

Danger labels (ADR) : 3 - Flammable liquids

3

Orange plates

30 1920

Tunnel restriction code : D/E
Limited quantities (ADR) 5L
EAC : 3Y
Excepted quantities (ADR) : E1

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

MFAG-No : 128

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

METHOXYCHLOR (RING-13C12, 99%) 100 UG/ML IN NONANE	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

N-NONANE UNLABELED (111-84-2)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

## 15.2. International regulations

## CANADA

## METHOXYCHLOR (RING-13C12, 99%) 100 UG/ML IN NONANE

Listed on the Canadian DSL (Domestic Substances List) inventory.

## 15.2.1. National regulations

No additional information available

24/03/2015 EN (English US) 8/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 15.3. US State regulations

METHOXYCHLOR (RING-13C12, 99%) 100 UG/ML IN NONANE()	
State or local regulations	U.S Massachusetts - Right To Know List
	U.S Pennsylvania - RTK (Right to Know) List
	U.S New Jersey - Right to Know Hazardous Substance List
	This product does not contain any chemicals known to State of California to cause cancer,
	birth defects, or any other reproductive harm.

## N-NONANE UNLABELED (111-84-2)

- U.S. Massachusetts Right To Know List U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **SECTION 16: Other information**

Other information

This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

## Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R10	Flammable
R20	Harmful by inhalation
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R40	Limited evidence of a carcinogenic effect
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

NFPA health hazard

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.



24/03/2015 EN (English US) 9/10

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA fire hazard 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. NFPA reactivity

## **HMIS III Rating**

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard : 0 Minimal Hazard Physical

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

24/03/2015 EN (English US) 10/10