

#### Safety Data Sheet

 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Date of issue: 09/05/2013
 Revision date: 28/07/2022
 Supersedes: 28/04/2016
 Version: 3.0

 DLM-4212-MPT
 Vol. 70
 Vol. 70
 Vol. 70
 Vol. 70

SECTION 4: Identification of the aut	action of the company lundertaking
	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	
Substance name	: L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIOLOGICAL/PYROGEN TESTED
EC-No.	: 200-522-0 (Unlabeled)
CAS-No.	: 92751-17-2
Product code	: DLM-4212-MPT
Formula	: (CD3)2CDCH2CH(NH2)COOH
Synonyms	: (S)-2-Amino-4-methylpentanoic acid
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
4.0.0 Uses advised eminet	
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	data sheet
Cambridge Isotope Laboratories, Inc.	
50 Frontage Road Andover, MA 01810	
USA	
USA: 1-800-322-1174 Int: 1-978-749-8000	
cilsales@isotope.com www.isotope.com	
Emergency telephone number	
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours)	
International: 1-703-741-5970 (24 hours)	
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or r	nixture
Classification according to Regulation (EC)	No. 1272/2008 [CLP]
Not classified	
Classification according to Directive 67/548/	EEC [DSD] or 1999/45/EC [DPD]
Not classified	
GHS-US classification	
Not classified	
Adverse physicochemical, human health and	d environmental effects
No additional information available	
2.2. Label elements	
Labeling according to Regulation (EC) No. 1	272/2008 [C] 81

Labeling according to Regulation (EC) No. 1272/2008 [CLP] No labeling applicable

**GHS-US** labeling

No labeling applicable

TESTED DLM-4212-MPT

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards

#### No additional information available

SECTION 3: Composition/Information on	ingredients		
3.1. Substances			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIOLOGICAL/PYROGEN TESTED	(CAS-No.) 92751-17-2 (EC-No.) 200-522-0 (Unlabeled)	100	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIOLOGICAL/PYROGEN TESTED	(CAS-No.) 92751-17-2 (EC-No.) 200-522-0 (Unlabeled)	100	Not classified

#### Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIOLOGICAL/PYROGEN TESTED (Main constituent)	(CAS-No.) 92751-17-2	100	Not classified

Full text of H-phrases: see section 16

## 3.2. Mixtures

Not applicable	Not	ар	pli	ca	ble
----------------	-----	----	-----	----	-----

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eyes with water as a precaution.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/effects after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/effects after eye contact	: Contact may cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2. Special hazards arising from the su	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
SECTION 6: Accidental release mea	isures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Avoid dust formation. Avoid breathing vapors, mist or gas.
6.1.2. For emergency responders	
No additional information available	

TESTED DLM-4212-MPT

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations			
6.2. Environmental precautions			
Prevent entry to sewers and public waters.			
6.3. Methods and material for containment and cleaning up			
For containment	: Sweep up and shovel. Keep in suitable, closed containers for disposal.		
6.4. Reference to other sections No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.		
7.2. Conditions for safe storage, including	ng any incompatibilities		
Technical measures	: Keep container tightly closed in a dry and well-ventilated place.		
Storage conditions	: Store at room temperature away from light and moisture.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/perso	onal protection		
8.1. Control parameters			
No additional information available			
8.2. Exposure controls			
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.		
Hand protection	: Wear suitable protective clothing and gloves.		
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.		
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
Respiratory protection	: When appropriate, use NIOSH/CEN approved respirator.		
SECTION 9: Physical and chemical p	properties		
9.1. Information on basic physical and c			
Physical state	: Solid		
Appearance	: Powder		
Molecular mass	: 138.22 g/mol (Labeled)		
Color	: White		
Odor	: No data available		
Odor threshold	: No data available		
pH	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: > 300 °C (> 572 °F)		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: 1.293 g/cm3 at 18 °C (64 °F)		
Solubility	: Water: 23 g/l at 25 °C (77 °F) - completely miscible		

TESTED DLM-4212-MPT

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable if stored under recommended conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
Carbon oxides, Nitrogen oxides	
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
	DLOGICAL/PYROGEN TESTED (92751-17-2)
Acute toxicity L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat	> 16000 mg/kg male and female
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC	DLOGICAL/PYROGEN TESTED (92751-17-2)
Acute toxicity L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body
Acute toxicity L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.
Acute toxicity L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks Skin corrosion/irritation	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified
Acute toxicity L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	DLOGICAL/PYROGEN TESTED (92751-17-2)     > 16000 mg/kg male and female     Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body     temperature decrease.     Not classified     Not classified     Not classified     Not available
Acute toxicity L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	> I6000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative         : Not classified
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	> IGOOD mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative         : Not classified         : Not classified
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated	> IGOOD mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative         : Not classified
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIC LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure	> IGOOD mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative         : Not classified
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO NOAEL (oral,rat,90 days)	DLOGICAL/PYROGEN TESTED (92751-17-2)         > 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not classified         : Not available         : Not classified         :
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO NOAEL (oral,rat,90 days) Aspiration hazard Potential Adverse human health effects and	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative         : Not classified         : The levorotary (I) forms of leucine, isoleucine, and valine have been found to have tumor-promoting activity for bladdar carcinomas. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.         : May be harmful if inhaled. May cause respiratory tract irritation.
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIA LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIA NOAEL (oral,rat,90 days)  Aspiration hazard Potential Adverse human health effects and symptoms	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : The levorotary (I) forms of leucine, isoleucine, and valine have been found to have tumor-promoting activity for bladdar carcinomas. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.    <
Acute toxicity  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO LD50 oral rat LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure  L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIO NOAEL (oral,rat,90 days)  Aspiration hazard Potential Adverse human health effects and symptoms/effects after inhalation	> 16000 mg/kg male and female         Lungs, Thorax, or Respiration: Dyspnea. Nutritional and Gross Metabolic: Changes in: Body temperature decrease.         : Not classified         : Not classified         : Not available         : Ames test. S. typhimurium result: negative         : Not classified         : The levorotary (I) forms of leucine, isoleucine, and valine have been found to have tumor-promoting activity for bladdar carcinomas. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.         : May be harmful if inhaled. May cause respiratory tract irritation.

SECTIO	ON 12: Ecological information
12.1.	Toxicity
No additio	onal information available

TESTED DLM-4212-MPT

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessmen	
No additional information available	
12.6. Other adverse effects	
No additional information available	
<b>SECTION 13: Disposal considerations</b>	
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AD	Ν
14.1. UN number	
Not applicable	
14.2. UN proper shipping name	
Not applicable	
14.3. Additional information	
Other information	No supplementary information available.
Special transport precautions	Not dangerous goods.
Overland transport	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
44.4 Environmental baseds	
14.4. Environmental hazards Other information	No supplementary information available.
14.5. Special precautions for user	Net dengaraya gooda
Special transport precautions	Not dangerous goods.
14.6 Transport in bulk according to Arrow	I of MARROL 72/78 and the IRC Code
14.6. Transport in bulk according to Annex Not applicable	II of MARPOL 73/78 and the IBC Code
<b>SECTION 15: Regulatory information</b>	
15.1 US Federal regulations	

No additional information available

TESTED DLM-4212-MPT

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### CANADA

### L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIOLOGICAL/PYROGEN TESTED (92751-17-2)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2.1. National regulations

No additional information available

#### 15.3. US State regulations

L-LEUCINE (ISOPROPYL-D7, 98%) MICROBIOLOGICAL/PYROGEN TESTED(92751-17-2)			
U.S California - Proposition 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity	No		
U.S California - Proposition 65 - Reproductive Toxicity - Female	No		
U.S California - Proposition 65 - Reproductive Toxicity - Male	No		
State or local regulations	RTK - U.S Pennsylvania - RTK (Right to Know) List RTK - U.S New Jersey - Right to Know Hazardous Substance List		

### **SECTION 16: Other information**

Other information	: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.
NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product