

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/8/2015 Revision date: 5/25/2023 Supersedes: 4/5/2021 Version: 2.5

SECTION 1: Identification

1.1. Identification

Product form : Substance

Substance name : CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" Chemical name : CHLOROFORM-D (D, 99.5%) "REAGENT GRADE"

CAS-No. : 67-66-3
Product code : DLM-7RG
Formula : CHCl3

Synonyms : Trichloromethane. Methylidyne trichloride.

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Cambridge Isotope Laboratories, Inc.

50 Frontage Rd

01810

ANDOVER, MA, 01810

USA

T 1-800-322-1174

cilsales@isotope.com - www.isotope.com

1.4. Emergency telephone number

Emergency number : 1-703-741-5970

Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (inhalation) Category 3	H331	Toxic if inhaled
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Carcinogenicity Category 2	H351	Suspected of causing cancer

Carcinogenicity Category 2 H351 Suspected of causing cancer (Dermal, Inhalation, oral)
Reproductive toxicity Category 2 H361 Suspected of damaging fertility or the unborn child

Specific target organ toxicity – Single exposure, Category 3, Narcosis H336 May cause drowsiness or dizziness

Specific target organ toxicity (repeated exposure) Category 1 H372 Causes damage to organs (central nervous system, kidneys,

liver) through prolonged or repeated exposure (Inhalation, oral,

Dermal)

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Safety Data Sheet

Precautionary statements (GHS US)

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (GHS US) : H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer (Dermal, Inhalation, oral) H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs (central nervous system, kidneys, liver) through prolonged or

repeated exposure (Inhalation, oral, Dermal)
P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust, fume, gas, mist, spray, vapors. P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.

P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective clothing, protective gloves.

P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P311 - Call a doctor, a POISON CENTER.

P312 - Call a doctor, a POISON CENTER if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see Hazard pictograms (CLP) on this label).

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	GHS US classification
CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (Main constituent)	CAS-No.: 67-66-3		Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Repr. 2, H361 STOT SE 3, H336 STOT RE 1, H372

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

: Evacuate danger area. If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Get immediate medical advice/attention. Call a doctor.

First-aid measures after skin contact

Wash with plenty of soap and water. Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Vomiting, Gastrointestinal complaints. Alcohol ingestion increases toxic product effects. stomach.

Symptoms/effects

May cause drowsiness or dizziness. Toxic if inhaled. Respiratory tract irritation.

Symptoms/effects after inhalation Symptoms/effects after skin contact

Harmful in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact

Causes serious eye irritation. Harmful if swallowed.

Symptoms/effects after ingestion

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

Protection during firefighting

- : Do not enter fire area without proper protective equipment, including respiratory protection.
- Wear self-contained breathing apparatus, rubber boots and thick rubber gloves. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

5/25/2023 (Revision date) US - en 3/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Use personal protective equipment as required. Ensure adequate air ventilation. Evacuate unnecessary personnel. Do not breathe dust, fume, gas, mist, spray,

vapors. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

Keep in suitable, closed containers for disposal.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Normal measures for

preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a cool, dry and well-ventilated place. Opened containers must be

carefully resealed and kept upright to prevent leakage.

Storage conditions : Store refrigerated (-5°C to 5°C) and dessicated. Protect from light.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Chloroform	
ACGIH OEL TWA [ppm] 10 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)		
Remark (ACGIH)	Central Nervous system impairment. Liver damage. Embryo/fetal damage. Confirmed animal carcinogen with unknown relevance to humans.	
Regulatory reference	ACGIH 2022	

5/25/2023 (Revision date) US - en 4/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)			
USA - OSHA - Occupational Exposure Limits	USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	9.78 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants - 1910.1000		
OSHA PEL TWA [2]	2 ppm Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants - 19101000		
OSHA PEL C	240 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants.		
OSHA PEL C [ppm]	50 ppm Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants.		
Remark (OSHA)	The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples. Value: PEL Control Parameters: 2 ppm / 9.78 mg/m3 Basis: California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
USA - NIOSH - Occupational Exposure Limits			
NIOSH REL STEL	9.78 mg/m³ Basis: USA. NIOSH Recommended Exposure Limits		
NIOSH REL STEL [ppm]	2 ppm Basis: USA. NIOSH Recommended Exposure Limits		
Remark (NIOSH)	Potential Occupational Carcinogen. See Appendix A.		

8.2. Appropriate engineering controls

Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.

Materials for protective clothing:

Wear suitable protective clothing and gloves

Hand protection:

Wear suitable protective clothing and gloves

Eye protection:

Wear eye protection. Chemical goggles or face shield with safety glasses

Skin and body protection:

Wear suitable protective clothing, gloves and eye/face protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator

Personal protective equipment symbol(s):









5/25/2023 (Revision date) US - en 5/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid. Color clear Colorless Odor No data available Odor threshold : No data available рΗ : No data available Melting point : -63 °C (-81 °F) Freezing point : No data available

Boiling point : 60.5 – 61.5 °C (140.9 - 142.7 °F)

Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available

Vapor pressure : 213.3 hPa (160 mmHg) at 20 °C (68 °F)

Relative vapor density at 20°C : No data available Relative density : No data available

Density : 1.5 g/mL at 25 °C (77 °F) (Labeled)

Molecular mass : 120.38 g/mol (Labeled)
Solubility : No data available

Partition coefficient n-octanol/water (Log Pow) : 1.97

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

One year after receipt of order if stored as stated in "Storage" section. Re-QC after one year.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong oxidizing agents. Magnesium. Lithium (Li). Strong bases. Sodium (Na).

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Hydrogen chloride. Phosgene.

5/25/2023 (Revision date) US - en 6/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Harmful if swallowed. Acute toxicity (oral) Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Toxic if inhaled.

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)		
LD50 oral rat	908 mg/kg Remarks: Behavioral: Change in motor activity (specific assay). Behavioral: Ataxia. Lungs, Thorax, or Respiration: Respiratory stimulation.	
LD50 dermal rabbit	> 20000 mg/kg	
ATE US (oral)	695 mg/kg body weight	
ATE US (gases)	500 ppmV/4h	
ATE US (vapors)	3 mg/l/4h	
ATE US (dust, mist)	0.5 mg/l/4h	

Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified

Carcinogenicity Suspected of causing cancer (Dermal, Inhalation, oral).

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)		
Additional data	Carcinogenicity, oral, rat: Tumorigenic: Carcinogenic by RTECS criteria. Leukemia.	
IARC group 2B - Possibly carcinogenic to humans		
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure Causes damage to organs (central nervous system, kidneys, liver) through prolonged or

repeated exposure (Inhalation, oral, Dermal).

Aspiration hazard Not classified Viscosity, kinematic No data available

Potential Adverse human health effects and

symptoms

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Vomiting. Gastrointestinal

complaints. Alcohol ingestion increases toxic product effects. stomach.

Symptoms/effects May cause drowsiness or dizziness.

Symptoms/effects after inhalation Toxic if inhaled. Respiratory tract irritation.

Symptoms/effects after skin contact Harmful in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact Causes serious eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)	
LC50 - Fish [1]	162 mg/l Leuciscus idus (Golden orfe) - 48 h

5/25/2023 (Revision date) US - en 7/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)		
LC50 - Other aquatic organisms [1]	97 mg/l Other fish - 96 h	
EC50 - Crustacea [1]	79 mg/l Daphnia magna (Water flea) - 24 h	
EC50 - Other aquatic organisms [1]	51.6 mg/l Immobilization EC50 - Daphnia magna (Water flea) - 48 h	
LC50 - Fish [2]	121 mg/l Danio rerio (Zebra fish) - 96 h	
ErC50 algae	13.3 mg/l	
LOEC (acute)	Inhalation - Rat - male - 500 ppm - 6 h	
NOEC (chronic)	122 mg/l Oryzias latipes (Japanese rice fish) - 10 d	
NOEC chronic fish	0.059 mg/l	
NOEC chronic algae	120 mg/l Daphnia magna (Water flea) - 11 d	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)	
BCF - Fish [1]	-0.11 mg/l Lepomis macrochirus (Bluegill) - 14 d
Bioconcentration factor (BCF REACH)	6
Partition coefficient n-octanol/water (Log Pow)	1.97

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects

: Avoid release to the environment. Disposal must be done according to official regulations. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste)

: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.

Product/Packaging disposal recommendations

: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

 DOT NA No
 : UN1888

 UN-No. (TDG)
 : UN1888

 UN-No. (IMDG)
 : 1888

 UN-No. (IATA)
 : 1888

5/25/2023 (Revision date) US - en 8/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Chloroform
Proper Shipping Name (TDG) : CHLOROFORM
Proper Shipping Name (IMDG) : CHLOROFORM
Proper Shipping Name (IATA) : Chloroform

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 6.1 Hazard labels (DOT) : 6.1



TDG

Transport hazard class(es) (TDG) : 6.1 Hazard labels (TDG) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Hazard labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



14.4. Packing group

Packing group (DOT) : III
Packing group (TDG) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1888

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

N36 - Aluminum or aluminum alloy construction materials are permitted only for halogenated hydrocarbons that will not react with aluminum.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) 153 DOT Packaging Non Bulk (49 CFR 173.xxx) 203 DOT Packaging Bulk (49 CFR 173.xxx) 241 DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location

: 220 L

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

TDG

UN-No. (TDG) : UN1888 Explosive Limit and Limited Quantity Index : 5 L Excepted quantities (TDG) : E1 Passenger Carrying Road Vehicle or Passenger : 60 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 151

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) P001, LP01 IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2

: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Fire) EmS-No. (Spillage) : S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES

Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2 SGG10 Segregation (IMDG) : Flash point (IMDG)

Properties and observations (IMDG) : Colourless, volatile liquid.Boiling point: 61°C. Non-flammable. When involved in a fire, evolves

extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by

inhalation. Anaesthetic.

MFAG-No 151

IATA

PCA Excepted quantities (IATA) : E1 : Y680 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 2L PCA packing instructions (IATA) : 680 PCA max net quantity (IATA) : 60L

5/25/2023 (Revision date) US - en 10/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAO packing instructions (IATA) : 680
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 6A

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	10 lb	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	10000 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard	

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
CHLOROFORM-D (D, 99.5%) "REAGENT GRADE"	67-66-3	Present	Active	

15.2. International regulations

CANADA

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on TECI (Thailand Existing Chemicals Inventory)

15.3. US State regulations

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	Yes

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CHLOROFORM-D (D, 99.5%) "REAGENT GRADE" (67-66-3)		
U.S California - Proposition 65 - Reproductive Toxicity - Female	Yes	
U.S California - Proposition 65 - Reproductive Toxicity - Male	Yes	
No significant risk level (NSRL)	20 μg/day (oral) ; 40 μg/day (inhalation)	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date 05/25/2023

Other information : This product is not radioactive. The data given for this product are those of the corresponding

unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the

corresponding unlabeled compound.


Full text of H-phrases		
H302	Harmful if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H336	May cause drowsiness or dizziness	
H351	Suspected of causing cancer	
H361	Suspected of damaging fertility or the unborn child	
H372	Causes damage to organs through prolonged or repeated exposure	


NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary
	incapacitation or residual injury.

NFPA fire hazard 0 - Materials that will not burn under typical fire conditions, including

intrinsically noncombustible materials such as concrete, stone, and

0 - Material that in themselves are normally stable, even under fire





Hazard Rating

NFPA reactivity

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous

polymerization in the absence of inhibitors.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.