

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 15/02/2017 Revision date: : Version: 1.0 EC-4979-A

SECTION 1: Identification	on of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: MONO-OCTA PCN SYRINGE SPIKE (13C12, 99%) 1000 NG/ML IN NONANE
Product code	: EC-4979-A
1.2. Relevant identified u	ses of the substance or mixture and uses advised against
1.2.1. Relevant identified u	ISES
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised agains	st
No additional information availa	
1.3. Details of the supplie	er of the safety data sheet
Cambridge Isotope Laboratories 50 Frontage Road Andover, MA 01810 USA	
USA: 1-800-322-1174 Int: 1-9 cilsales@isotope.com www.is	978-749-8000 sotope.com
Emergency telephon	ie number
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 International: 1-703-741-5970	
SECTION 2: Hazards ide	entification
2.1. Classification of the	substance or mixture
Classification according to Re	egulation (EC) No. 1272/2008 [CLP]
Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H336
Asp. Tox. 1	H304
Full text of hazard classes and H	H-statements : see section 16
Classification according to Di	rective 67/548/EEC [DSD] or 1999/45/EC [DPD]
R10 Xn; R20 Xn; R65 Xi; R36/38 R67	
Full text of R-phrases: see secti	on 16
GHS-US classification	
Flom Lin 2	

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

## NONANE EC-4979-A

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapour. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLD)	GHS02 GHS08 GHS07
Signal word (CLP)	: Danger : N-NONANE UNLABELED; 2,5-DICB (PCB-9) (13C12, 98-99%); 2,2',5,5'-TETRACB (PCB-52
Hazardous ingredients	(13C12, 99%); 2,2',4,5,5'-PENTACB (PCB-9) (13C12, 98-99%), 2,2',3,3-1ETRACB (PCB-32 (13C12, 99%); 2,2',4,5,5'-PENTACB (PCB-101) (13C12, 99%); 2,2',3,4,4',5'-HEXACB (PCB- 138) (13C12, 99%); 2,2',3,3',4,4',5,5'-OCTACB (PCB-194) (13C12, 98%)
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapour</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P240 - Ground/bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P261 - Avoid breathing fume, mist, spray, vapours</li> <li>P264 - Wash hands, forearms and face thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves</li> </ul>
GHS-US labelling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS02 GHS08 GHS07 : Danger
<b>o</b> ( )	<b>.</b>
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and vapour</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing fume, mist, spray, vapours P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell</li> <li>P321 - Specific treatment (see Hazardous component(s) for labelling on this label)</li> </ul>

## NONANE EC-4979-A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P331 - Do NOT induce vomiting
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

**Mixtures** 

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

3.2.

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.9993	R10 Xn; R20 Xn; R65 Xi; R36/38 R67
2,5-DICB (PCB-9) (13C12, 98-99%)	(CAS No) 250694-89-4 (EC Index No) 602-039-00-4	0.00014	Xn; R48/20/21/22 N; R50/53 R33
2,2',5,5'-TETRACB (PCB-52) (13C12, 99%)	(CAS No) 208263-80-3 (EC Index No) 602-039-00-4	0.00014	Carc.Cat.1; R45 N; R51/53 Xn; R48/20/21/22
2,2',4,5,5'-PENTACB (PCB-101) (13C12, 99%)	(CAS No) 104130-39-4 (EC Index No) 602-039-00-4	0.00014	Xn; R48/20/21/22 N; R50/53 R33
2,2',3,4,4',5'-HEXACB (PCB-138) (13C12, 99%)	(CAS No) 208263-66-5 (EC Index No) 602-039-00-4	0.00014	Xn; R48/20/21/22 N; R50/53 R33
2,2',3,3',4,4',5,5'-OCTACB (PCB-194) (13C12, 98%)	(CAS No) 208263-74-5 (EC Index No) 602-039-00-4	0.00014	Xn; R48/20/21/22 N; R50/53 R33
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.9993	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
2,5-DICB (PCB-9) (13C12, 98-99%)	(CAS No) 250694-89-4 (EC Index No) 602-039-00-4	0.00014	Carc. 1B, H350 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',5,5'-TETRACB (PCB-52) (13C12, 99%)	(CAS No) 208263-80-3 (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',4,5,5'-PENTACB (PCB-101) (13C12, 99%)	(CAS No) 104130-39-4 (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',3,4,4',5'-HEXACB (PCB-138) (13C12, 99%)	(CAS No) 208263-66-5 (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',3,3',4,4',5,5'-OCTACB (PCB-194) (13C12, 98%)	(CAS No) 208263-74-5 (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

NONANE EC-4979-A

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS No) 111-84-2	99.9993	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304
2,5-DICB (PCB-9) (13C12, 98-99%)	(CAS No) 250694-89-4	0.00014	Carc. 1B, H350 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',5,5'-TETRACB (PCB-52) (13C12, 99%)	(CAS No) 208263-80-3	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',4,5,5'-PENTACB (PCB-101) (13C12, 99%)	(CAS No) 104130-39-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',3,4,4',5'-HEXACB (PCB-138) (13C12, 99%)	(CAS No) 208263-66-5	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',3,3',4,4',5,5'-OCTACB (PCB-194) (13C12, 98%)	(CAS No) 208263-74-5	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Full text of R- and H-statements: see section 16

SECTION 4. First aid massures	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries	: May cause drowsiness or dizziness.
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. Risk of lung oedema.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: Flammable liquid and vapour.
Reactivity	: Flammable liquid and vapour. Vapours may form flammable mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
<b>SECTION 6: Accidental release meas</b>	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.

NONANE EC-4979-A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Ave	oid release to the environment.
6.3. Methods and material for containr	nent and cleaning up
For containment	: Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Avoid all contact with skin, eyes, or clothing. Keep away from sources of ignition - No smoking. Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). Take precautionary measures against static discharges.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.
Hygiene measures	precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapours. Avoid
Hygiene measures 7.2. Conditions for safe storage, include	<ul> <li>precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
	<ul> <li>precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapours. Avoid contact with skin and eyes.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>

7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

<b>3.1.</b> Control parameters		
MONO-OCTA PCN SYRINGE	SPIKE (13C12, 99%) 1000 NG/ML IN NONANE	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
N-NONANE UNLABELED		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits

NONANE EC-4979-A

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-NONANE UNLABELED			
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits	
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment	
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000	
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000	
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	1050 California permissible exposure limits for chemical contaminants.	
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.	
2,2',5,5'-TETRACB (PCB-52) (13C12, 99%) (208263-80-3)			
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	0.5 mg/m³	

#### 8.2. **Exposure controls**

Appropriate engineering controls

: Ensure good ventilation of the work station.

Personal protective equipment

- : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: protective gloves.
Eye protection	: Chemical goggles or face shield. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.

Environmental exposure controls

: Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties The properties listed below are for the solvent, the main component of this mixture.

The properties listed below are for the solvent, the main com	ponent of this mixture.
Physical state	: Liquid
Appearance	: Liquid.
Molecular mass	: 128.3 g/mol
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available

## NONANE EC-4979-A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
Viscosity, kinematic	: 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.87 - 2.9 % (V)
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactive	/ity
10.1. Reactivity	
Flammable liquid and vapour. Vapours may	form flammable mixture with air.
10.2. Chemical stability	
See storage and expiration date on CoA.	
10.3. Possibility of hazardous reactio	ns
No dangerous reactions known under norma	al conditions of use.
10.4. Conditions to avoid	
	ames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition prod	ucts
Carbon oxides (CO, CO2).	
<b>SECTION 11: Toxicological inform</b>	nation
11.1. Information on toxicological effe	ects
Acute toxicity	: Inhalation:vapour: Harmful if inhaled.
MONO-OCTA PCN SYRINGE SPIKE (130	C12, 99%) 1000 NG/ML IN NONANE
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h
ATE CLP (vapours)	23.760 mg/l/4h
ATE CLP (dust,mist)	23.760 mg/l/4h
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)
Additional information	: S. Typhimurium Result: negative
N-NONANE UNLABELED	
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h
ATE CLP (gases)	3200.000 ppmv/4h
ATE CLP (vapours)	11.000 mg/l/4h
ATE CLP (dust,mist)	23.760 mg/l/4h
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)
Additional information	: S. Typhimurium Result: negative
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
	May cause drowsiness or dizziness
STOT-repeated exposure	Not classified
	No data available
MONO-OCTA PCN SYRINGE SPIKE (130 NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
N-NONANE UNLABELED	
NOAFL (oral, rat, 90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)

## NONANE EC-4979-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. Risk of lung oedema.

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term effects in the environment.				
MONO-OCTA PCN SYRINGE SPIKE (13C12, 99%) 1000 NG/ML IN NONANE				
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h			
N-NONANE UNLABELED				
EC50 Daphnia 1 0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h				
2,2',5,5'-TETRACB (PCB-52) (13C12, 99%) (208263-80-3)				
LC50 fish 1	>= 0.002 mg/l Pimephales promelas (fathead minnow) - 96 h			
EC50 Daphnia 1	>= 0.002 mg/l Daphnia magna (Water flea) - 48 h			
NOEC (chronic)	0.1 mg/l Oncorhynchus mykiss (rainbow trout) - 7 d			

#### 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential				
MONO-OCTA PCN SYRINGE SPIKE (13C12, 99%) 1000 NG/ML IN NONANE				
Log Pow	5.65			
Bioaccumulative potential	Indication of bioaccumulation.			
N-NONANE UNLABELED				
Log Pow	5.65			
Bioaccumulative potential	Indication of bioaccumulation.			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessme	nt			
No additional information available				
12.6. Other adverse effects				
Other adverse effects	: Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.			
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.			
Product/Packaging disposal recommendations:	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.			
Ecology - waste materials	: Dispose of as unused product.			
SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / AI	 DN			
14.1. UN number				
UN-No.(DOT)	: 1920			
DOT NA no.	UN1920			
14.2. UN proper shipping name				
Proper Shipping Name (DOT)	: Nonanes			

## NONANE EC-4979-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6, 2012 / Rules and Regulations	
Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 5 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Tabl 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: 111
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
Orange plates	30 1920
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	51
EAC code	: 3Y
Excepted quantities (ADR)	. 54
	: E1
	. EI
Transport by sea DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
Transport by sea	
Transport by sea DOT Vessel Stowage Location MFAG-No	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Transport by sea DOT Vessel Stowage Location MFAG-No Air transport DOT Quantity Limitations Passenger aircraft/rail	<ul> <li>: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.</li> <li>: 128</li> </ul>
Transport by sea DOT Vessel Stowage Location MFAG-No Air transport	<ul> <li>A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.</li> <li>128</li> <li>60 L</li> </ul>

## NONANE EC-4979-A

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Environmental hazards			
Marine pollutant	: ^		
Other information	IMDG only : No supplementary information available.		
14.5. Special precautions for user			
14.6. Transport in bulk according to Annex	x II of MARPOL 73/78 and the IBC Code		
Not applicable			
SECTION 15: Regulatory information			
15.1. US Federal regulations			
MONO-OCTA PCN SYRINGE SPIKE (13C12, S			
Listed on the United States TSCA (Toxic Substa			
SARA Section 302 Threshold Planning	Not subject to reporting requirements of the United States SARA Section 302.		
Quantity (TPQ)	Phy becaut		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
N-NONANE UNLABELED			
Listed on the United States TSCA (Toxic Substa	ances Control Act) inventory		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
2,5-DICB (PCB-9) (13C12, 98-99%) (250694-89-4)			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
2,2',5,5'-TETRACB (PCB-52) (13C12, 99%) (2			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard		
SARA Section 313 - Emission Reporting         Not subject to reporting requirements of the United States SARA Section 313.			
2,2',4,5,5'-PENTACB (PCB-101) (13C12, 99%) SARA Section 302 Threshold Planning	(104130-39-4)         Not subject to reporting requirements of the United States SARA Section 302.		
Quantity (TPQ)	Delayed (chronic) health hazard		
SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting	Delayed (chronic) health hazard Not subject to reporting requirements of the United States SARA Section 313.		
2,2',3,4,4',5'-HEXACB (PCB-138) (13C12, 99%) (208263-66-5)			
2,2,3,4,4,5 - FIEXACE (FCB-138) (13C12, 99%) (208203-00-5)         SARA Section 302 Threshold Planning Quantity (TPQ)    Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
2,2',3,3',4,4',5,5'-OCTACB (PCB-194) (13C12,	98%) (208263-74-5)		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		

NONANE EC-4979-A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### CANADA

Listed on the Canadian DSL (Domestic Substances List)

### N-NONANE UNLABELED

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2.1. National regulations

#### N-NONANE UNLABELED

#### 15.3. US State regulations

MONO-OCTA PCN SYRINGE SPIKE (13C12, 99%) 1000 NG/ML IN NONANE()		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances	

## N-NONANE UNLABELED

N-NONANE UNLABEL	ED			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
2,5-DICB (PCB-9) (13C12	, 98-99%) <b>(250694-89-4)</b>			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	
2,2',5,5'-TETRACB (PCB-	52) (13C12, 99%) (208263-80-	3)		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	
2,2',4,5,5'-PENTACB (PC	B-101) (13C12, 99%) (104130-	39-4)		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	
2,2',3,4,4',5'-HEXACB (PC	CB-138) (13C12, 99%) (208263	3-66-5)		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	

## NONANE EC-4979-A

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,2',3,3',4,4',5,5'-OCTA	CB (PCB-194) (13C12, 98%) (20	8263-74-5)		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	
N-NONANE UNLABI	ELED			
State or local regulatio	ns			
U.S New Jersey - Righ U.S Massachusetts - F U.S Pennsylvania - RT		List	ons	
	12, 98-99%) <b>(</b> 250694-89-4 <b>)</b>			
State or local regulatio				
U.S Pennsylvania - RT	IK (Right to Know) List It to Know Hazardous Substance	l iet		
2,2',5,5'-TETRACB (PC State or local regulatio	:B-52) (13C12, 99%) (208263-80 ns	-3)		
U.S Pennsylvania - RT		List		
2,2',4,5,5'-PENTACB (F	PCB-101) (13C12, 99%) (104130-	-39-4)		
State or local regulatio	ns			
U.S Pennsylvania - RT U.S New Jersey - Righ	「K (Right to Know) List ht to Know Hazardous Substance	List		
2,2',3,4,4',5'-HEXACB ( State or local regulatio	(PCB-138) (13C12, 99%) (20826: ns	3-66-5)		
U.S Pennsylvania - RT		List		
2,2',3,3',4,4',5,5'-OCTA	CB (PCB-194) (13C12, 98%) (20	8263-74-5)		
State or local regulatio	ns			
U.S Pennsylvania - RT U.S New Jersey - Righ	۲K (Right to Know) List ht to Know Hazardous Substance	List		

#### **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation

## NONANE EC-4979-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H332Harmful if inhaledH336May cause drowsiness or dizzinessH350May cause cancerH373May cause damage to organs through prolonged or repeated exposureH400Very toxic to aquatic lifeH410Very toxic to aquatic life with long lasting effectsR10FlammableR20Harmful by inhalationR33Danger of cumulative effectsR36/38Irritating to eyes and skin	
H350May cause cancerH373May cause damage to organs through prolonged or repeated exposureH400Very toxic to aquatic lifeH410Very toxic to aquatic life with long lasting effectsR10FlammableR20Harmful by inhalationR33Danger of cumulative effects	
H373May cause damage to organs through prolonged or repeated exposureH400Very toxic to aquatic lifeH410Very toxic to aquatic life with long lasting effectsR10FlammableR20Harmful by inhalationR33Danger of cumulative effects	
H400Very toxic to aquatic lifeH410Very toxic to aquatic life with long lasting effectsR10FlammableR20Harmful by inhalationR33Danger of cumulative effects	
H410       Very toxic to aquatic life with long lasting effects         R10       Flammable         R20       Harmful by inhalation         R33       Danger of cumulative effects	
R10     Flammable       R20     Harmful by inhalation       R33     Danger of cumulative effects	
R20     Harmful by inhalation       R33     Danger of cumulative effects	
R33 Danger of cumulative effects	
P36/39 Irritating to over and skip	
R45 May cause cancer	
R48/20/21/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation, in conta and if swallowed	t with skin
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environmen	
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
R65 Harmful: may cause lung damage if swallowed	
R67 Vapours may cause drowsiness and dizziness	
N Dangerous for the environment	
Xi Irritant	
Xn Harmful	

NFPA health hazard	2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

#### CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product