

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/01/2017

Revision date: 05/06/2017

Supersedes: 06/01/2017

Version: 1.1

EDF-5555-10X

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12,

99%) IN NONANE

Product code : EDF-5555-10X

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

IISA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation) H332
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 3 H336
Asp. Tox. 1 H304

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xn; R65 Xi; R38 R67

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation:vapour) H332
Skin Irrit. 2 H315
Eye Irrit. 2A H319
STOT SE 3 H336
Asp. Tox. 1 H304
Full text of H statements : see section 16

05/06/2017 EN (English US) 1/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

2.2. **Label elements**

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







Signal word (CLP) : Danger

H226 - Flammable liquid and vapor Hazard statements (CLP)

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P261 - Avoid breathing fume, mist, spray, vapors P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

GHS-US labeling

Hazard pictograms (GHS-US)







Signal word (GHS-US) : Danger

: H226 - Flammable liquid and vapor Hazard statements (GHS-US)

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking Precautionary statements (GHS-US)

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing fume, mist, spray, vapors P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P310 - If swallowed: Immediately call a poison center/doctor/...

P302+P352 - If on skin: Wash with plenty of water/...

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a poison center/doctor/... if you feel unwell

P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P331 - Do NOT induce vomiting

P332+P313 - If skin irritation occurs: Get medical advice/attention

05/06/2017 EN (English US) 2/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.860279	R10 Xn; R20 Xn; R65 Xi; R36/37/38
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC No) 203-625-9 (EC Index No) 601-021-00-3 (REACH-no) 01-2119471310-51	0.139233	F; R11 Xi; R38 Xn; R65 Repr.Cat.3; R62 Repr.Cat.3; R63 R67 N; R51/53 Xn; R48/20
OCTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 39001-02-0 (Unlabeled)	0.00007	Xn; R22 Xi; R36 R53
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 3268-87-9 (Unlabeled)	0.00007	Xn; R22 Xn; R65 R53
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 70648-26-9 (Unlabeled)	0.000028	Xn; R22 Xi; R36 R53
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 72918-21-9 (Unlabeled)	0.000028	Xn; R22 Xi; R36 R53
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 60851-34-5 (Unlabeled)	0.000028	Xn; R22 Xi; R36 R53
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 55673-89-7 (Unlabeled)	0.000028	Xn; R22 Xi; R36 R53
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 67562-39-4 (Unlabeled)	0.000028	Xn; R22 Xi; R36 R53
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-44-9 (Unlabeled)	0.000028	Xn; R22 Xi; R36 R53
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 39227-28-6 (Unlabeled)	0.000028	Xn; R22 Xn; R65 R53
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 19408-74-3 (Unlabeled)	0.000028	Xn; R22 Xn; R65 R53

05/06/2017 EN (English US) 3/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Directive 67/548/EEC
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.000028	Xn; R22 Xn; R65 R53
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 57652-85-7 (Unlabeled)	0.000028	Xn; R22 Xn; R65 R53
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-46-6 (Unlabeled)	0.000014	Xn; R22 Xi; R36 R53
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-31-4 (Unlabeled)	0.000014	Xn; R22 Xi; R36 R53
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 51207-31-9 (Unlabeled)	0.000014	Xn; R22 Xi; R36 R53
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.000014	Xn; R22 Xn; R65 R53
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 1746-01-6 (Unlabeled)	0.000014	Xn; R22 Xn; R65 R53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.860279	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC No) 203-625-9 (EC Index No) 601-021-00-3 (REACH-no) 01-2119471310-51	0.139233	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
OCTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 39001-02-0 (Unlabeled)	0.00007	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 3268-87-9 (Unlabeled)	0.00007	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 70648-26-9 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 72918-21-9 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 60851-34-5 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 55673-89-7 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 67562-39-4 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-44-9 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 39227-28-6 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 19408-74-3 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413

05/06/2017 EN (English US) 4/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 57652-85-7 (Unlabeled)	0.000028	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-46-6 (Unlabeled)	0.000014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-31-4 (Unlabeled)	0.000014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 51207-31-9 (Unlabeled)	0.000014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.000014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 1746-01-6 (Unlabeled)	0.000014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413

Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS No) 111-84-2	99.860279	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3	0.139233	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures

	The state of the s
4.1.	Description of first aid measures
T. I.	Description of mist aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash

with plenty of soap and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause drowsiness or dizziness.

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : May be harmful if absorbed through skin. Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.

05/06/2017 EN (English US) 5/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Reactivity : Flammable liquid and vapor. vapors may form flammable mixture with air.

5.3. Advice for firefighters

Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

Other information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Take precautionary measures against static discharge. Use only

non-sparking tools. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Keep container tightly closed in a dry and well-ventilated

place.

Storage conditions : Store at room temperature away from light and moisture.

Incompatible materials : Heat sources

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
N-NONANE UNLABELED (111-84-2)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy Portugal LISA ACCIH	Pomark (ACCIH)	CNS impair

05/06/2017 EN (English US) 6/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-NONANE UNLABELED (111-84-2)		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
TOLUENE UNLABELED (108	3-88-3)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Visual impairment, Female reproductive, Pregnancy loss
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000
USA OSHA	OSHA PEL (STEL) (ppm)	150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing : Wear suitable protective clothing and gloves.

Hand protection : protective gloves.

Eye protection : Chemical goggles or face shield. Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. Approved respirator.

Environmental exposure controls : Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state

Appearance

Color

Color

Color

Color

Color

No data available

Ddor threshold

PH

No data available

No data available

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : Not applicable

Freezing point : -53 °C (- 63 °F) - lit

Boiling point : 151 °C (304 °F) - lit

Flash point : 31 °C (87.8 °F) - closed cup

Auto-ignition temperature : 205 °C (401 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

Vapor pressure : 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)

05/06/2017 EN (English US) 7/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C : No data available Relative density : No data available

Specific gravity / density : 0.718 g/ml at 25 °C (77 °F)

Solubility : Water: 0.0002 % at 25 °C (77 °F) - slightly soluble

Log Pow : 5.65

Log Kow : No data available

Viscosity, kinematic : 1.008 mm²/s at 20 °C (68 °F)

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : 0.87 - 2.9 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor. vapors may form flammable mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Harmful if inhaled.

DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE		
LC50 inhalation rat (mg/l)	23760 mg/m³ male - 4 h	
ATE CLP (gases)	3200.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
N-NONANE UNLABELED (111-84-2)		
LC50 inhalation rat (mg/l)	23760 mg/m³ male - 4 h	
ATE CLP (gases)	3200.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	23.760 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
TOLUENE UNLABELED (108-88-3)	TOLUENE UNLABELED (108-88-3)	
LD50 oral rat	> 5580 mg/kg	
LD50 dermal rabbit	12196 mg/kg	
LC50 inhalation rat (mg/l)	12500 - 28800 mg/m³ 4 h	
ATE CLP (dermal)	12196.000 mg/kg body weight	
ATE CLP (vapors)	12.500 mg/l/4h	
ATE CLP (dust, mist)	12.500 mg/l/4h	
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-46-6 (Unlabeled))		
ATE CLP (oral)	500.000 mg/kg body weight	

05/06/2017 EN (English US) 8/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3,4,7,8-PENTACHLORODIBENZOFURAN (13	RC12 99%) (57117-31-4 (Unlaheled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (1:	
ATE CLP (oral)	500.000 mg/kg body weight
, ,	
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (1:	
ATE CLP (oral)	500.000 mg/kg body weight
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (1	
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	
ATE CLP (oral)	500.000 mg/kg body weight
OCTACHLORODIBENZOFURAN (13C12, 99%)	(39001-02-0 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	I (13C12, 99%) (67562-39-4 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (57117-44-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
2,3,7,8-TETRACHLORODIBENZOFURAN (13C	12, 99%) (51207-31-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (40321-76-4 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN	
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN	
ATE CLP (oral)	500.000 mg/kg body weight
, ,	
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral)	500.000 mg/kg body weight
	300.000 ma/ka boay welani
()	
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO	XIN (13C12, 99%) (35822-46-9 (Unlabeled))
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled))
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral)	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOZ ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled))
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral)	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 2%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation.
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation.
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 6%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : Not classified : Not classified : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 9%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : Not classified : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : Not classified : Not classified : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 6%) (3268-87-9 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : May cause drowsiness or dizziness.
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 98 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : May cause drowsiness or dizziness. May cause drowsiness or dizziness
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99) ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99) ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified : May cause drowsiness or dizziness. May cause drowsiness or dizziness : Not classified No data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days)	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days) N-NONANE UNLABELED (111-84-2)	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight : Causes skin irritation. : Causes serious eye irritation. : Not classified Not classified May cause drowsiness or dizziness. May cause drowsiness or dizziness : Not classified No data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE 100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99) ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days) N-NONANE UNLABELED (111-84-2) NOAEL (oral,rat,90 days)	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified May cause drowsiness or dizziness. May cause drowsiness or dizziness Not classified No data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE 100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days) N-NONANE UNLABELED (111-84-2) NOAEL (oral,rat,90 days) Aspiration hazard	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified Not classified Not classified May cause drowsiness or dizziness. May cause drowsiness or dizziness Not classified No data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) May be fatal if swallowed and enters airways.
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99) ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days) N-NONANE UNLABELED (111-84-2) NOAEL (oral,rat,90 days)	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified May cause drowsiness or dizziness. May cause drowsiness or dizziness Not classified No data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE 100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days) N-NONANE UNLABELED (111-84-2) NOAEL (oral,rat,90 days) Aspiration hazard Potential Adverse human health effects and	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified Not classified Not classified May cause drowsiness or dizziness. May cause drowsiness or dizziness Not classified No data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) May be fatal if swallowed and enters airways.
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOX ATE CLP (oral) OCTACHLORODIBENZO-P-DIOXIN (13C12, 99 ATE CLP (oral) 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTR NOAEL (oral,rat,90 days) N-NONANE UNLABELED (111-84-2) NOAEL (oral,rat,90 days) Aspiration hazard Potential Adverse human health effects and symptoms	XIN (13C12, 99%) (35822-46-9 (Unlabeled)) 500.000 mg/kg body weight 500.000 mg/kg body weight (13C12, 99%) (57652-85-7 (Unlabeled)) 500.000 mg/kg body weight Causes skin irritation. Causes serious eye irritation. Not classified Not data available ACTION STANDARD SOLUTION (13C12, 99%) IN NONANE 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) May be fatal if swallowed and enters airways. Harmful if inhaled.

05/06/2017 EN (English US) 9/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE			
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h		
N-NONANE UNLABELED (111-84-2)	N-NONANE UNLABELED (111-84-2)		
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h		
TOLUENE UNLABELED (108-88-3)			
LC50 fish 1	74 - 340 mg/l Lepomis macrochirus (Bluegill) - 96h		
LC50 other aquatic organisms 1	10 mg/l Pseudokirchneriella subcapitata (Green algae) - 24 h		
EC50 Daphnia 1	8 mg/l Daphnia magna (Water flea) - 24h		
LC50 fish 2	7.63 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h		
EC50 Daphnia 2	6 mg/l Daphnia magna (Water flea) - Immobilization - 48 h		
ErC50 (algae)	245 mg/l Chlorella vulgaris (Fresh water algae) - 24 h		
LOEC (chronic)	8.04 mg/l Pimephales promelas (Fathead minnow) - 7 d		
NOEC (chronic)	5.44 mg/l Pimephales promelas (fathead minnow) - 7 d		

12.2. Persistence and degradability

Bioaccumulative potential

Bioaccumulative potential

Bioaccumulative potential

Bioaccumulative potential

Log Pow

N-NONANE UNLABELED (111-84-2)

12.2. I ersistence and degradability			
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-46-6 (Unlabeled))			
Persistence and degradability	Not available.		
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13	2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-31-4 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (70648-26-9 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (72918-21-9 (Unlabeled))		
Persistence and degradability	Not available.		
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (60851-34-5 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (55673-89-7 (Unlabeled))		
Persistence and degradability	Not available.		
OCTACHLORODIBENZOFURAN (13C12, 99%)	OCTACHLORODIBENZOFURAN (13C12, 99%) (39001-02-0 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (67562-39-4 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (57117-44-9 (Unlabeled))			
Persistence and degradability	Not available.		
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%) (51207-31-9 (Unlabeled))			
Persistence and degradability	Not available.		
12.3. Bioaccumulative potential			
DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE			
Log Pow	5.65		

05/06/2017 EN (English US) 10/15

Indication of bioaccumulation.

Indication of bioaccumulation.

5.65

Not available.

Not available.

1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-46-6 (Unlabeled))

2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-31-4 (Unlabeled))

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (70648-26-9 (Unlabeled))		
Bioaccumulative potential	Not available.	
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%) (72918-21-9 (Unlabeled))		
Bioaccumulative potential	Not available.	
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (60851-34-5 (Unlabeled))	
Bioaccumulative potential	Not available.	
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (55673-89-7 (Unlabeled))	
Bioaccumulative potential	Not available.	
OCTACHLORODIBENZOFURAN (13C12, 99%)	(39001-02-0 (Unlabeled))	
Bioaccumulative potential	Not available.	
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (67562-39-4 (Unlabeled))	
Bioaccumulative potential	Not available.	
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (57117-44-9 (Unlabeled))	
Bioaccumulative potential	Not available.	
2,3,7,8-TETRACHLORODIBENZOFURAN (13C	12, 99%) (51207-31-9 (Unlabeled))	
Bioaccumulative potential	Not available.	
12.4. Mobility in soil		
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13	C12. 99%) (57117-46-6 (Unlabeled))	
Ecology - soil	Not available.	
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13		
Ecology - soil	Not available.	
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (70648-26-9 (Unlabeled))	
Ecology - soil	Not available.	
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (72918-21-9 (Unlabeled))	
Ecology - soil	Not available.	
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (60851-34-5 (Unlabeled))	
Ecology - soil	Not available.	
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (55673-89-7 (Unlabeled))	
Ecology - soil	Not available.	
OCTACHLORODIBENZOFURAN (13C12, 99%)	(39001-02-0 (Unlabeled))	
Ecology - soil	Not available.	
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (67562-39-4 (Unlabeled))	
Ecology - soil	Not available.	
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (57117-44-9 (Unlabeled))		
Ecology - soil	Not available.	
2,3,7,8-TETRACHLORODIBENZOFURAN (13C	12, 99%) (51207-31-9 (Unlabeled))	
Ecology - soil	Not available.	
12.5. Results of PBT and vPvB assessment		
No additional information available		

12.6. Other adverse effects

Other adverse effects : Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Product/Packaging disposal recommendations: : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

05/06/2017 EN (English US) 11/15

Safetv Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. **UN** number

UN-No.(DOT) : 1920 DOT NA no. UN1920

14.2. **UN** proper shipping name

Proper Shipping Name (DOT) : Nonanes

Class (DOT) 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



: III - Minor Danger Packing group (DOT)

DOT Special Provisions (49 CFR 172.102) B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a

flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature

during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. **Additional information**

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : 111

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 30 Classification code (ADR)

Hazard labels (ADR) : 3 - Flammable liquids



Orange plates

30 1920

Tunnel restriction code (ADR) : D/E Limited quantities (ADR) 51 : 3Y Excepted quantities (ADR) : E1

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

05/06/2017 EN (English US) 12/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MFAG-No : 128

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.	

N-NONANE UNLABELED		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.	

TOLUENE UNLABELED (108-88-3)	
Listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
CERCLA RQ	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE

Listed on the Canadian DSL (Domestic Substances List)

N-NONANE UNLABELED

Listed on the Canadian DSL (Domestic Substances List)

TOLUENE UNLABELED (108-88-3)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

N-NONANE UNLABELED

05/06/2017 EN (English US) 13/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

DIOXIN&FURAN FOOD/FEED/QQQ 10X EXTRACTION STANDARD SOLUTION (13C12, 99%) IN NONANE()		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances	

N-NONANE UNLABELED

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

TOLUENE UNLABELED (108-88-3)

10101111 011111111111111111111111111111				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

N-NONANE UNLABELED

State or local regulations

- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances

TOLUENE UNLABELED (108-88-3)

State or local regulations

- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3

05/06/2017 EN (English US) 14/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H413	May cause long lasting harmful effects to aquatic life
R10	Flammable
R11	Highly flammable
R20	Harmful by inhalation
R22	Harmful if swallowed
R36	Irritating to eyes
R36/37/38	Irritating to eyes, respiratory system and skin
R38	Irritating to skin
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R53	May cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/06/2017 EN (English US) 15/15