

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/04/2017 Revision date: 05/06/2018 Supersedes: 06/04/2017 Version: 1.1 EDF-5574-10X

SECTION 1: Identi	fication of the subs	tance/mixture and of the company/undertaking	
1.1. Product ident			
Product form		: Mixtures	
Product name		: DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE	
Product code		: EDF-5574	
1.2. Relevant ider	ntified uses of the substa	ance or mixture and uses advised against	
1.2.1. Relevant ider	ntified uses		
Main use category		: Professional use	
Industrial/Professional u	se spec	: For professional use only	
1.2.2. Uses advised	l against		
No additional information	n available		
1.3. Details of the	supplier of the safety da	ata sheet	
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA			
USA: 1-800-322-1174	Int: 1-978-749-8000		
cilsales@isotope.com	www.isotope.com		
Emergency te	elephone number		
Emergency numbers:			
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)			
SECTION 2: Hazar	ds identification		
2.1. Classification	n of the substance or mix	xture	
Classification accordir	ng to Regulation (EC) No	. 1272/2008 [CLP]	
Flam. Liq. 3	H226		
Acute Tox. 4 (Inhalation)) H332		
Skin Irrit. 2	H315		
Eye Irrit. 2	H319		
STOT SE 3	H336		
Asp. Tox. 1	H304		
Full text of hazard classes and H-statements : see section 16			
Classification accordir	ng to Directive 67/548/EE	C [DSD] or 1999/45/EC [DPD]	
R10 Xn; R20 Xn; R65	-		

Xn; R65 R67 Xi; R36/37 Full text of R-phrases: see section 16

GHS-US classification

Flam. Lig. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P337+P313 - If eye irritation persists: Get medical advice/attention
P362 - Take off contaminated clothing and wash it before reuse
P370+P378 - In case of fire: Use Alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO2) to extinguish
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures Product identifier** % **Classification according to** Name Directive 67/548/EEC N-NONANE UNLABELED (CAS No) 111-84-2 99.999972 R10 (EC No) 203-913-4 Xn; R20 Xn; R65 Xi; R36/38 R67 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (CAS No) 116865-58-8 0.000028 Muta.Cat.3; R68 T+; R27 Xn; R65 R53 Name Product identifier % **Classification according to** Regulation (EC) No. 1272/2008 [CLP] N-NONANE UNLABELED (CAS No) 111-84-2 99.999972 Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), (EC No) 203-913-4 H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (CAS No) 116865-58-8 0.000028 Acute Tox. 1 (Dermal), H310 Muta. 2, H341 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Chronic 4, H413 **Product identifier GHS-US classification** Name % N-NONANE UNLABELED (CAS No) 111-84-2 99.999972 Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water, Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Hazard pictograms (CLP) on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
First-aid measures after ingestion	: Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries	: May cause drowsiness or dizziness.
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate me	edical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measur	es
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: Flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
Reactivity	: Flammable liquid and vapor. vapors may form flammable mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protectiv	ve equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel Emergency procedures

	no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Avoid breathing Dust, vapors.

: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and

6.2.	Environmental precautions		
Prevent entry to sewers and public waters. Avoid release to the environment.			
6.3.	Methods and material for containment and cleaning up		
For con	tainment	:	Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal.
Method	s for cleaning up	:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other in	nformation	:	Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections		

```
For further information refer to section 13.
```

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, fume, gas, mist, spray, vapors. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof Lighting equipment, ventilating equipment.
Storage conditions	: Store at room temperature away from light and moisture.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials

7.3.

: Heat sources.

No additional information available

Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters				
DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE				
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)		
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair		
N-NONANE UNLABELED (11	1-84-2)			
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)		
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits		
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits		
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment		
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000		
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000		
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	1050 California permissible exposure limits for chemical contaminants.		
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.		

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment :

- : Ensure good ventilation of the work station.
- : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: protective gloves.
Eye protection	: Chemical goggles or face shield. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection. Wear suitable protective clothing.

Respiratory protection

: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties The properties listed below are for the solvent, the main component of this mixture.

The properties listed below are for the solvent, the main com	
Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: 128.3 g/mol
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: <= 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor. vapors may form flammable mixture with air.

10.2.	Chemical stability		
See sto	See storage and expiration date on CoA.		
10.3.	Possibility of hazardous reactions		
May for	m flammable/explosive vapor-air mixture.		
10.4.	Conditions to avoid		
Open fla	ame. Overheating. Direct sunlight. Heat. Sparks.		
10.5.	Incompatible materials		
No additional information available			
10.6.	Hazardous decomposition products		
Carbon	oxides (CO, CO2).		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Inhalation: Harmful if inhaled.

DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE			
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h		
ATE CLP (gases)	3200.000 ppmV/4h		
ATE CLP (vapors)	11.000 mg/l/4h		
ATE CLP (dust, mist)	1.500 mg/l/4h		
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)		
Additional information	: S. Typhimurium Result: negative		
N-NONANE UNLABELED (111-84-2)			
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h		
ATE CLP (gases)	3200.000 ppmV/4h		
ATE CLP (vapors)	11.000 mg/l/4h		
ATE CLP (dust, mist)	23.760 mg/l/4h		
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)		
Additional information	: S. Typhimurium Result: negative		
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (116865-58-8)			
LD50 oral	0.013 mg/kg		
LD50 dermal	0.275 mg/kg		
ATE CLP (dermal) 5.000 mg/kg body weight			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-,			
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.		
Specific target organ toxicity – repeated exposure	: Not classified		
DIOXIN&FURAN FOOD/FEED/QQQ 10X CLE	DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE		

NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)	
N-NONANE UNLABELED (111-84-2)		
NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Potential Adverse human health effects and symptoms	This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.	
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.	
Symptoms/injuries after skin contact	: Causes skin irritation.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.	

SECTION 12: Ecological i	nformation
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE	

bioxinal onan 1 000/1 EED/222 Tox CEEANOT STANDARD SOLUTION (1500, 35%) IN NONANE		
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h	
N-NONANE UNLABELED (111-84-2)		
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h	

12.2. Persistence and degradability

1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (116865-58-8)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE			
Log Pow	5.65 Indication of bioaccumulation.		
Bioaccumulative potential			
N-NONANE UNLABELED (111-84-2)			
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
Other adverse effects	Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

20, 2012 / Rules and Regulations	
Product/Packaging disposal recommendations:	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AD	DN
14.1. UN number	
UN-No.(DOT)	: 1920
DOT NA no.	UN1920
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Nonanes
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: 111
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids
Orange plates	30 1920
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	5
EAC	: 3Y
Excepted quantities (ADR)	: E1
\mathbf{i} \mathbf{i} \mathbf{i} \mathbf{i}	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids
14.4 Environmental hazards	

Other information

: No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information			
15.1. US Federal regulations			
DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEAN	DXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE		
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.		
N-NONANE UNLABELED (111-84-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting Not subject to reporting requirements of the United States SARA Section 313.			

15.2. International regulations

CANADA

DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE		
Listed on the Canadian DSL (Domestic Substances List)		
N-NONANE UNLABELED (111-84-2)		
Listed on the Canadian DSL (Domestic Substances List)		

15.2.1. National regulations

No additional information available

15.3. US State regulations

DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DIOXIN&FURAN FOOD/FEED/QQQ 10X CLEANUP STANDARD SOLUTION (13C6, 99%) IN NONANE				
State or local regulations		U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances		
N-NONANE UNLABELED (111-84-2)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
N-NONANE UNLABELED (N-NONANE UNLABELED (111-84-2)			
State or local regulations	State or local regulations			
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances				

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

I Lexi of R-, H- and EUH-phrases.	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Muta. 2	Germ cell mutagenicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H310	Fatal in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H371	May cause damage to organs
H413	May cause long lasting harmful effects to aquatic life
R10	Flammable
R20	Harmful by inhalation
R27	Very toxic in contact with skin
R36/37	Irritating to eyes and respiratory system
R36/38	Irritating to eyes and skin
R53	May cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
R68	Possible risk of irreversible effects
T+	Very toxic
Xi	Irritant
Xn	Harmful

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product