

CAMBRIDGE ISOTOPE LABORATORIES

PRODUCT AND COMPANY IDENTIFICATION

Product Name: CREDENTIALED E. COLI CELL EXTRACT KIT (SOLUTION)

Catalog No: MSK-CRED-KIT

Company: Cambridge Isotope Laboratories Inc.

50 Frontage Road Andover, MA. 01810

USA

Telephone: 1-800-322-1174 International information 1-978-749-8000 Emergency: 1-800-424-9300 International Emergency 1-703-741-5970

HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Highly Flammable, Irritant

GHS Classification(s)

Flammable Liquids – Cat 2 Acute toxicity, oral – Cat 4 Acute toxicity, dermal – Cat 4 Acute toxicity, inhalation – Cat 4

Eye irritation - Cat 2A

GHS Label elements, including precautionary statements



Pictograms

Signal word Danger

Hazard statement(s)

See individual Safety Data Sheets

COMPOSITION

Each kit contains two vials:

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%)

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/07/2017 Revision date: 02/05/2018 Supersedes: 06/07/2017 Version: 2.0

MSK-CRED1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%)

CAS No : 2206-26-0 Product code : MSK-CRED1

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Acute Tox. 4 (Oral)
 H302

 Acute Tox. 4 (Dermal)
 H312

 Acute Tox. 4 (Inhalation)
 H332

 Eye Irrit. 2
 H319

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xi; R36 Xn; R20/21/22

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225
Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Acute Tox. 4 (Inhalation) H332
Eye Irrit. 2A H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Lungs, Blood, Kidney, Liver, Central nervous system.

02/05/2018 EN (English US) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P261 - Avoid breathing vapors, mist, gas

P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust, fume, gas, mist, spray, vapors P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P312 - If swallowed: Call a doctor if you feel unwell

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a doctor if you feel unwell

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

P330 - Rinse mouth

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry

extinguishing powder to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

02/05/2018 EN (English US) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Directive 67/548/EEC
WATER UNLABELED	(CAS No) 7732-18-5 (EC No) 231-791-2	55.83	Not classified
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC No) 200-835-2 (EC Index No) 608-001-00-3 (REACH-no) 01-2119471307-38	43.89	F; R11 Xi; R36 Xn; R20/21/22
E. COLI CELL EXTRACT VIAL 1 (DRIED DOWN) (13C, 98%)		0.28	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Name WATER UNLABELED	Product identifier (CAS No) 7732-18-5 (EC No) 231-791-2	% 55.83	Regulation (EC) No.

Name	Product identifier	%	GHS-US classification
WATER UNLABELED	(CAS No) 7732-18-5	55.83	Not classified
ACETONITRILE UNLABELED	(CAS No) 75-05-8	43.89	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
E. COLI CELL EXTRACT VIAL 1 (DRIED DOWN) (13C, 98%)		0.28	Not classified

0.28

Not classified

Full text of R- and H- phrases: see section 16

E. COLI CELL EXTRACT VIAL 1 (DRIED DOWN) (13C, 98%)

SECTION 4: First aid measures

Description of first aid measures

: In case of accident or if you feel unwell, seek medical advice immediately (show the label First-aid measures general where possible). Evacuate area.

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Call a physician immediately. Get immediate medical

advice/attention.

: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. First-aid measures after skin contact Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.

First-aid measures after ingestion Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Harmful if inhaled. May cause respiratory irritation.

Repeated exposure to this material can result in absorption through skin causing significant Symptoms/injuries after skin contact

health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact Causes serious eye irritation.

Symptoms/injuries after ingestion Swallowing a small quantity of this material will result in serious health hazard. Harmful if

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

02/05/2018 EN (English US) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture. Reactivity : Vapors may form explosive mixture with air.

5.3. Advice for firefighters

Firefighting instructions : Wear a self contained breathing apparatus. Fight fire with normal precautions from a

reasonable distance.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear self-contained breathing apparatus, rubber boots and thick rubber gloves.

Other information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Ensure adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe

to do so. Provide adequate ventilation to minimize dust and/or vapor concentrations. Special attention should be given to low areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Disposal should be in accordance with applicable Federal, State and

local regulations.

Methods for cleaning up : Collect spillage. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Vacuum with an equipment that avoids ignition risk. This

material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid all eye and skin contact and do not breathe vapor and mist. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Handle empty.

ignition - No smoking. Take precautionary measures against static discharges. Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof Lighting equipment, ventilating

equipment.

Storage conditions : Store in freezer (-80°C). Protect from light, air and moisture.

Incompatible materials : Heat sources

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Lower Respiratory Tract irritation. Not classifiable as a human carcinogen. Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	34 mg/m³ Basis: USA. NIOSH Recommended Exposure Limits.

02/05/2018 EN (English US) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

E. COLI CELL EXTRACT VIA	L 1 (SOLUTION) (13C, 98%) (2206-26-0)	
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Basis: USA. NIOSH Recommended Exposure Limits.
USA NIOSH	Remark (NIOSH)	Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants.
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate.
ACETONITRILE UNLABELED (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	34 mg/m³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	68 mg/m³
Long-term - systemic effects, dermal	32.2 mg/kg bodyweight/day
Long-term - local effects, inhalation	68 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	22 mg/m³
Acute - local effects, inhalation	220 mg/m³
Long-term - systemic effects, inhalation	4.8 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	7.53 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.41 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	32 mg/l

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety procedures.

Personal protective equipment : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.









Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Chemical goggles or face shield with safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state : Liquid

Appearance : Liquid, clear

Molecular mass : 44.07 g/mol (Labeled)

Color : Colourless

02/05/2018 EN (English US) 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor : Ether-like. Odor threshold : No data available рΗ : No data available Relative evaporation rate (butyl acetate=1) : No data available : -48 °C (-54°F) Melting point Freezing point : No data available **Boiling point** : 81 - 82 °C (178 - 180 °F) Flash point : 2 °C (35.6 °F) - closed cup

Auto-ignition temperature : 524 °C (975.2 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure : 73.18 hPa (54.89 mmHg) at 15 °C (59 °F); 121.44 hPa (91.09 mmHg) at 25 °C (77 °F); 413.23

hPa (309.95 mmHg) at 55 °C (131 °F); 98.64 hPa (93.99 mmHg) at 20 °C (68 °F)

Relative vapor density at 20 °C : 1.42 - (Air = 1.0)
Relative density : No data available

Specific gravity / density : 0.786 g/ml at 25 °C (77 °F)

Solubility : Water: completely soluble

Log Pow : -0.54 at 25 °C (77 °F)

Log Kow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Not explosive.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Explosion limits : 3 - 16 vol % (V)

9.2. Other information

Surface tension : 29.0 mN/m at 20 °C (68 °F)

Evaporation Rat : 5.8

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

Stable if stored under recommended conditions.

10.3. Possibility of hazardous reactions

Highly flammable liquid and vapor.

10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

10.6. Hazardous decomposition products

May release flammable gases. Carbon oxides (CO, CO2). Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)	
LD50 oral rat	1320 - 6690 mg/kg male
LD50 dermal rabbit	> 2000 mg/kg male and female (OECD Test Guideline 402)
LC50 inhalation rat (mg/l)	26.8 mg/l 4 h
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	2000.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
LC50, Inhalation, mouse	3587 ppm - 4 h (OECD Test Guideline 403)

02/05/2018 EN (English US) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

WATER UNLABELED (7732-18-5)		
LD50 oral rat	> 90000 mg/kg	
ACETONITRILE UNLABELED (75-05-8)	ACETONITRILE UNLABELED (75-05-8)	
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	
LC50 inhalation rat (ppm)	7551 ppm - 8h	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	2000.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
Skin corrosion/irritation	: Skin. rabbit. Result: No skin irritation. (OECD 404 method)	
Serious eye damage/irritation	: Eyes. rabbit. Result: Irritating to eyes. (OECD Test Guideline 405)	
Respiratory or skin sensitization	: Buehler Test - Guinea pig Does not cause skin sensitization. (OECD Test Guideline 406)	
Germ cell mutagenicity	: Hamster Ovary Result: negative. Mutation in mammalian somatic cells Ames test. S. typhimurium result: negative Hamster - Ovary - Sister chromatid exchange. Result: Equivocal evidence Mutagenicity (micronucleus test) Mouse Result: Positive results were obtained in some in vivo tests.	
Carcinogenicity	: No evidence of carcinogenicity in animal studies (when indicated).	
Reproductive toxicity	: Animal testing did not show any effects on fertility.	
Specific target organ toxicity – single exposure	: Not classified	
	The substance or mixture is not classified as specific target organ toxicant.	
Specific target organ toxicity – repeated	: Not classified	
exposure	The substance or mixture is not classified as specific target organ toxicant.	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.	
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.	

SECTION 12: Ecological information

12.1. **Toxicity**

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)	
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h (OECD Test Guideline 202)
NOEC (chronic)	160 mg/l Daphnia magna (Water flea) - 21 d
NOEC chronic fish	102 mg/l Oryzias latipes - 21 d
ACETONITRILE UNLABELED (75-05-8)	
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d

Persistence and degradability

12121 1 Orolotorios ana aogradamity	
E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)	
Biodegradation	84 % Readily biodegradable. (OECD Test Guideline 301C)
ACETONITRILE UNLABELED (75-05-8)	
Persistence and degradability	Biodegradability Result: - Readily biodegradable.

02/05/2018 EN (English US) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative	notential
12.3.	Dioaccumulative	potential

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)	
Log Pow	-0.54 at 25 °C (77 °F)
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).
ACETONITRILE UNLABELED (75-05-8)	
Log Pow	-0.34

No bioaccumulation is to be expected (log Pow <= 4).

Bioaccumulative potential 12.4. Mobility in soil

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)	
Ecology - soil	Not expected to absorb on soil.
ACETONITRILE UNLABELED (75-05-8)	
Ecology - soil	Not expected to absorb on soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Avoid release to the environment. Disposal must be done according to official regulations. May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Product/Packaging disposal recommendations: : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 1648 DOT NA no. UN1648

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Acetonitrile

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C

(59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Other information : No supplementary information available.

02/05/2018 EN (English US) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Overland transport

Hazard identification number (Kemler No.) : 33

Orange plates :

33 1648

Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) 11
EAC : •2YE
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

10.11. 00 1 cacrar regulations			
E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)		
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313		
WATER UNLABELED (7732-18-5)			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
ACETONITRILE UNLABELED (75-05-8)			
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard		
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313		
E. COLI CELL EXTRACT VIAL 1 (DRIED DOWN) (13C, 98%)			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		

02/05/2018 EN (English US) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%) (2206-26-0)

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

15.3. US State regulations

E. COLI CELL EXTRACT VIAL 1 (SOLUTION) (13C, 98%)(2206-26-0)		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	

WATER UNLABELED (7732-18-5)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

ACETONITRILE UNLABELED (75-05-8)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

E. COLI CELL EXTRACT VIAL 1 (DRIED DOWN) (13C, 98%)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

WATER UNLABELED (7732-18-5)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

ACETONITRILE UNLABELED (75-05-8)

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

E. COLI CELL EXTRACT VIAL 1 (DRIED DOWN) (13C, 98%)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

SECTION 16: Other information

02/05/2018 EN (English US) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
F	Highly flammable
Xi	Irritant
Xn	Harmful

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause


temporary incapacitation or residual injury.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient

temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/05/2018 EN (English US) 11/11



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/07/2017 Revision date: 02/05/2018 Supersedes: 06/07/2017 Version: 2.0

MSK-CRED2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED

CAS No : 2206-26-0 Product code : MSK-CRED2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Acute Tox. 4 (Oral)
 H302

 Acute Tox. 4 (Dermal)
 H312

 Acute Tox. 4 (Inhalation)
 H332

 Eye Irrit. 2
 H319

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xi; R36 Xn; R20/21/22

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225
Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Acute Tox. 4 (Inhalation) H332
Eye Irrit. 2A H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Lungs, Blood, Kidney, Liver, Central nervous system.

02/05/2018 EN (English US) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P261 - Avoid breathing vapors, mist, gas

P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust, fume, gas, mist, spray, vapors P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P312 - If swallowed: Call a doctor if you feel unwell

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a doctor if you feel unwell

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

P330 - Rinse mouth

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry

extinguishing powder to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

02/05/2018 EN (English US) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Directive 67/548/EEC
WATER UNLABELED	(CAS No) 7732-18-5 (EC No) 231-791-2	55.83	Not classified
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC No) 200-835-2 (EC Index No) 608-001-00-3 (REACH-no) 01-2119471307-38	43.89	F; R11 Xi; R36 Xn; R20/21/22
E. COLI CELL EXTRACT VIAL 2 (DRIED DOWN) UNLABELED		0.28	Not classified
Name	Product identifier	%	Classification according to

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
WATER UNLABELED	(CAS No) 7732-18-5 (EC No) 231-791-2	55.83	Not classified
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC No) 200-835-2 (EC Index No) 608-001-00-3 (REACH-no) 01-2119471307-38	43.89	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
E. COLI CELL EXTRACT VIAL 2 (DRIED DOWN) UNLABELED		0.28	Not classified

Name	Product identifier	%	GHS-US classification
WATER UNLABELED	(CAS No) 7732-18-5	55.83	Not classified
ACETONITRILE UNLABELED	(CAS No) 75-05-8	43.89	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
E. COLI CELL EXTRACT VIAL 2 (DRIED DOWN) UNLABELED		0.28	Not classified

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures

Description of first aid measures

: If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area. First-aid measures general

: When symptoms occur: go into open air and ventilate suspected area. If not breathing, give First-aid measures after inhalation

artificial respiration. Get medical advice/attention.

First-aid measures after skin contact Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get

medical advice/attention.

Most important symptoms and effects, both acute and delayed 4.2.

Symptoms/injuries after inhalation : Harmful if inhaled. May cause respiratory irritation.

Repeated exposure to this material can result in absorption through skin causing significant Symptoms/injuries after skin contact

health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact Causes serious eye irritation.

Symptoms/injuries after ingestion Swallowing a small quantity of this material will result in serious health hazard. Harmful if

swallowed.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

: Highly flammable liquid and vapor. Fire hazard

Explosion hazard : May form flammable/explosive vapor-air mixture. Reactivity : Vapors may form explosive mixture with air.

02/05/2018 EN (English US) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

Firefighting instructions : Wear a self contained breathing apparatus. Fight fire with normal precautions from a

reasonable distance.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear self-contained breathing apparatus, rubber boots and thick rubber gloves.

Other information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Ensure

adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Provide adequate ventilation to minimize dust and/or vapor concentrations. Special attention should be given to low areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Disposal should be in accordance with applicable Federal, State and

local regulations.

Methods for cleaning up : Collect spillage. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Vacuum with an equipment that avoids ignition risk. This

material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid all eye and skin contact and do not breathe vapor and mist. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Handle empty

containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.

Storage conditions : Store in freezer (-80°C). Protect from light, air and moisture.

Incompatible materials : Heat sources

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

E. COLI CELL EXTRACT VIA	L 2 (SOLUTION) UNLABELED (2206-26-0)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.0000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Lower Respiratory Tract irritation. Not classifiable as a human carcinogen. Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	34 mg/m³ Basis: USA. NIOSH Recommended Exposure Limits.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Basis: USA. NIOSH Recommended Exposure Limits.
USA NIOSH	Remark (NIOSH)	Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants.

02/05/2018 EN (English US) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)				
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants.		
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate.		
ACETONITRILE UNLABELED	ACETONITRILE UNLABELED (75-05-8)			
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	34 mg/m³ Forms Cyanide in the body.		
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.		
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m³ The value in mg/m3 is approximate.		
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.		

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	68 mg/m³	
Long-term - systemic effects, dermal	32.2 mg/kg bodyweight/day	
Long-term - local effects, inhalation	68 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	22 mg/m³	
Acute - local effects, inhalation	220 mg/m³	
Long-term - systemic effects, inhalation	4.8 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	10 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	7.53 mg/kg dwt	
PNEC (Soil)		
PNEC soil	2.41 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	32 mg/l	

Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety procedures.

Personal protective equipment : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.









Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection : Wear suitable protective clothing and gloves. Eye protection

: Chemical goggles or face shield with safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture. Physical state : Liquid : Liquid, clear **Appearance**

Molecular mass : 44.07 g/mol (Labeled)

Color : Colourless Odor : Ether-like Odor threshold : No data available : No data available : No data available Relative evaporation rate (butyl acetate=1) Melting point : -48 °C (-54°F)

02/05/2018 EN (English US) 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point : No data available

Boiling point : 81 - 82 °C (178 - 180 °F)

Flash point : 2 °C (35.6 °F) - closed cup

Auto-ignition temperature : 524 °C (975.2 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure : 73.18 hPa (54.89 mmHg) at 15 °C (59 °F); 121.44 hPa (91.09 mmHg) at 25 °C (77 °F); 413.23

hPa (309.95 mmHg) at 55 °C (131 °F); 98.64 hPa (93.99 mmHg) at 20 °C (68 °F)

Relative vapor density at 20 °C : 1.42 - (Air = 1.0)
Relative density : No data available

Specific gravity / density : 0.786 g/ml at 25 °C (77 °F)

Solubility : Water: completely soluble

Log Pow : -0.54 at 25 °C (77 °F)

Log Kow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Not explosive.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Explosion limits : 3 - 16 vol % (V)

9.2. Other information

Surface tension : 29.0 mN/m at 20 °C (68 °F)

Evaporation Rat : 5.8

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

Stable if stored under recommended conditions.

10.3. Possibility of hazardous reactions

Highly flammable liquid and vapor.

10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

10.6. Hazardous decomposition products

May release flammable gases. Carbon oxides (CO, CO2). Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)			
LD50 oral rat	1320 - 6690 mg/kg male		
LD50 dermal rabbit	> 2000 mg/kg male and female (OECD Test Guideline 402)		
LC50 inhalation rat (mg/l)	26.8 mg/l 4 h		
ATE CLP (oral)	500.000 mg/kg body weight		
ATE CLP (dermal)	2000.000 mg/kg body weight		
ATE CLP (gases)	4500.000 ppmV/4h		
ATE CLP (vapors)	11.000 mg/l/4h		
ATE CLP (dust, mist)	1.500 mg/l/4h		
LC50, Inhalation, mouse	3587 ppm - 4 h (OECD Test Guideline 403)		

WATER UNLABELED (7732-18-5)

LD50 oral rat > 90000 mg/kg

ACETONITRILE UNLABELED (75-05-8)		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	

02/05/2018 EN (English US) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

20, 2012 / Itales and Regulations					
ACETONITRILE UNLABELED (75-05-8)					
LC50 inhalation rat (ppm)	Т	7551 ppm - 8h			
ATE CLP (oral)		500.000 mg/kg body weight			
ATE CLP (dermal)		2000.000 mg/kg body weight			
ATE CLP (gases)		4500.000 ppmV/4h			
ATE CLP (vapors)		11.000 mg/l/4h			
ATE CLP (dust, mist)		1.500 mg/l/4h			
Skin corrosion/irritation	:	Skin. rabbit. Result: No skin irritation. (OECD 404 method)			
Serious eye damage/irritation	:	Eyes. rabbit. Result: Irritating to eyes. (OECD Test Guideline 405)			
Respiratory or skin sensitization	:	Buehler Test - Guinea pig Does not cause skin sensitization. (OECD Test Guideline 406)			
Germ cell mutagenicity	:	Hamster Ovary Result: negative. Mutation in mammalian somatic cells Ames test. S. typhimurium result: negative Hamster - Ovary - Sister chromatid exchange. Result: Equivocal evidence Mutagenicity (micronucleus test) Mouse Result: Positive results were obtained in some in vivo tests.			
Carcinogenicity	: No evidence of carcinogenicity in animal studies (when indicated).				
Reproductive toxicity		Animal testing did not show any effects on fertility.			
Specific target organ toxicity – single exposure		Not classified			
		The substance or mixture is not classified as specific target organ toxicant.			
Specific target organ toxicity – repeated		Not classified			
exposure		The substance or mixture is not classified as specific target organ toxicant.			
Aspiration hazard	:	Not classified			
Potential Adverse human health effects and symptoms	:	Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.			
Symptoms/injuries after inhalation	:	Harmful if inhaled. May cause respiratory irritation.			
Symptoms/injuries after skin contact	:	Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.			
Symptoms/injuries after eye contact	:	Causes serious eye irritation.			
Symptoms/injuries after ingestion	:	Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.			

SECTION 12: Ecological information

12.1. Toxicity

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)			
LC50 fish 1) fish 1 1640 mg/l Pimephales promelas (fathead minnow) - 96 h		
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h (OECD Test Guideline 202)		
NOEC (chronic) 160 mg/l Daphnia magna (Water flea) - 21 d			
NOEC chronic fish	102 mg/l Oryzias latipes - 21 d		
ACETONITRILE UNLABELED (75-05-8)			
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h		
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h		
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d		

12.2. Persistence and degradability

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)					
Biodegradation	84 % Readily biodegradable. (OECD Test Guideline 301C)				
ACETONITRILE UNLABELED (75-05-8)	ACETONITRILE UNLABELED (75-05-8)				
Persistence and degradability Biodegradability Result: - Readily biodegradable.					
12.3. Bioaccumulative potential					
E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)					
Log Pow -0.54 at 25 °C (77 °F)					
Bioaccumulative potential No bioaccumulation is to be expected (log Pow <= 4)					

02/05/2018 EN (English US) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)			
Log Pow -0.34			
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).		

Mobility in soil 12.4.

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)			
Ecology - soil Not expected to absorb on soil.			
ACETONITRILE UNLABELED (75-05-8)			

Ecology - soil

Not expected to absorb on soil.

Results of PBT and vPvB assessment

No additional information available

Other adverse effects

Other adverse effects : Avoid release to the environment. Disposal must be done according to official regulations. May

cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed Product/Packaging disposal recommendations:

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. **UN** number

UN-No.(DOT) : 1648 DOT NA no. UN1648

UN proper shipping name

Proper Shipping Name (DOT) : Acetonitrile

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Class (DOT)

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C

(59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

Additional information

Other information : No supplementary information available.

Overland transport

Hazard identification number (Kemler No.) : 33

02/05/2018 EN (English US) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Orange plates

33 1648

Tunnel restriction code (ADR) : D/E Limited quantities (ADR) 11 : •2YE FAC Excepted quantities (ADR) : E2

Transport by sea

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a **DOT Vessel Stowage Location**

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

Environmental hazards

Other information : No supplementary information available.

Special precautions for user 14.5.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)				
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard			
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313			
WATER UNLABELED (7732-18-5)				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
ACETONITRILE UNLABELED (75-05-8)				
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313			
E. COLI CELL EXTRACT VIAL 2 (DRIED DOWN) UNLABELED				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			

02/05/2018 EN (English US) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED (2206-26-0)

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

15.3. US State regulations

E. COLI CELL EXTRACT VIAL 2 (SOLUTION) UNLABELED(2206-26-0)			
U.S California - Proposition 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity	No		
U.S California - Proposition 65 - Reproductive Toxicity - Female	No		
U.S California - Proposition 65 - Reproductive Toxicity - Male	No		
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List		

WATER UNLABELED (7732-18-5)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

ACETONITRILE UNLABELED (75-05-8)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

E. COLI CELL EXTRACT VIAL 2 (DRIED DOWN) UNLABELED

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

WATER UNLABELED (7732-18-5)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

ACETONITRILE UNLABELED (75-05-8)

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

E. COLI CELL EXTRACT VIAL 2 (DRIED DOWN) UNLABELED

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

SECTION 16: Other information

02/05/2018 EN (English US) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

· · · · · · · · · · · · · · · · · · ·	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
F	Highly flammable
Xi	Irritant
Xn	Harmful

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause

temporary incapacitation or residual injury.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient

temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/05/2018 EN (English US) 11/11