

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/05/2017 Revision date: 05/06/2018 Supersedes: 11/05/2017 Version: 1.1

ULM-10300-S

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER

(UNLABELED) 100 UG/ML IN MTBE

Product code : ULM-10300-S

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xi: R38

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225 Skin Irrit. 2 H315

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Kidney, Central nervous system.

05/06/2018 EN (English US) 1/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. **Label elements**

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Signal word (CLP) : Danger

Hazard statements (CLP) H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment P264 - Wash hands, forearms and face thoroughly after handling

P280 - Wear protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of water

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

: P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking Precautionary statements (GHS-US)

P233 - Keep container tightly closed

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P264 - Wash Both hands thoroughly after handling

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P321 - Specific treatment (see Hazard pictograms (CLP) on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use Water spray, Alcohol resistant foam, Dry chemical, Carbon

dioxide. to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to Comply with applicable regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

Substances 3.1.

Not applicable

J.Z. WILKUI G5				
	Name	Product identifier	%	Classification according to Directive 67/548/EEC
	METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4 (EC No) 216-653-1 (EC Index No) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	F; R11 Xi; R38

05/06/2018 EN (English US) 2/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Directive 67/548/EEC
CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4- METHYL OCTYL) ESTER (UNLABELED)	(EC Index No)	0.013	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4 (EC No) 216-653-1 (EC Index No) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4- METHYL OCTYL) ESTER (UNLABELED)	(EC Index No)	0.013	Not classified
Name	Product identifier	%	GHS-US classification
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315

Full text of R- and H- phrases: see section 16

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-

SECTION 4: First aid measures

METHYL OCTYL) ESTER (UNLABELED)

Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. If not breathing, give

artificial respiration. Get medical advice/attention.

: Wash with plenty of soap and water. Get immediate medical advice/attention. First-aid measures after skin contact

First-aid measures after eye contact : Rinse cautiously with water for several minutes.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get

medical advice/attention.

Most important symptoms and effects, both acute and delayed

: May be harmful if inhaled. May cause respiratory irritation. Symptoms/injuries after inhalation

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : May cause eye irritation. Symptoms/injuries after ingestion : May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Use water spray to cool exposed surfaces.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Provide adequate ventilation to minimize dust and/or vapor concentrations. Avoid dust formation. Evacuate area. Remove all sources of ignition. Special attention should be given to low areas/pits where flammable vapors can accumulate.

0.013

Not classified

For emergency responders

No additional information available

Emergency procedures

05/06/2018 EN (English US) 3/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and material for containment and cleaning up

For containment

: Collect spillage. This material and its container must be disposed of in a safe way, and as per

local legislation.

Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid breathing dust, fume, gas, mist, spray, vapors. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Prevent the build-up of electrostatic charge. Provide adequate ventilation to minimize dust and/or vapor

Hygiene measures

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.

: Store refrigerated (-5°C to 5°C). Protect from light. Storage conditions

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen with unknown relevance to humans.
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	144 mg/m³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).
USA OSHA	OSHA PEL (Ceiling) (ppm)	40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).

METHYL TERT-BUTYL ETHE	METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen with unknown relevance to humans.
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	144 mg/m³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).
USA OSHA	OSHA PEL (Ceiling) (ppm)	40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).

Exposure controls

Appropriate engineering controls

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus. Personal protective equipment



: Wear suitable protective clothing and gloves.

Materials for protective clothing

Hand protection

: Wear suitable protective clothing and gloves. Eye protection Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection

Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection Environmental exposure controls : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

: Avoid release to the environment.

EN (English US) 05/06/2018 4/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state : Liquid

Appearance : Liquid

Molecular mass : 88.15 g/mol

Color : Colorless

Odor : No data available

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : -108.6 °C (-163.5 °F) Freezing point : No data available

Boiling point : $55 - 56 \,^{\circ}\text{C} \, (131 - 133 \,^{\circ}\text{F}) - \text{lit.}$ Flash point : $-33 \,^{\circ}\text{C} \, (-27.4 \,^{\circ}\text{F}) - \text{closed cup}$

Auto-ignition temperature : 374 °C (705.2 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : 1018.7 hPa (764.1 mmHg) at 55°C (131°F), 279.2 hPa (209.4 mmHg) at 20 °C (68°F)

Relative vapor density at 20 °C : No data available Relative density : No data available

Specific gravity / density : 0.74 g/ml at 25 °C (77 °F)

Solubility : Water: 42 g/l at 20 °C (68 °F) - OECD Test Guideline 105

Log Pow : 1.06

Log Kow : No data available

Viscosity, kinematic : 0.464 mm²/s at 20 °C (68 °F) - 0.409 mm²/s at 40 °C (104 °F)

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : 1.6 - 15.1 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE	
LD50 oral rat	4000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm/4h - 4 h

05/06/2018 EN (English US) 5/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

20, 2012 / National Integrations		
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
LD50 oral rat	4000 mg/kg	
LC50 inhalation rat (ppm)	23576 ppm/4h	
Skin corrosion/irritation	: Skin - Rabbit Result: Skin irritation	
Serious eye damage/irritation	: Eyes - Rabbit Result: No eye irritation	
Respiratory or skin sensitization	: Will not occur	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. nausea, vomiting. Dizziness. central nervous system. Aspiration of this material may cause chemical pneumonia.	
IARC group	: 2B	
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Causes skin irritation.	
Symptoms/injuries after eye contact	: May cause eye irritation.	
Symptoms/injuries after ingestion	: May be harmful if swallowed.	

SECTION 12: Ecological information

12.1. Toxicity

CYCLOHEXANE-1,2-DICARBOXYLIC ACID	MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h
LC50 fish 2	> 1000 mg/l other fish - 96 h
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h

LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h
LC50 fish 2	> 1000 mg/l other fish - 96 h

12.2. Persistence and degradability

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE	
Biodegradation	0 % - Not readily biodegradable. (OECD Test Guideline 301D)
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
Persistence and degradability	Not readily biodegradable. (OECD 301D method).
Biodegradation	0 %

12.3. Bioaccumulative potential

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE	
Log Pow	1.06
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)	
Log Pow	1.06

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

05/06/2018 EN (English US) 6/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Product/Packaging disposal recommendations: : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 2398 DOT NA no. UN2398

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Methyl tert-butyl ether

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature

during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT RQ : 1000 lbs

Marine pollutant : No

14.3. Additional information

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

Special transport precautions : Not classified as dangerous in the meaning of transport regulations.

Overland transport

Packing group (ADR) : II

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

Hazard labels (ADR) : 3 - Flammable liquids



Orange plates :

33 2398

05/06/2018 EN (English US) 7/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) 11
EAC : •3YE
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : Not classified as dangerous in the meaning of transport regulations.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE	
Subject to reporting requirements of United States SARA Section 313	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		1634-04-4)
	Subject to reporting requirements of United State	s SARA Section 313
	SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.
	SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.

15.2. International regulations

CANADA

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE

Listed on the Canadian DSL (Domestic Substances List)

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

05/06/2018 EN (English US) 8/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED) 100 UG/ML IN MTBE		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4))	
	U.S California -	U.S California -	U.S

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED)

010101112/01112 1,2 510/11/50X1210 X015, 1110110 (1 111211112 00 112)				
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	

METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

CYCLOHEXANE-1,2-DICARBOXYLIC ACID, MONO-(4-METHYL OCTYL) ESTER (UNLABELED)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H225	Highly flammable liquid and vapor
H315	Causes skin irritation
R11	Highly flammable
R38	Irritating to skin
F	Highly flammable
Xi	Irritant

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

2 0

05/06/2018 EN (English US) 9/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/06/2018 EN (English US) 10/10