

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/12/2018 Revision date: Version: 1.0 : ULM-10731-S

SECT	ON 1: Identification of the	substance/mixture and of the company/undertaking
1.1.	Product identifier	substance/mixture and or the company/undertaking
Product		: Mixtures
Product	name	: 4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE
Product	code	: ULM-10731-S
1.2.	Relevant identified uses of the	substance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Main us	e category	: Professional use
ndustria	l/Professional use spec	: For professional use only
1.2.2. No addit	Uses advised against ional information available	
1.3.	Details of the supplier of the sa	ifety data sheet
Cambric 50 Front	Ige Isotope Laboratories, Inc. age Road ; MA 01810	
	800-322-1174 Int: 1-978-749-800 <u>©isotope.com</u> www.isotope.com	10
	Emergency telephone number	
Emerge	ncy numbers:	
	ec: 1-800-424-9300 (24 hours) onal: 1-703-741-5970 (24 hours)	
SECTI	ON 2: Hazards identification	bn .
2.1.	Classification of the substance	or mixture
Classifi	cation according to Regulation (E	EC) No. 1272/2008 [CLP]
Flam. Li	q. 2 H225	
Acute To	ox. 4 (Oral) H302	
Acute To	ox. 4 (Dermal) H312	
Acute To	ox. 4 (Inhalation) H332	
Eye Irrit.		
⁻ ull text	of hazard classes and H-statement	s : see section 16
Classifi	cation according to Directive 67/	548/EEC [DSD] or 1999/45/EC [DPD]
F; R11		
г, кті Xi; R36		
Xn; R20	/21/22	
Full text	of R-phrases: see section 16	
GHS-US	classification	
Flam. Li		
Acute To	ox. 4 (Oral) H302	
	ox. 4 (Dermal) H312	

Eye Irrit. 2A H319

Acute Tox. 4 (Inhalation) H332

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Lungs, Blood, Kidney, Liver, Central nervous system.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1272/2008 [CLP]
GHS02 GHS07
: Danger
: ACETONITRILE UNLABELED
 H225 - Highly flammable liquid and vapour H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H319 - Causes serious eye irritation
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, lighting, ventilating equipment P261 - Avoid breathing vapors, mist, gas. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.
GHS02 GHS07
: Danger
 H225 - Highly flammable liquid and vapour H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H319 - Causes serious eye irritation
 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P312 - If swallowed: Call a doctor if you feel unwell P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a doctor if you feel unwell P312 - Call a doctor if you feel unwell P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell P330 - Rinse mouth. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool.

accordance with local, regional, national and/or international regulation

Other hazards 2.3.

No additional information available

ULM-10731-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Not applicable 32 Mixtures

••			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.987	F; R11 Xi; R36 Xn; R20/21/22
4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED	(CAS-No.) 94-74-6 (EC-No.) 202-360-6 (EC Index-No.)	0.013	Xn; R22 Xi; R38 Xi; R41 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.987	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED	(CAS-No.) 94-74-6 (EC-No.) 202-360-6 (EC Index-No.)	0.013	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 1, H410
Name	Product identifier	%	GHS-US classification
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8	99.987	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED	(CAS-No.) 94-74-6	0.013	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 1, H410

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Evacuate area.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Call a physician immediately. Get immediate medical advice/attention.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

ULM-10731-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
SECTION 5: Firefighting measure	S
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
Reactivity	: Vapors may form explosive mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Wear a self contained breathing apparatus. Fight fire with normal precautions from a reasonable distance.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus, rubber boots and thick rubber gloves.
Other information	: Use water spray to cool unopened containers.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Ensure adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Provide adequate ventilation to minimize dust and/or vapor concentrations. Special attention should be given to low areas/pits where flammable vapors can accumulate.
6.1.2. For emergency responders	
Protective equipment	: For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. D	Do not allow to enter drains or water courses. Avoid release to the environment.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Dike and contain spill. Disposal should be in accordance with applicable Federal, State and local regulations.
Methods for cleaning up	: Collect spillage. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Additional hazards when processed	: Avoid all eye and skin contact and do not breathe vapor and mist. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	. No open flames. No smoking. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, incl	luding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof Lighting equipment, ventilating equipment.
Storage conditions	: Store refrigerated (-5°C to 5°C). Protect from light.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	

No additional information available

ULM-10731-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure c	ontrols/personal protection	
8.1. Control parameters		
4-CHLORO-2-METHYLPHEN	OXYACETIC ACID (MCPA) UNLABELED 100 UG/ML IN	I ACETONITRILE
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.0000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	34 mg/m ³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m ³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.
ACETONITRILE UNLABELED	0 (75-05-8)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	34 mg/m ³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m ³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.

8.2. **Exposure controls**

Appropriate engineering controls Personal protective equipment

- : Handle in accordance with good industrial hygiene and safety procedures.
- : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.
- Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection Wear suitable protective clothing and gloves. : Eye protection Chemical goggles or face shield with safety glasses. Skin and body protection Wear suitable protective clothing, gloves and eye/face protection. Respiratory protection Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. : Avoid release to the environment.

Environmental exposure controls

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

	The properties listed below are for the solvent, the main component	nt (of this mixture.	
	Physical state	:	Liquid	
	Appearance	:	Liquid, clear	
	Molecular mass	:	41.05 g/mol	
	Color	:	Colorless	
	Odor	:	Ether-like	
	Odor threshold	:	No data available	
	рН	:	No data available	
	Relative evaporation rate (butyl acetate=1)	:	No data available	
	Melting point	:	-48 °C (-54°F)	
	Freezing point	:	No data available	
	Boiling point	:	81 - 82 °C (178 - 180 °F)	
	Flash point	:	2 °C (35.6 °F) - closed cup	
	Auto-ignition temperature	:	523 °C (973 °F)	
	Decomposition temperature	:	No data available	
	Flammability (solid, gas)	:	Highly flammable liquid and vapour	
	Vapor pressure	:	73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)	
	Relative vapor density at 20 °C	:	1.42 - (Air = 1.0)	
	Relative density	:	No data available	
	Specific gravity / density	:	0.786 g/ml	
	Solubility	:	Water: 100 %	
1	04/12/2018	F	EN (English US)	5/1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
Log Pow	: -0.34
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 4.4 - 16 vol %
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Vapors may form explosive mixture with air.	
10.2. Chemical stability	
See storage and expiration date on CoA.	
10.3. Possibility of hazardous reactions	
Highly flammable liquid and vapour.	
10.4. Conditions to avoid	
Heat. Open flame. Direct sunlight. Sparks. Extrem	elv high or low temperatures
10.5. Incompatible materials	
Acids, Bases, Oxidizing agents, Reducing agents,	Alkali metals.
10.6. Hazardous decomposition products	
May release flammable gases. Carbon oxides (CC	D, CO2). Nitrogen oxides.
SECTION 11: Toxicological information	n
11.1 Information on toxicological effects	
11.1. Information on toxicological effects	· Oral: Harmful if swallowed Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled
Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (vapors)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust, mist)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h D (MCPA) UNLABELED (94-74-6)
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust, mist)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 2000.000 pmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h D (MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration.
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h O (MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (uspors) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h D (MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration.
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (uspors) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8)	O (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 pmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (uspors) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 oral rat	O (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 pmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit	O(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 pmV/4h 11.000 mg/l/4h 1.500 mg/l/4h O(MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l)	O(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/l/4h 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LD50 dermal rabbit LD50 oral rat LD50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	O(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 2000.000 pmV/4h 11.000 mg/l/4h 1.500 mg/l/4h O(MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 oral rat LD50 inhalation rat (mg/l) LC50 inhalation rat (mg/l) ATE CLP (oral)	O(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 pmV/4h 11.000 mg/l/4h 1.500 mg/l/4h O(MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (desses) ATE CLP (uspors) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (oral)	O(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 pmV/4h 11.000 mg/l/4h 1.500 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight 2460 mg/kg 2000 mg/kg 2460 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2000 mg/kg body weight 2000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dess) ATE CLP (uspors) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 oral rat LD50 inhalation rat (mg/l) LC50 inhalation rat (mg/l) ATE CLP (oral)	Omega Constraint Constraint<
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (uapors) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (mg/l) ATE CLP (oral)	D(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight 2460 mg/kg 2000 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2000.000 mg/kg body weight
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (desses) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dust, mist)	D (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/kg Point (MCPA) UNLABELED (94-74-6) 700 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg 500.000 mg/kg body weight 2460 mg/kg 2000 mg/kg 500.000 mg/kg body weight 2460 mg/kg 2000 mg/kg 500.000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight <td< td=""></td<>
Acute toxicity 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (desses) ATE CLP (dust, mist) 4-CHLORO-2-METHYLPHENOXYACETIC ACII LD50 oral rat LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LD50 dermal rabbit ATE CLP (oral) ACETONITRILE UNLABELED (75-05-8) LD50 dermal rabbit LC50 inhalation rat (mg/l) LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dust, mist)	D(MCPA) UNLABELED 100 UG/ML IN ACETONITRILE 2460 mg/kg 2000 mg/kg ≥ 26.8 mg/l 7551 ppm - 8h 500.000 mg/kg body weight 2000.000 mg/kg body weight 4500.000 ppmV/4h 11.000 mg/l/4h 1.500 mg/kg Remarks: Gastrointestinal disturbance Behavioral: Somnolence (general depressed activity). Liver: Fatty liver degeneration. > 2000 mg/kg > 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2460 mg/kg 2000 mg/kg body weight 2000.000 mg/kg body weight

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Causes serious eye irritation.	
	Rabbit – Eyes - Irritating to eyes	
Respiratory or skin sensitization	: Did not cause sensitization on laboratory animals. Buehler Test - guinea pig - Did not cause sensitization on laboratory animals. (OECD 406 method)	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: No evidence of carcinogenicity in animal studies (when indicated).	
Reproductive toxicity	: Animal testing did not show any effects on fertility.	
Specific target organ toxicity – single exposure	: Not classified	
	The substance or mixture is not classified as specific target organ toxicant.	
Specific target organ toxicity – repeated	: Not classified	
exposure	The substance or mixture is not classified as specific target organ toxicant.	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depressio Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This informa is based on our current knowledge and is intended to describe the product for the purposes health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.	n, - ition of
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.	
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.	

SECTION 12: Ecological information		
2.1. Toxicity		
4-CHLORO-2-METHYLPHENOXYACETIC	ACID (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE	
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
4-CHLORO-2-METHYLPHENOXYACETIC	4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED (94-74-6)	
LC50 fish 1	91 mg/l - Oncorhynchus mykiss (rainbow trout) - 96 h	
EC50 Daphnia 1	> 180 mg/l - Daphnia magna (Water flea) - 48 h	
ACETONITRILE UNLABELED (75-05-8)		
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1 3600 mg/l Daphnia magna (Water flea) - 48h		
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
12.2. Persistence and degradability		

4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE			
Persistence and degradability Biodegradability Result: - Readily biodegradable.			
ACETONITRILE UNLABELED (75-05-8)			
Persistence and degradability	Biodegradability Result: - Readily biodegradable.		
12.3. Bioaccumulative potential			
4-CHLORO-2-METHYLPHENOXYACETIC ACIE	4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE		
Log Pow	-0.34		
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).		
ACETONITRILE UNLABELED (75-05-8)			
Log Pow	-0.34		
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).		

ULM-10731-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - soil	Not expected to absorb on soil.
ACETONITRILE UNLABELED (75-05-8)	
Ecology - soil	Not expected to absorb on soil.
12.5. Results of PBT and vPvB assessme	nt
No additional information available	
12.6. Other adverse effects	
Dther adverse effects	: Avoid release to the environment. Disposal must be done according to official regulations. Ma cause long lasting harmful effects to aquatic life.
SECTION 13: Disposal consideratior	IS
I3.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
n accordance with ADR / RID / IMDG / IATA / AI	DN
I4.1. UN number	
JN-No.(DOT)	: 1648
DOT NA no.	UN1648
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Acetonitrile
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	ELAMMABLE LIQUID
Packing group (DOT)	: II - Medium Danger
OOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 11k kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
4.3. Additional information	
Dther information	: No supplementary information available.
Overland transport	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

_	Orange plates	:	33 1648
	Tunnel restriction code (ADR)	:	D/E
	Limited quantities (ADR)		11
	EAC	:	•2YE
	Excepted quantities (ADR)	:	E2
	Transport by sea		
	DOT Vessel Stowage Location	:	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
	DOT Vessel Stowage Other	:	40 - Stow "clear of living quarters"
	MFAG-No	:	127
	Air transport		
	DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	5L
	DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	60 L
	Civil Aeronautics Law	:	Flammable liquids
	14.4. Environmental hazards		
	Other information	:	No supplementary information available.
	14.5 Special precautions for user		

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory informatio	n				
15.1. US Federal regulations					
4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE					
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard				
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313				
4-CHLORO-2-METHYLPHENOXYACETIC A	CID (MCPA) UNLABELED (94-74-6)				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.				
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard				
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.				
ACETONITRILE UNLABELED (75-05-8)					
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard				
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313				

ULM-10731-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

4-CHLORO-2-METHYLPHENOXYACETIC ACID (MCPA) UNLABELED 100 UG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

4-CHLORO-2-METHYLPHE	NOXYACETIC ACID (MCP)	A) UNLABELED 100 UG/ML IN	ACETONITRILE				
U.S California - Propositio	n 65 - Carcinogens List	No					
U.S California - Propositio Toxicity	n 65 - Developmental	No					
U.S California - Propositio Toxicity - Female	n 65 - Reproductive	No					
U.S California - Proposition 65 - Reproductive Toxicity - Male		No					
State or local regulations		U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List					
4-CHLORO-2-METHYLPHE	NOXYACETIC ACID (MCP)	A) UNLABELED (94-74-6)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)			
No	No	No	No				
ACETONITRILE UNLABEL	ED (75-05-8)		·				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)			
No	No	No	No				
4-CHLORO-2-METHYLPHE	NOXYACETIC ACID (MCP)	A) UNLABELED (94-74-6)	<u>.</u>				
State or local regulations							
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List							
ACETONITRILE UNLABEL	ED (75-05-8)						
State or local regulations							
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List							

SECTION 16: Other information

Other information

This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

25	hly flammable liquid and vapour
02	mful if swallowed
12	mful in contact with skin
15	ises skin irritation
18	ises serious eye damage
19	ises serious eye irritation
32	mful if inhaled
10	y toxic to aquatic life with long lasting effects
1	hly flammable
0/21/22	mful by inhalation, in contact with skin and if swallowed
2	mful if swallowed
6	ating to eyes
8	ating to skin
1	c of serious damage to eyes
0/53	y toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
	hly flammable
	ngerous for the environment
	ant
	mful

NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

- : 3 Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
- : 0 Material that in themselves are normally stable, even under fire conditions.

Hazard Rating

Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 3 Serious Hazard	
Physical	: 0 Minimal Hazard	

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

0