

Safety Data Sheet

 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Date of issue: 20/08/2018
 Revision date:
 :
 Version: 1.0

 ULM-8785-S

SECTION 1: Identification of the sub-	stance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixtures	
Product name	: DICYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN NONANE	
Product code	: ULM-8785-S	
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Industrial/Professional use spec	: For professional use only	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety of	data sheet	
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA		
USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com		
Emergency telephone number		
Emergency numbers:		
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)		
SECTION 2: Hazards identification		
2.1. Classification of the substance or m	ixture	
Classification according to Regulation (EC) N	lo. 1272/2008 [CLP]	
Flam. Liq. 3 H226		
Acute Tox. 4 (Inhalation:vapour) H332		
Skin Irrit. 2 H315		
Eye Irrit. 2A H319		
STOT SE 3 H336		
Asp. Tox. 1 H304		
Full text of hazard classes and H-statements : see section 16		
Classification according to Directive 67/548/E R10 Xn; R20 Xn; R65 Xi; R36/38 R67	EC [DSD] or 1999/45/EC [DPD]	
Full text of R-phrases: see section 16		

GHS-US classification

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

ULM-8785-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapour. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.



ULM-8785-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

.2. Mixtures			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.986	R10 Xn; R20 Xn; R65 Xi; R36/38 R67
DICYCLOHEXYL PHTHALATE UNLABELED	(CAS-No.) 84-61-7 (EC-No.) 201-545-9	0.014	Xi; R36/37/38
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.986	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
DICYCLOHEXYL PHTHALATE UNLABELED	(CAS-No.) 84-61-7 (EC-No.) 201-545-9	0.014	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS-No.) 111-84-2	99.986	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304
DICYCLOHEXYL PHTHALATE UNLABELED	(CAS-No.) 84-61-7	0.014	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.

ULM-8785-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5, 2012 / Rules and Regulations	• • • • • • • •
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.
	dical attention and special treatment needed
Freat symptomatically.	
SECTION 5: Firefighting measure	es .
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
5.2. Special hazards arising from the	
Fire hazard	: Flammable liquid and vapour.
Reactivity	: Flammable liquid and vapour. vapors may form flammable mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release m	neasures
.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and
	no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eye
5.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information
	refer to section 8: "Exposure controls/personal protection".
.2. Environmental precautions	
Prevent entry to sewers and public waters.	Avoid release to the environment.
.3. Methods and material for contai	inment and cleaning up
For containment	: Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for dispos
lethods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or publ waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storag	e
.1. Precautions for safe handling	
dditional hazards when processed	: Avoid all contact with skin, eyes, or clothing. Keep away from sources of ignition - No smokin Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer). Take precautionary measures against static discharges.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Tak precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this produce Always wash hands after handling the product.
.2. Conditions for safe storage, inc	luding any incompatibilities
echnical measures	: Store in a well-ventilated place. Keep container tightly closed. Keep dry. Ground/bond contai and receiving equipment.
torage conditions	: Store at room temperature away from light and moisture.
7.3. Specific end use(s)	
lo additional information available	
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
DICYCLOHEXYL PHTHALATE UNLABE	
Italy - Portugal - USA ACGIH ACGIH TV	

Values (TLV)

ULM-8785-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DICYCLOHEXYL PHTHALAT	E UNLABELED 100 UG/ML IN NONANE	
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
N-NONANE UNLABELED (11	1-84-2)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.

8.2. **Exposure controls**

Appropriate engineering controls Personal protective equipment

- : Ensure good ventilation of the work station.
- : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: protective gloves.
Eye protection	: Chemical goggles or face shield. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
The properties listed below are for the solvent, the main com	ponent of this mixture.	
Physical state	: Liquid	
Appearance	: Liquid	
Molecular mass	: 128.3 g/mol	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
20/08/2018	EN (English US)	5/11

ULM-8785-S Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-, -	
Relative evaporation rate (butyl acetate=1) : No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: <= 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	
--------------------------------------	--

10.1. Reactivity

Flammable liquid and vapour. vapors may form flammable mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Inhalation:vapour: Harmful if inhaled.
	PHTHALATE LINEARELED 100 LIG/ME IN NONANE

DICYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN NONANE			
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h		
ATE CLP (vapors)	11.000 mg/l/4h		
ATE CLP (dust, mist)	23.760 mg/l/4h		
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)		
Additional information	: S. Typhimurium Result: negative		
N-NONANE UNLABELED (111-84-2)	N-NONANE UNLABELED (111-84-2)		
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h		
ATE CLP (vapors)	11.000 mg/l/4h		
ATE CLP (dust, mist)	23.760 mg/l/4h		
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)		
Additional information	: S. Typhimurium Result: negative		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	Not classified		

ULM-8785-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

,	
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.
Specific target organ toxicity – repeated exposure	: Not classified
DICYCLOHEXYL PHTHALATE UNLABELED	100 UG/ML IN NONANE
NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
N-NONANE UNLABELED (111-84-2)	
NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
DICYCLOHEXYL PHTHALATE UNLABELED	100 UG/ML IN NONANE
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h
N-NONANE UNLABELED (111-84-2)	
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h
12.2. Persistence and degradability	
DICYCLOHEXYL PHTHALATE UNLABELED	(84-61-7)
Persistence and degradability	Not available.
12.3. Bioaccumulative potential	
DICYCLOHEXYL PHTHALATE UNLABELED	
Log Pow	5.65
Bioaccumulative potential	Indication of bioaccumulation.
DICYCLOHEXYL PHTHALATE UNLABELED	(84-61-7)
Bioaccumulative potential Not available.	
N-NONANE UNLABELED (111-84-2)	
Log Pow	5.65
Bioaccumulative potential	Indication of bioaccumulation.
12.4. Mobility in soil	
DICYCLOHEXYL PHTHALATE UNLABELED	(84-61-7)
Ecology - soil	Not available.
12.5. Results of PBT and vPvB assessme	
No additional information available	IN
12.6. Other adverse effects Other adverse effects	Dispessed must be done according to official regulations. Many taxis to equation life with long
Other adverse effects	: Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

ULM-8785-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - waste materials	: Dispose of as unused product.
	· · ·
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	ADN
14.1. UN number	
UN-No.(DOT)	: 1920
DOT NA no.	UN1920
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Nonanes
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	PLAMMABLE LIQUID
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
Marine pollutant	: No
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: III
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids
Orange plates	30 1920
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	51
EAC	: 3Y

Excepted quantities (ADR)

: E1

ULM-8785-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	

Other information

: No supplementary information available.

14.5. Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.6.

Not applicable

SECTION 15: Regulatory information			
15.1. US Federal regulations			
DICYCLOHEXYL PHTHALATE UNLABELED	100 UG/ML IN NONANE		
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
DICYCLOHEXYL PHTHALATE UNLABELED (84-61-7)			
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313		
N-NONANE UNLABELED (111-84-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
15.2. International regulations			

CANADA

DICYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN NONANE
Listed on the Canadian DSL (Domestic Substances List)
N-NONANE UNLABELED (111-84-2)
Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

DICYCLOHEXYL PHTHALATE UNLABELED 100 UG/ML IN NONANE()		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

ULM-8785-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DICYCLOHEXYL PHTHA	LATE UNLABELED 100 UG/N	v		
State or local regulations		U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances		
DICYCLOHEXYL PHTHA	LATE UNLABELED (84-61-7)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
N-NONANE UNLABELED	(111-84-2)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
DICYCLOHEXYL PHTHA	LATE UNLABELED (84-61-7)			
State or local regulations	3			
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List				
N-NONANE UNLABELED) (111-84-2)			
State or local regulations				
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances				

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4	
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H226	Flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	
R10	Flammable	
R20	Harmful by inhalation	
R36/37/38	Irritating to eyes, respiratory system and skin	
R36/38	Irritating to eyes and skin	
R65	Harmful: may cause lung damage if swallowed	
R67	Vapors may cause drowsiness and dizziness	
Xi	Irritant	
Xn	Harmful	

ULM-8785-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•	
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product