

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/16/2010 Revision date: 7/20/2023 Supersedes: 5/3/2023 Version: 6.3

SECTION 1: Identification

1.1. Identification

Product form : Substance

Substance name : DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%)
Chemical name : DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%)

 CAS-No.
 : 67-68-5

 Product code
 : DLM-34

 Formula
 : C2H6OS

Synonyms : DMSO / Methyl sulfoxide

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Cambridge Isotope Laboratories, Inc.

50 Frontage Rd

01810

ANDOVER, MA, 01810

USA

T 1-800-322-1174

cilsales@isotope.com - www.isotope.com

1.4. Emergency telephone number

Emergency number : 1-703-741-5970

Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 H227 Combustible liquid

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Signal word (GHS US) : Warning

Hazard statements (GHS US) : H227 - Combustible liquid

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, hot surfaces, open flames, sparks P280 - Wear protective clothing, protective gloves.

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical to

extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : Rapidly absorbed through skin.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	GHS US classification
DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (Main constituent)	CAS-No.: 67-68-5	100	Flam. Liq. 4, H227

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a

physician.

First-aid measures after skin contact : Wash with soap and plenty of water. Consult a physician.

First-aid measures after eye contact : Flush eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth

with water. Consult a physician.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Exposure to large amounts can cause: redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness. Eyes - Eye disease - Based on Human Evidence.

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory tract irritation. Symptoms/effects after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : Contact may cause eye irritation.
Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Sulpher oxides.

7/20/2023 (Revision date) US - en 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing

apparatus. Do not enter fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear

recommended personal protective equipment.

Other information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid dust formation.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. Small

quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for

subsequent safe disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take

measures to prevent the build up of electrostatic charge.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety

practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a cool, dry and well-ventilated place.

Storage conditions : Store at room temperature away from light and moisture.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)

USA - ACGIH - Occupational Exposure Limits

Remark (ACGIH)

TWA 250 ppm USA. Workplace Environmental Exposure Levels (WEEL)

7/20/2023 (Revision date) US - en 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	DIMETHYL	SULFOXIDE-D6	"100%" (D	. 99.96%)	(67-68-5)
--	----------	--------------	-----------	-----------	-----------

ACGIH chemical category

No component of this product present at levels greater than or equal to 0.1% is identifiable as a

carcinogen or potential carcinogen by ACGIH.

8.2. Appropriate engineering controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses. Respiratory protection of the dependent type. Protective clothing.

Materials for protective clothing:

Wear suitable protective clothing and gloves

Hand protection:

Wear suitable protective clothing and gloves

Eye protection:

Wear safety glasses with side shields (or goggles) and a face shield

Skin and body protection:

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection:

When appropriate, use NIOSH/CEN approved respirator.

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear. Liquid.

Color : Colorless - Very pale yellow

Odor : sulphurous
Odor threshold : No data available

pH : No data available

Melting point : 16 – 19 °C (61 - 66 °F)

Freezing point : No data available

Boiling point : 189 °C (372 °F)

Flash point : 87 °C (189 °F) - closed cup

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available

Vapor pressure : 0.55 hPa (0.41 mmHg) at 20 °C (68 °F)

Relative vapor density at 20°C : 2.7 (Air = 1.0)
Relative density : No data available

7/20/2023 (Revision date) US - en 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Density : 1.19 g/ml at 20 °C (68 °F) (Labeled)

Molecular mass : 84.17 g/mol (Labeled)
Solubility : No data available

Partition coefficient n-octanol/water (Log Pow) : -2.03

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable if stored under recommended conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Exposure to moisture. Heat. Open flame. Sparks.

10.5. Incompatible materials

Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Calcium oxide. Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)		
LD50 oral rat	14500 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat [ppm]	40250 ppm 4h	
ATE US (oral)	14500 mg/kg body weight	

Skin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedRespiratory or skin sensitization: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Exposure to large amounts can cause: redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness. Eyes - Eye

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory tract irritation. Symptoms/effects after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : Contact may cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)		
LC50 - Fish [1] 34000 mg/l Pimephales promelas (fathead minnow) - 96 h		
EC50 - Crustacea [1]	6830 mg/l	
LC50 - Fish [2]	35000 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h	
LC50 - Other aquatic organisms [2]	17000 mg/l Pseudokirchneriella subcapitata (green algae) - 72 h	
ErC50 algae 400000 mg/l Lepomis macrochirus (Bluegill) -96 h		

disease - Based on Human Evidence.

12.2. Persistence and degradability

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)			
Persistence and degradability	Not available.		
Biodegradation	31 % According to the results of tests of biodegradability this product is not readily biodegradable.		

12.3. Bioaccumulative potential

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)		
Partition coefficient n-octanol/water (Log Pow)	-2.03	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : Stability in water - 0.12 - 1.2 h at 30 °C Remarks: Hydrolyses readily.

7/20/2023 (Revision date) US - en 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

DOT NA No : NA1993
UN-No. (TDG) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

Proper Shipping Name (TDG) : Not applicable Proper Shipping Name (IMDG) : Not applicable Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Combustible liquid

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : III

Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : NA1993

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T1 - 1.5 178.274(d)(2) Normal...... 178.275(d)(2)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241 DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

: 220 L

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302		
SARA Section 311/312 Hazard Classes	Fire hazard Delayed (chronic) health hazard		

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%)	67-68-5	Present	Active	

15.2. International regulations

CANADA

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

DIMETHYL SULFOXIDE-D6 "100%" (D, 99.96%) (67-68-5)

State or local regulations U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 07/20/2023

Other information : This product is not radioactive. The data given for this product are those of the corresponding

unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the

corresponding unlabeled compound.

Full text of H-phrases

H227 Combustible liquid

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard


beyond that of ordinary combustible materials.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively

high ambient temperatures before ignition can occur.

: 0 - Material that in themselves are normally stable, even under fire

conditions.



Hazard Rating

NFPA reactivity

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient

temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

but below 200 F. (Classes II IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.