

# Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 /

Rules and Regulations

Date of issue: 31/03/2016 Revision date: : Version: 1.0

ES-5539

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name. : EFSA-8 13C PAH STANDARD MIXTURE (13C, 99%) IN NONANE

Product code : ES-5539

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <a href="mailto:cilsales@isotope.com">cilsales@isotope.com</a> www.isotope.com

#### **Emergency telephone number**

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation) H332
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 3 H336
Asp. Tox. 1 H304

Full text of H-phrases: see section 16

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20 Xn; R65 Xi; R38 R10

Full text of R-phrases: see section 16

# **GHS-US** classification

Flam. Liq. 3 H226
Acute Tox. 4 (Inhalation) H332
Skin Irrit. 2 H315
Eye Irrit. 2A H319
STOT SE 3 H336
Asp. Tox. 1 H304

# Adverse physicochemical, human health and environmental effects

Central Nervous System.

04/04/2016 EN (English) 1/11

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Label elements**

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS08

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (CLP)

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment P261 - Avoid breathing dust, fume, gas, mist, spray, vapours

P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

#### **GHS-US** labelling

Hazard pictograms (GHS-US)







GHS08

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) P210 - Keep away from heat, open flames, hot surfaces, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust, fume, gas, mist, spray, vapours

P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P331 - If swallowed, do NOT induce vomiting

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide., Dry chemical, Water spray for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

04/04/2016 EN (English) 2/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to Comply with applicable regulations.

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.99443	R10 Xn; R20 Xn; R65 R67 Xi; R38
BENZ[A]ANTHRACENE (13C6, 99%)	(CAS No) 56-55-3 (Unlabeled) (EC no) 200-280-6 (EC index no) 601-033-00-9	0.0007	Carc.Cat.1; R45 N; R50/53
BENZO[B]FLUORANTHENE (13C6, 99%)	(CAS No) 205-99-2 (Unlabeled) (EC no) 205-911-9 (EC index no) 601-034-00-4	0.0007	Carc.Cat.1; R45 Xn; R65 N; R50/53
CHRYSENE (13C6, 99%)	(CAS No) 218-01-9 (Unlabeled) (EC no) 205-923-4 (Unlabeled)	0.0007	Muta.Cat.3; R68 Carc.Cat.1; R45 Carc.Cat.1; R49 N; R50/53
BENZO[K]FLUORANTHENE (13C6, 99%)	(CAS No) 93952-01-3 (EC no) 205-916-6 (EC index no) 601-036-00-5	0.0007	Carc.Cat.1; R45 Xi; R36/38 N; R50/53
DIBENZ[A,H]ANTHRACENE (13C6, 99%)	(CAS No) 13250-98-1 (EC no) 200-181-8 (Unlabeled) (EC index no) 601-041-00-2 (Unlabeled)	0.0007	Carc.Cat.1; R45 N; R50/53
BENZO[A]PYRENE (13C4, 99%)	(CAS No) 50-32-8 (Unlabeled) (EC no) 200-028-5 (EC index no) 601-032-00-3	0.0007	Carc.Cat.1; R45 Muta.Cat.1; R46 Repr.Cat.1; R61 R42 Xi; R38 N; R50/53
INDENO[1,2,3-CD]PYRENE (13C6, 99%)	(CAS No) 193-39-5 (Unlabeled) (EC no) 205-893-2 (Unlabeled)	0.0007	Carc.Cat.3; R40
BENZO[GHI]PERYLENE (13C12, 99%)	(CAS No) 191-24-2 (Unlabeled) (EC no) 205-883-8 (Unlabeled)	0.0007	N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.99443	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
BENZ[A]ANTHRACENE (13C6, 99%)	(CAS No) 56-55-3 (Unlabeled) (EC no) 200-280-6 (EC index no) 601-033-00-9	0.0007	Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZO[B]FLUORANTHENE (13C6, 99%)	(CAS No) 205-99-2 (Unlabeled) (EC no) 205-911-9 (EC index no) 601-034-00-4	0.0007	Carc. 1A, H350 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CHRYSENE (13C6, 99%)	(CAS No) 218-01-9 (Unlabeled) (EC no) 205-923-4 (Unlabeled)	0.0007	Muta. 2, H341 Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZO[K]FLUORANTHENE (13C6, 99%)	(CAS No) 93952-01-3 (EC no) 205-916-6 (EC index no) 601-036-00-5	0.0007	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

04/04/2016 EN (English) 3/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
DIBENZ[A,H]ANTHRACENE (13C6, 99%)	(CAS No) 13250-98-1 (EC no) 200-181-8 (Unlabeled) (EC index no) 601-041-00-2 (Unlabeled)	0.0007	Carc. 1B, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZO[A]PYRENE (13C4, 99%)	(CAS No) 50-32-8 (Unlabeled) (EC no) 200-028-5 (EC index no) 601-032-00-3	0.0007	Not classified
INDENO[1,2,3-CD]PYRENE (13C6, 99%)	(CAS No) 193-39-5 (Unlabeled) (EC no) 205-893-2 (Unlabeled)	0.0007	Carc. 2, H351
BENZO[GHI]PERYLENE (13C12, 99%)	(CAS No) 191-24-2 (Unlabeled) (EC no) 205-883-8 (Unlabeled)	0.0007	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS No) 111-84-2	99.99443	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304
BENZO[B]FLUORANTHENE (13C6, 99%)	(CAS No) 205-99-2 (Unlabeled)	0.0007	Carc. 1B, H350 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R-, H- and EUH-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Move out of dangerous area. Consult a physician and show this safety data sheet.

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs:

Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin imation occurs Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see

Hazard pictograms (CLP) on this label).

First-aid measures after eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical

attention.

First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation.
Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Reactivity : Vapors may form explosive mixture with air.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool unopened containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

04/04/2016 EN (English) 4/11

#### Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### 6.1.2. For emergency responders

Protective equipment : Avoid breathing dust, mist or spray.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

For containment

: Contain spillage, then collect with non-combustible absorbent material. Disposal should be in accordance with applicable Federal, State and local regulations.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust, mist or spray. Use only outdoors or in a well-ventilated

Hygiene measures : Wash Both hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Storage conditions

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.

: Store refrigerated (-5 C to 5 C). Protect from light.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

EFSA-8 13C PAR STANDARD MIXTURE (13C, 99%) IN NONANE		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.
BENZO[A]PYRENE (13C4, 99	%) (50-32-8 (Unlabeled))	

BENZO[A]PYRENE (13C4, 99%) (50-32-8 (Unlabeled))		
USA OSHA	OSHA PEL (TWA) (mg/m3)	0.2000000000 mg/m³ Exposure should be carefully controlled to levels as low as possible.

CHRYSENE (13C6, 99%) (218-01-9 (Unlabeled))		
USA NIOSH	NIOSH REL (TWA) (mg/m3)	0.1 mg/m³ Potential Occupational Carcinogen. NIOSH considers coal tar,coal tar pitch and creosote to be coal tar
USA OSHA	OSHA PEL (TWA) (mg/m3)	0.2 mg/m³ Confirmed animal carcinogen with unknown relevance to humans. OSHA specifically regulated carcinogen.

N-NONANE UNLABELED (111-84-2)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System
		impairment.

# 8.2. Exposure controls

Personal protective equipment : Protective clothing. Protective goggles. Self-contained breathing apparatus. Gloves.



Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection : Wear suitable protective clothing.

04/04/2016 EN (English) 5/11

#### Safety Data Sheet

Boiling point

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 151 °C (304 °F) - lit

Respiratory protection

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture. Physical state : Liauid Appearance : Liquid. Molecular mass : 128.3 g/mol Colour Colourless. Odour No data available : No data available Odour threshold Ηα : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : -53 °C (- 63 °F) - lit

Flash point : 31.0 °C (87.8 °F) - closed cup

Self ignition temperature : 205 °C (401 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : 12.4 hPa (9.3 mmHg) at 37.7 °C (99.9 °F)

Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 0.718 g/ml at 25 °C (77 °F)

Solubility : Water: 0 % Log Pow : 5.65

Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : 0.87 - 2.9 % (V)

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Vapors may form explosive mixture with air.

# 10.2. Chemical stability

See storage and expiration date on CoA.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

#### 10.5. Incompatible materials

Strong oxidizing agents.

# 10.6. Hazardous decomposition products

May release flammable gases.

#### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Harmful if inhaled.

EFSA-8 13C PAH STANDARD MIXTURE (13C, 99%) IN NONANE	
LC50 inhalation rat (mg/l)	23760 mg/m³ male - 4 h
LC50 inhalation rat (ppm)	3200 ppm/4h

04/04/2016 EN (English) 6/11

# Safety Data Sheet

EFSA-8 13C PAH STANDARD MIXTURE (130	C, 99%) IN NONANE
ATE (gases)	4500.000 ppmV/4h
ATE (vapours)	11.000 mg/l/4h
ATE (dust,mist)	1.500 mg/l/4h
BENZ[A]ANTHRACENE (13C6, 99%) (56-55-	3 (Unlabeled))
	LD50 Intravenous - rat - >200 mg/kg
BENZO[B]FLUORANTHENE (13C6, 99%) (20	5-99-2 (Unlabeled))
	LD50 Oral Mouse, 7.57 mg/kg
N-NONANE UNLABELED (111-84-2)	
LC50 inhalation rat (mg/l)	23760 mg/m³ male - 4 h
LC50 inhalation rat (ppm)	3200 ppm/4h
ATE (gases)	3200.000 ppmV/4h
ATE (vapours)	11.000 mg/l/4h
ATE (dust,mist)	23.760 mg/l/4h
kin corrosion/irritation	: Causes skin irritation.
	Skin - rat - Skin irritation - Draize test
erious eye damage/irritation	: Causes serious eye irritation.
,	No data available
espiratory or skin sensitisation	: Not available
,,	No data available
Germ cell mutagenicity	: Not available
arcinogenicity	: Not classified
eproductive toxicity	: Not available
pecific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
poomo targot organ toxiony (omigio expectare)	May cause drowsiness or dizziness.
posific target organ toxicity (reported	: Not classified
pecific target organ toxicity (repeated xposure)	No data available
onization hazard	
spiration hazard	: May be fatal if swallowed and enters airways.
otential Adverse human health effects and ymptoms	: The chemical, physical, and toxicological properties have not been thoroughly investigated.
ymptoms/injuries after inhalation	: May cause drowsiness or dizziness.
ymptoms/injuries after skin contact	: Causes skin irritation.
ymptoms/injuries after eye contact	: Causes eye irritation.
ymptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

BENZO[B]FLUORANTHENE (13C6, 99%) (205-99-2 (Unlabeled))			
EC50 Daphnia 1	> 1.024 mg/l Daphnia magna (Water flea) - 24 h		
ЕСЭО Варппа т	> 1.024 mg/i Daprilla magna (water flea) - 24 m		
BENZO[A]PYRENE (13C4, 99%) (50-32-8 (Uni	BENZO[A]PYRENE (13C4, 99%) (50-32-8 (Unlabeled))		
EC50 Daphnia 1	0.25 mg/l Daphnia magna (Water flea) - 48 h		
ErC50 (algae)	0.02 mg/l Pseudokirchneriella subcapitata (green algae) - 48 h		
CHRYSENE (13C6, 99%) (218-01-9 (Unlabeled))			
EC50 Daphnia 1	1.9 mg/l EC50 - Daphnia magna (Water flea) - 2 h		
DIBENZ[A,H]ANTHRACENE (13C6, 99%) (13250-98-1)			
EC50 Daphnia 1	0.496 mg/l Daphnia magna (Water flea) - 24 h		

# 12.2. Persistence and degradability

BENZO[GHI]PERYLENE (13C12, 99%) (191-24-2 (Unlabeled))	
Persistence and degradability	Not available.

04/04/2016 EN (English) 7/11

Safety Data Sheet according to Regulation (EC) No. 453/2010 and ac	ccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations	
BENZ[A]ANTHRACENE (13C6, 99%) (56-55-3 (Unlabeled))		
Persistence and degradability	Not available.	
12.3. Bioaccumulative potential		
EFSA-8 13C PAH STANDARD MIXTUR	E (13C, 99%) IN NONANE	
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
BENZO[GHI]PERYLENE (13C12, 99%)	(191-24-2 (Unlabeled))	
Log Pow	6.63	
Bioaccumulative potential	Not available.	
BENZ[A]ANTHRACENE (13C6, 99%) (5	6-55-3 (Unlabeled))	
Bioaccumulative potential	Not available.	
BENZO[A]PYRENE (13C4, 99%) (50-3.	2-8 (Unlabeled))	
Log Pow	5.97	
Bioaccumulative potential	Bioaccumulation: Lepomis macrochirus (Bluegill) - 48h. Bioconcentration factor (BCF): 3,208.	
CHRYSENE (13C6, 99%) (218-01-9 (Un	labeled))	
Log Pow	5.73 Partition coefficient: n-octanol/water	
N-NONANE UNLABELED (111-84-2)		
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
12.4. Mobility in soil		
BENZO[GHI]PERYLENE (13C12, 99%)	(191-24-2 (Unlabeled))	
Ecology - soil	Not available.	
BENZ[A]ANTHRACENE (13C6, 99%) (5	6-55-3 (Unlabeled))	
Ecology - soil	Not available.	
12.5. Results of PBT and vPvB asse	ssment	
No additional information available		
12.6. Other adverse effects		
Other adverse effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposa Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment	

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

: Waste materials should be disposed of under conditions which meet Federal, State, and Local Regional legislation (waste)

environmental control regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

# **SECTION 14: Transport information**

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

**UN** number 14.1.

UN-No.(DOT) : 1920 DOT NA no. UN1920

**UN** proper shipping name

**DOT Proper Shipping Name** : Nonanes

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



: III - Minor Danger Packing group (DOT)

04/04/2016 EN (English) 8/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242

#### 14.3. Additional information

Other information : No supplementary information available.

#### **Overland transport**

Packing group (ADR) : III

Class (ADR) : 3 - Flammable liquids

Hazard identification number (Kemler No.) : 30 Classification code (ADR) : F1

Danger labels (ADR) : 3 - Flammable liquids



Orange plates

30 1920

Tunnel restriction code : D/E
Limited quantities (ADR) 5L
EAC code : 3Y
Excepted quantities (ADR) : E1

#### Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

MFAG-No : 128

#### Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids(Hazardous materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

#### 14.4. Environmental hazards

Other information : No supplementary information available.

# 14.5. Special precautions for user

#### 14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

04/04/2016 EN (English) 9/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 15: Regulatory information</b>		
15.1. US Federal regulations		
EFSA-8 13C PAH STANDARD MIXTURE (13C, 99%) IN NONANE		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
BENZO[B]FLUORANTHENE (13C6, 99%) (205	i-99-2 (Unlabeled))	
Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard	
N-NONANE UNLABELED (111-84-2)		
SARA Section 311/312 Hazard Classes	Fire hazard	

Immediate (acute) health hazard

#### 15.2. International regulations

#### **CANADA**

#### EFSA-8 13C PAH STANDARD MIXTURE (13C, 99%) IN NONANE

Listed on the Canadian DSL (Domestic Sustances List) inventory.

#### BENZO[B]FLUORANTHENE (13C6, 99%) (205-99-2 (Unlabeled))

Not listed on the Canadian DSL (Domestic Sustances List) inventory.

#### 15.2.1. National regulations

No additional information available

#### 15.3. US State regulations

EFSA-8 13C PAH STANDARD MIXTURE (13C, 99%) IN NONANE()	
State or local regulations	U.S Massachusetts - Right To Know List
	U.S Pennsylvania - RTK (Right to Know) List
	U.S New Jersey - Right to Know Hazardous Substance List
	This product does not contain any chemicals known to State of California to cause cancer,
	birth defects, or any other reproductive harm.

#### BENZO[B]FLUORANTHENE (13C6, 99%) (205-99-2 (Unlabeled))

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

WARNING! This product contains a chemical known by the state of California to cause cancer.

# N-NONANE UNLABELED (111-84-2)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1

04/04/2016 EN (English) 10/11

# Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carc. 1A	Carcinogenicity, Category 1A
Carc. 1B	Carcinogenicity, Category 1B
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R10	Flammable
R20	Harmful by inhalation
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R40	Limited evidence of a carcinogenic effect
R42	May cause sensitization by inhalation
R45	May cause cancer
R46	May cause heritable genetic damage
R49	May cause cancer by inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R61	May cause harm to the unborn child
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
R68	Possible risk of irreversible effects
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful
	Irritant

NFPA health hazard

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.


NFPA fire hazard

: 3 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



# **HMIS III Rating**

Health : 2 Moderate Hazard - Temporary or minor injury may occur

: 3 Serious Hazard Flammability Physical : 0 Minimal Hazard

#### **CIL Mixture SDS**

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

04/04/2016 EN (English) 11/11