



POTASSIUM CYANIDE (15N, 98%+)

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 16/12/2011

Revision date: 19/05/2016

Supersedes: 15/07/2014

Version: 4.0

NLM-111

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : POTASSIUM CYANIDE (15N, 98%+)
EC index no : 006-007-00-5 (Unlabeled)
EC no : 205-792-3 (Unlabeled)
CAS No : 5297-01-8
Product code : NLM-111
Formula : KC*N
Synonyms : KCN

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.
50 Frontage Road
Andover, MA 01810
USA

USA: 1-800-322-1174 Int: 1-978-749-8000
cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)
International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 H290
Acute Tox. 2 (Oral) H300
Acute Tox. 1 (Dermal) H310
Acute Tox. 2 (Inhalation:dust,mist) H330
STOT SE 1 H370
STOT RE 1 H372
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T+; R26/27/28
T; R39/25
T; R48/23/24/25
N; R50/53

Full text of R-phrases: see section 16

Classification (GHS-US)

Met. Corr. 1 H290
Acute Tox. 1 (Oral) H300
Acute Tox. 1 (Dermal) H310
Acute Tox. 1 (Inhalation) H330
Skin Corr. 1A H314

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT SE 1	H370
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Adverse physicochemical, human health and environmental effects

heart. Testes. brain. Thyroid.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H290 - May be corrosive to metals
H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled
H370 - Causes damage to organs (heart, testis, brain)
H372 - Causes damage to organs (thyroid gland) through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P234 - Keep only in original container
P260 - Do not breathe dust, fume, gas, mist, spray, vapors
P264 - Wash Both hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P280 - Wear protective clothing, protective gloves
P284 - Wear respiratory protection

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H290 - May be corrosive to metals
H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage
H370 - Causes damage to organs (heart, testis, brain) (oral)
H372 - Causes damage to organs (thyroid gland) through prolonged or repeated exposure (Dermal, Inhalation, oral)
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) :

P234 - Keep only in original container
P260 - Do not breathe dust, fume, gas, mist, spray, vapors
P262 - Do not get in eyes, on skin, or on clothing
P264 - Wash Both hands thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P280 - Wear protective clothing, protective gloves
P284 - Wear respiratory protection
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P314 - Get medical advice and attention if you feel unwell
P330 - If swallowed, rinse mouth
P361 - Remove/Take off immediately all contaminated clothing

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P363 - Wash contaminated clothing before reuse
P390 - Absorb spillage to prevent material damage
P391 - Collect spillage
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P406 - Store in corrosive resistant container with a resistant inner liner
P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards

Other hazards not contributing to the classification : Contact with acids (i.e. battery) liberates very toxic gas.

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
POTASSIUM CYANIDE (15N, 98%+) (Main constituent)	(CAS No) 5297-01-8 (EC no) 205-792-3 (Unlabeled) (EC index no) 006-007-00-5 (Unlabeled)	100	T+; R26/27/28 T; R39/25 T; R48/23/24/25 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
POTASSIUM CYANIDE (15N, 98%+) (Main constituent)	(CAS No) 5297-01-8 (EC no) 205-792-3 (Unlabeled) (EC index no) 006-007-00-5 (Unlabeled)	100	Met. Corr. 1, H290 Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist), H330 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R-, H- and EUH-phrases: see section 16

Name	Product identifier	%	Classification (GHS-US)
POTASSIUM CYANIDE (15N, 98%+) (Main constituent)	(CAS No) 5297-01-8	100	Met. Corr. 1, H290 Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1A, H314 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.

First-aid measures after skin contact : Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May be harmful if inhaled. May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/injuries after eye contact : May cause eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media : Water, carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

Reactivity : Contact with acids (i.e. battery) liberates very toxic gas.

5.3. Advice for firefighters

Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment : Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a cool, dry and well-ventilated place.

Storage conditions : Store at room temperature away from light and moisture.

7.3. Specific end use(s)

No additional information available


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)		
Italy - Portugal - USA ACGIH	ACGIH Ceiling (mg/m ³)	5 mg/m ³ Upper Respiratory Tract irritation; Headache; Nausea; Thyroid effects; Danger of cutaneous absorption; varies
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	5 mg/m ³ 10 minute ceiling value
USA NIOSH	NIOSH REL (ceiling) (ppm)	4.7 ppm 10 minute ceiling value
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³ CAS number varies with compound. Skin designation.

8.2. Exposure controls

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: When appropriate, use NIOSH/CEN approved respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline.
Molecular mass	: 66.11 g/mol (Labeled)
Color	: white.
Odor	: No data available
Odor threshold	: No data available
pH	: 11.5 at 20 g/l at 20 °C (68 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: 634 °C (1,173 °F)
Freezing point	: No data available
Boiling point	: 1625 °C (2,957 °F)
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.52 g/cm ³
Solubility	: Water: 400 g/l at 20 °C (68 °F) - soluble
Log Pow	: 0.44
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with acids (i.e. battery) liberates very toxic gas.

10.2. Chemical stability

Stable if stored under recommended conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Avoid moisture.

10.5. Incompatible materials

acids. Strong oxidizing agent. iodine. permanganates, e.g. potassium permanganate. Peroxides. Chloral hydrate. Alkaloids. Chlorates.

10.6. Hazardous decomposition products

carbon oxides. Nitrogen oxides. Potassium oxides. Hydrogen cyanide (hydrocyanic acid).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)	
LD50 oral rat	>= 7.49 mg/kg female
LD50 dermal rabbit	14.29 mg/kg female

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)	
ATE (oral)	5.000 mg/kg body weight
ATE (dermal)	5.000 mg/kg body weight
ATE (dust, mist)	0.050 mg/l/4h
LD50 Intraperitoneal - Rat - 4 mg/kg Remarks	Lungs, Thorax, or Respiration

Skin corrosion/irritation	: Not classified pH: 11.5 at 20 g/l at 20 °C (68 °F)
Serious eye damage/irritation	: Not classified pH: 11.5 at 20 g/l at 20 °C (68 °F)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Hamster - fibroblast Result: Negative
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Causes damage to organs (heart, testis, brain).
Specific target organ toxicity (repeated exposure)	: Causes damage to organs (thyroid gland) through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Repeated dose toxicity - Rat - male - Oral - No observed adverse effect level - 40 mg/kg. Lung irritation. Cyanosis. Central nervous system depression. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver). Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may provoke the following symptoms: spasm, inflammation and edema of the bronchi. Aspiration or inhalation may cause chemical pneumonitis, pulmonary edema, Lungs, CNS depression with hypertension or circulatory failure, and respiratory depression. Liver - Irregularities - Based on Human Evidence.
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)	
EC50 Daphnia 1	0.11 mg/l static test - Daphnia pulex (Water flea) - 48 h
ErC50 (algae)	0.03 mg/l IC50 - Scenedesmus quadricauda (Green algae) - 192 h
ErC50 (other aquatic plants)	2.3 mg/l Respiration inhibition - Sludge Treatment - 30 min

12.2. Persistence and degradability

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)	
Chemical oxygen demand (COD)	Chemical oxygen demand (COD) < 1mg/g

12.3. Bioaccumulative potential

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)	
Log Pow	0.44
Bioaccumulative potential	Bioaccumulation is unlikely.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Very toxic to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Waste disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
- Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / ADN R / IMDG / ICAO / IATA

14.1. UN number

- UN-No.(DOT) : 1680
DOT NA no. UN1680

14.2. UN proper shipping name

- DOT Proper Shipping Name : Potassium cyanide, solid
Department of Transportation (DOT) Hazard Classes : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Hazard labels (DOT) : 6.1 - Poison inhalation hazard



- Packing group (DOT) : I - Great Danger
DOT Special Provisions (49 CFR 172.102) : B69 - Dry sodium cyanide or potassium cyanide may be shipped in sift-proof weather-resistant metal covered hopper car, covered motor vehicles, portable tanks or non-specification bins. Bins must be approved by the Associate Administrator.
B77 - Other packaging are authorized when approved by the Associate Administrator.
IB7 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Wooden (11C, 11D and 11F). Additional Requirement: Liners of wooden IBCs must be sift- proof.
IP1 - IBCs must be packed in closed freight containers or a closed transport vehicle.
N74 - Packages consisting of tightly closed inner containers of glass, earthenware, metal or polyethylene, capacity not over 0.5 kg (1.1 pounds) securely cushioned and packed in outer wooden barrels or wooden or fiberboard boxes, not over 15 kg (33 pounds) net weight, are authorized and need not conform to the requirements of part 178 of this subchapter.
N75 - Packages consisting of tightly closed inner packaging of glass, earthenware or metal, securely cushioned and packed in outer wooden barrels or wooden or fiberboard boxes, capacity not over 2.5 kg (5.5 pounds) net weight, are authorized and need not conform to the requirements of part 178 of this subchapter.
T6 - 4 178.274(d)(2) Normal..... 178.275(d)(2)
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
- DOT Packaging Exceptions (49 CFR 173.xxx) : None
DOT Packaging Non Bulk (49 CFR 173.xxx) : 211
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

- Other information : No supplementary information available.
Special transport precautions : Not dangerous goods.

Overland transport

- Packing group (ADR) : I
Class (ADR) : 6.1 - Toxic substances
Hazard identification number (Kemler No.) : 66
Classification code (ADR) : T5

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Danger labels (ADR) : 6.1 - Toxic substances



Orange plates :



Tunnel restriction code : C/E

Limited quantities (ADR) : 0

EAC : 2X

Excepted quantities (ADR) : E5

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

MFAG-No : 157

Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 kg

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 50 kg

Civil Aeronautics Law : Toxic and infectious substances/Toxic substances

14.4. Environmental hazards

Dangerous for the environment :



Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : Not dangerous goods.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)

SARA Section 302 Threshold Planning Quantity (TPQ)

Potassium Cyanide CAS-No. 151-50-8 Revision Date: 1993-04-24

SARA Section 311/312 Hazard Classes

Delayed (chronic) health hazard
Immediate (acute) health hazard

15.2. International regulations

CANADA

POTASSIUM CYANIDE (15N, 98%+) (5297-01-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2.1. National regulations

No additional information available

15.3. US State regulations

POTASSIUM CYANIDE (15N, 98%+)(5297-01-8)

State or local regulations	U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List WARNING! This product contains a chemical known by the state of California to cause birth defects or other reproductive harm.
----------------------------	--

SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases::

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Met. Corr. 1	Corrosive to metals Category 1
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
H290	May be corrosive to metals
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R39/25	Toxic: danger of very serious irreversible effects if swallowed
R48/23/24/25	Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T	Toxic
T+	Very toxic

NFPA health hazard


: 4 - Very short exposure could cause death or serious residual injury even though prompt medical attention was given.

NFPA fire hazard

: 0 - Materials that will not burn.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health

: 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures

Flammability

: 0 Minimal Hazard

Physical

: 0 Minimal Hazard

CIL Multi-Solvent Mixture SDS

POTASSIUM CYANIDE (15N, 98%+) NLM-111

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product