

Safety Data Sheet

 Currently Data
 Data<

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixtures	
Product name	: 1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE	
Product code	: CLM-10319-S	
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Industrial/Professional use spec	: For professional use only	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety	/ data sheet	
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com <u>Emergency telephone number</u> Emergency numbers: Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)		
SECTION 2: Hazards identification		
2.1. Classification of the substance or	mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Skin Irrit. 2 H315		
Full text of hazard classes and H-statements : see section 16		
Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] F; R11 Xi; R38 Full text of R-phrases: see section 16		

GHS-US classification

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

central nervous system. kidneys.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements	
Labelling according to Regulation (EC)	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	<u>6</u>
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour H315 - Causes skin irritation
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking
	P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment
	P241 - Use explosion-proof electrical, lighting, ventilating equipment
	P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear protective clothing, protective gloves
	P302+P352 - IF ON SKIN: Wash with plenty of water
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower
GHS-US labelling	
Hazard pictograms (GHS-US)	
	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapour
	H315 - Causes skin irritation
Precautionary statements (GHS-US)	: P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking
	P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment
	P241 - Use explosion-proof electrical equipment
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge P264 - Wash hands, forearms and face thoroughly after handling
	P280 - Wear eye protection, face protection, protective clothing, protective gloves
	P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower
	P321 - Specific treatment (see Hazardous component(s) for labelling on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention
	P362+P364 - Take off contaminated clothing and wash it before reuse
	P370+P378 - In case of fire: Use Water spray, Alcohol resistant foam, Dry chemical, Carbon
	dioxide. to extinguish P403+P235 - Store in a well-ventilated place. Keep cool
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4 (EC No) 216-653-1 (EC Index No) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	F; R11 Xi; R38
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2- ETHYLHEXYL) ESTER (13C8, 99%)	(CAS No) 63468-09-7 (Unlabeled)	0.013	Xn; R22
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4 (EC No) 216-653-1 (EC Index No) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2- ETHYLHEXYL) ESTER (13C8, 99%)	(CAS No) 63468-09-7 (Unlabeled)	0.013	Acute Tox. 4 (Oral), H302
Name	Product identifier	%	GHS-US classification
METHYL TERT-BUTYL ETHER UNLABELED	(CAS No) 1634-04-4	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2- ETHYLHEXYL) ESTER (13C8, 99%)	(CAS No) 63468-09-7 (Unlabeled)	0.013	Acute Tox. 4 (Oral), H302

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Gently wash with plenty of soap and water, Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Hazard pictograms (CLP) on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effec	s, both acute and delayed
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Reactivity	: Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing apparatus.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Use water spray to cool exposed surfaces.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations			
SECTION 6: Accidental release measures			
6.1. Personal precaution	s, protective equipment and	emergency procedures	
General measures	: Remove ig smoking.	nition sources. Use special car	re to avoid static electric charges. No open flames. No
6.1.1. For non-emergency	personnel		
Emergency procedures	adequate v Evacuate a	entilation to minimize dust and	quired. Avoid breathing vapours, mist, gas. Provide d/or vapour concentrations. Avoid dust formation. nition. Special attention should be given to low accumulate.
6.1.2. For emergency resp	onders		
Protective equipment		mpt to take action without suitation 8: "Exposure controls/per	able protective equipment. For further information sonal protection".
6.2. Environmental prec	autions		
Prevent entry to sewers and pu	blic waters. Avoid release to the	environment.	
6.3. Methods and materi	al for containment and cleani	ng up	
For containment	it. Small qu container f earth for su	antities of liquid spill: take up i or disposal. For large spills, co	bon as possible, using an absorbent material to collect in non-combustible absorbent material and shovel into onfine the spill in a dike and charge it with wet sand or material and its container must be disposed of in a
6.4. Reference to other	sections		
For further information refer to	section 13.		
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	e handling		
Additional hazards when proces	ssed : Handle em	pty containers with care becau	use residual vapours are flammable.
Precautions for safe handling		: No open flames. No smoking. Use only non-sparking tools.	
Hygiene measures	: Wash hand	Wash hands, forearms and face thoroughly after handling.	
7.2. Conditions for safe	storage, including any incom		
Technical measures		nd receiving equipment. Use e	atic electricity should be followed. Ground/bond explosion-proof Lighting equipment, ventilating
Storage conditions	: Store refriç	: Store refrigerated (-5°C to 5°C). Protect from light.	
Incompatible materials	: Heat source	es.	
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE			100 UG/ML IN MTBE
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	Va	0.00000000 ppm Basis: USA. ACGIH Threshold Limit alues (TLV) Remarks: Upper Respiratory Tract ritation. Kidney damage. Confirmed animal arcinogen with unknown relevance to humans.
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)		44 mg/m ³ Basis: California permissible exposure mits for chemical contaminants. (Title 8, Article 107).

USA OSHA	OSHA PEL (Ceiling) (ppm)	40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).
METHYL TERT-BUTYL ETHE	R UNLABELED (1634-04-4)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50.0000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen with unknown relevance to humans.
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	144 mg/m ³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).
USA OSHA	OSHA PEL (Ceiling) (ppm)	40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2.	Exposure controls	
Approp	riate engineering controls	: Wash hands and other exposed areas with mild soap and water before eating, drinkir smoking and when leaving work.
Persona	al protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing		
Hand protection		
Eye protection		
Skin and body protection		
Respiratory protection		
Environmental exposure controls		

: Wear suitable protective clothing and gloves. : Wear suitable protective clothing and gloves.

- : Wear eye protection. Chemical goggles or face shield with safety glasses.
- Wear suitable protective clothing.
 - : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

before eating, drinking or

: Avoid release to the environment.

SECTION 9: Physical and chemical properties

	properties		
9.1. Information on basic physical and chemical properties			
The properties listed below are for the solvent, the main component of this mixture.			
Physical state	: Liquid		
Appearance	: Liquid.		
Molecular mass	: 88.15 g/mol		
Colour	: Colourless.		
Odour	: No data available.		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: -108.6 °C (-163.5 °F)		
Freezing point	: No data available		
Boiling point	: 55 - 56 °C (131 - 133 °F) - lit.		
Flash point	: -33 °C (- 27.4 °F) - closed cup		
Auto-ignition temperature	: 374 °C (705.2 °F)		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Highly flammable liquid and vapour		
Vapour pressure	: 1018.7 hPa (764.1 mmHg) at 55°C (131°F), 279.2 hPa (209.4 mmHg) at 20 °C (68°F)		
Relative vapour density at 20 °C	: No data available		
Relative density	: No data available		
Density	: 0.74 g/ml at 25 °C (77 °F)		
Solubility	: Water: 42 g/l at 20 °C (68 °F) - OECD Test Guideline 105		
Log Pow	: 1.06		
Log Kow	: No data available		
Viscosity, kinematic	: 0.464 mm²/s at 20 °C (68 °F) - 0.409 mm2/s at 40 °C (104 °F)		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: 1.6 - 15.1 % (V)		
9.2 Other information			

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity

Reactivity 10.1.

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

Chemical stability 10.2.

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid	
Open flame. Direct sunlight.	
10.5. Incompatible materials	
Oxidizing agent. Strong acids.	
10.6. Hazardous decomposition products	S
Carbon oxides (CO, CO2).	
SECTION 11: Toxicological information	tion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
1.2.4-BENZENETRICARBOXYLIC ACID. 1.2-	BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE
LD50 oral rat	4000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm/4h - 4 h
METHYL TERT-BUTYL ETHER UNLABELED	D (1634-04-4)
LD50 oral rat	4000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm/4h
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-	BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) (63468-09-7 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
Skin corrosion/irritation	: Skin - Rabbit Result: Skin irritation
Serious eye damage/irritation	: Eyes - Rabbit Result: No eye irritation
Respiratory or skin sensitisation	: Will not occur
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. nausea, vomiting. Dizziness. central nervous system. Aspiration of this material may cause chemical pneumonia.
IARC group	: 2B
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-B	IS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE	
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h	
LC50 fish 2	> 1000 mg/l other fish - 96 h	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h	
LC50 fish 2	> 1000 mg/l other fish - 96 h	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
	BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE
Biodegradation	0 % - Not readily biodegradable. (OECD Test Guideline 301D)
METHYL TERT-BUTYL ETHER UNLABELED	
Persistence and degradability	Not readily biodegradable. (OECD 301D method).
Biodegradation	0%
12.3. Bioaccumulative potential	
•	
Log Pow	BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE
METHYL TERT-BUTYL ETHER UNLABELED	
Log Pow	1.06
	1.00
12.4. Mobility in soil No additional information available	
12.5. Results of PBT and vPvB assessme	int internet in the second
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
Product/Packaging disposal recommendations:	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Dispose of as unused product.
14.1. UN number UN-No.(DOT) DOT NA no.	: 2398 UN2398
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Methyl tert-butyl ether
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 127
05/03/2018	EN (English) 7/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

20, 2012 / Rules and Regulations			
Other information	: No supplementary information available.		
Overland transport			
Packing group (ADR)	: 11		
Class (ADR)	: 3 - Flammable liquid		
Hazard identification number (Kemler No.)	: 33		
Classification code (ADR)	: F1		
Danger labels (ADR)	: 3 - Flammable liquids		
Orange plates	33 2398		
Tunnel restriction code (ADR)	: D/E		
Limited quantities (ADR)	11		
Excepted quantities (ADR)	: E2		
Transport by sea			
DOT Vessel Stowage Location	: E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.		
MFAG-No	: 127		
Air transport			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L		
Civil Aeronautics Law	: Flammable liquids		
14.4. Environmental hazards			
Other information	: No supplementary information available.		
14.5. Special precautions for user			
	II of MARPOL 73/78 and the IBC Code		
Not applicable			
SECTION 15: Regulatory information			
15.1. US Federal regulations			
1.2.4-BENZENETRICARBOXYLIC ACID. 1.2-B	IS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE		
Subject to reporting requirements of United State			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard		
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)			
Subject to reporting requirements of United State	•		

Not subject to reporing requirements of the United States SARA Section 302.

Quantity (TPQ)

SARA Section 302 Threshold Planning

SARA Section 311/312 Hazard Classes

Fire hazard

Immediate (acute) health hazard Delayed (chronic) health hazard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) (63468-09-7 (Unlabeled))			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.		

15.2. International regulations

CANADA

1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) 100 UG/ML IN MTBE		
Listed on the Canadian DSL (Domestic Substances List)		
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)		
Listed on the Canadian DSL (Domestic Substances List)		
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) (63468-09-7 (Unlabeled))		
Listed on the Canadian DSL (Domestic Substances List)		

15.2.1. **National regulations**

1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) (63468-09-7 (Unlabeled))

15.3. US State regulations

		HYLHEXYL) ESTER (13C8, 999	%) 100 UG/ML IN MTBE ()		
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
State or local regulations		U.S Massachusetts - Right T U.S New Jersey - Right to K U.S Pennsylvania - RTK (Rig	now Hazardous Substance Lis	t	
METHYL TERT-BUTYL ET	HER UNLABELED (1634-04	-4)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
1,2,4-BENZENETRICARBO	DXYLIC ACID, 1,2-BIS(2-ET	HYLHEXYL) ESTER (13C8, 99	%) (63468-09-7 (Unlabeled))	•	
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
METHYL TERT-BUTYL ET	HER UNLABELED (1634-04	-4)		•	
State or local regulations	•	•			
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List					
1,2,4-BENZENETRICARBOXYLIC ACID, 1,2-BIS(2-ETHYLHEXYL) ESTER (13C8, 99%) (63468-09-7 (Unlabeled))					
State or local regulations					
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List					

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

```
Other information
```

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H315	Causes skin irritation
R11	Highly flammable
R22	Harmful if swallowed
R38	Irritating to skin
F	Highly flammable
Xi	Irritant
Xn	Harmful

NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

- : 3 Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
- : 0 Material that in themselves are normally stable, even under fire conditions.



HMIS III Rating

Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product