

2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/03/2021 Revision date:

CLM-11214-S

Version: 1.0

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: 2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE
Product code	: CLM-11214-S
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe	ty data sheet
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA	
USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com	
Emergency telephone number	
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)	
SECTION 2: Hazards identification	
2.1. Classification of the substance o	r mixture
Classification according to Regulation (EC	;) No. 1272/2008 [CLP]
Flam. Liq. 2 H225	
Acute Tox. 4 (Oral) H302	
Acute Tox. 4 (Dermal) H312	
Acute Tox. 4 (Inhalation:dust,mist) H332	
Eye Irrit. 2 H319	
Full text of hazard classes and H-statements	: see section 16
Classification according to Directive 67/54 F; R11 Xn; R20/21/22 Xi; R36 Full text of R-phrases: see section 16	8/EEC [DSD] or 1999/45/EC [DPD]

GHS-US classification

Flam. Liq. 2	H225	
Acute Tox. 4 (Oral)	H302	
Acute Tox. 4 (Dermal)	H312	
Acute Tox. 4 (Inhalation:dust,mist)	H332	
Eye Irrit. 2	H319	
Full text of H statements : see section 16		

Adverse physicochemical, human health and environmental effects

No additional information available

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements	
Labeling according to Regulation (EC) No	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: ACETONITRILE UNLABELED
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapor H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H319 - Causes serious eye irritation
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H225 - Highly flammable liquid and vapor H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a poison center or doctor if you feel unwell P322 - Specific treatment (see supplemental first aid instruction on this label) P330 - Rinse mouth. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P433+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in

2.3. Other hazards

No additional information available

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.987	F; R11 Xi; R36 Xn; R20/21/22
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%)	(CAS-No.) 115363-11-6 (Unlabeled) (EC Index-No.)	0.013	Xn; R20/21/22
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.987	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%)	(CAS-No.) 115363-11-6 (Unlabeled) (EC Index-No.)	0.013	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332
Name	Product identifier	%	GHS-US classification
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8	99.987	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%)	(CAS-No.) 115363-11-6 (Unlabeled)	0.013	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Evacuate area.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Call a physician immediately. Get immediate medical advice/attention.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.
4.3. Indication of any immediate medical	attention and special treatment needed

No additional information available

SECT	ON 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable	extinguishing media	: Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).	
5.2.	Special hazards arising from the su	ubstance or mixture	
Fire haz	ard	: Highly flammable liquid and vapor.	
02/03/20	21	EN (English US)	3/11

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion hazard	: May form flammable/explosive vapor-air mixture.
Reactivity	: Vapors may form explosive mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Wear a self contained breathing apparatus. Fight fire with normal precautions from a reasonable distance.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus, rubber boots and thick rubber gloves.
Other information	: Use water spray to cool unopened containers.
SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protectiv	re equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Ensure adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Provide adequate ventilation to minimize dust and/or vapor concentrations. Special attention should be given to low areas/pits where flammable vapors can accumulate.
6.1.2. For emergency responders	
Protective equipment	: For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	Do not allow to enter drains or water courses. Avoid release to the environment.
6.3. Methods and material for conta	inment and cleaning up
For containment	: Dike and contain spill. Disposal should be in accordance with applicable Federal, State and local regulations.
Methods for cleaning up	: Collect spillage. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	je
7.1. Precautions for safe handling	
Additional hazards when processed	: Avoid all eye and skin contact and do not breathe vapor and mist. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: No open flames. No smoking. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof Lighting equipment, ventilating equipment.
Storage conditions	: Store at room temperature away from light and moisture.
Incompatible materials	: Heat sources.

7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** 2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE Italy - Portugal - USA ACGIH ACGIH TWA (ppm) 20.0000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen. USA NIOSH NIOSH REL (TWA) (mg/m³) 34 mg/m³ Forms Cyanide in the body. USA NIOSH NIOSH REL (TWA) (ppm) 20 ppm Forms Cyanide in the body. USA OSHA OSHA PEL (TWA) (mg/m³) 70 mg/m³ The value in mg/m3 is approximate. USA OSHA OSHA PEL (TWA) (ppm) 40 ppm The value in mg/m3 is approximate.

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	34 mg/m ³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m ³)	70 mg/m ³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.

8.2. Exposure controls Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety procedures.

- Personal protective equipment
- Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Chemical goggles or face shield with safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties	
The properties listed below are for the solvent, the main component of this mixture.		
Physical state	Liquid	
Appearance	Liquid, clear	
Molecular mass	41.05 g/mol	
Color	Colorless	
Odor	Ether-like	
Odor threshold	No data available	
рН	No data available	
Relative evaporation rate (butyl acetate=1)	No data available	
Melting point	-48 °C (-54°F)	
Freezing point	No data available	
Boiling point	81 - 82 °C (178 - 180 °F)	
Flash point	2 °C (35.6 °F) - closed cup	
Auto-ignition temperature	523 °C (973 °F)	
Decomposition temperature	No data available	
Flammability (solid, gas)	Highly flammable liquid and vapor	
Vapor pressure	73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)	
Relative vapor density at 20 °C	1.42 - (Air = 1.0)	
Relative density	No data available	
Specific gravity / density	0.786 g/ml	
Solubility	Water: 100 %	
Log Pow	-0.34	
Log Kow	No data available	
Viscosity, kinematic	No data available	
Viscosity, dynamic	No data available	
Explosive properties	No data available	
Oxidizing properties	No data available	
Explosion limits	4.4 - 16 vol %	

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Vapors may form explosive mixture with air.		
10.2. Chemical stability		
See storage and expiration date on CoA.		
10.3. Possibility of hazardous reactions		
Highly flammable liquid and vapor.		
10.4. Conditions to avoid		
Heat. Open flame. Direct sunlight. Sparks. Extreme	ely high or low temperatures.	
10.5. Incompatible materials		
Acids, Bases, Oxidizing agents, Reducing agents,	Alkali metals.	
10.6. Hazardous decomposition products		
May release flammable gases. Carbon oxides (CC	0 CO2) Nitrogen ovides	
SECTION 11: Toxicological information	on and a second s	
11.1. Information on toxicological effects		
Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:dust,mist: Harmful if	
	inhaled.	
2-METHYL-3-PHENYLBENZOIC ACID (PHENY		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	
LC50 inhalation rat (ppm)	7551 ppm - 8h	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	2000.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
ACETONITRILE UNLABELED (75-05-8)		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	
LC50 inhalation rat (ppm)	7551 ppm - 8h	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	2000.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
2-METHYL-3-PHENYLBENZOIC ACID (PHENY	L-13C6, 98%) (115363-11-6 (Unlabeled))	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	1100.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
Skin corrosion/irritation	Not classified	
	Rabbit - Skin - No skin irritation	
Serious eye damage/irritation	Causes serious eye irritation.	
	Rabbit - Eyes - Irritating to eyes	
Respiratory or skin sensitization	Did not cause sensitization on laboratory animals. Buehler Test - Guinea pig - Did not cause	
	sensitization on laboratory animals - (OECD 406 method)	
Germ cell mutagenicity	Not classified	
Carcinogenicity	No evidence of carcinogenicity in animal studies (when indicated).	
	, ,	

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity Specific target organ toxicity – single exposure	 Animal testing did not show any effects on fertility. Not classified The substance or mixture is not classified as specific target organ toxicant.
Specific target organ toxicity – repeated exposure	: Not classified The substance or mixture is not classified as specific target organ toxicant.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity		
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE		
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
ACETONITRILE UNLABELED (75-05-8)		
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	

12.2. Persistence and degradability	
2-METHYL-3-PHENYLBENZOIC ACID (PHENY	L-13C6, 98%) 100 UG/ML IN ACETONITRILE
Persistence and degradability	Biodegradability Result: - Readily biodegradable.
ACETONITRILE UNLABELED (75-05-8)	
Persistence and degradability	Biodegradability Result: - Readily biodegradable.
12.3. Bioaccumulative potential	
2-METHYL-3-PHENYLBENZOIC ACID (PHENY	L-13C6, 98%) 100 UG/ML IN ACETONITRILE
Log Pow	-0.34
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).
ACETONITRILE UNLABELED (75-05-8)	
Log Pow	-0.34
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).
12.4. Mobility in soil	
2-METHYL-3-PHENYLBENZOIC ACID (PHENY	L-13C6, 98%) 100 UG/ML IN ACETONITRILE
Ecology - soil	Not expected to absorb on soil.
ACETONITRILE UNLABELED (75-05-8)	
Ecology - soil	Not expected to absorb on soil.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Other adverse effects	Avoid release to the environment. Disposal must be done according to official regulations. May cause long lasting harmful effects to aquatic life.

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Regional legislation (waste)	 Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	ADN
14.1. UN number	
UN-No.(DOT)	: 1648
DOT NA no.	UN1648
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Acetonitrile
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID 3
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1648
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	11
EAC	: •2YE
Excepted quantities (ADR)	: E2

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
MFAG-No	: 127
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313			
ACETONITRILE UNLABELED (75-05-8)				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313			
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) (115363-11-6 (Unlabeled))				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			

15.2. International regulations

CANADA

2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE() U.S. - California - Proposition 65 - Carcinogens List No

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) 100 UG/ML IN ACETONITRILE()					
U.S California - Propositior Toxicity	n 65 - Developmental	Nc)		
U.S California - Propositior Toxicity - Female	n 65 - Reproductive	No)		
U.S California - Propositior Toxicity - Male	n 65 - Reproductive	Nc)		
State or local regulations		U.	S Massachusetts - Right To S New Jersey - Right to Kno S Pennsylvania - RTK (Righ	w Hazardous Substance List	
ACETONITRILE UNLABELI	ED (75-05-8)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No		No	No	
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) (115363-11-6 (Unlabeled))					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No		No	No	
ACETONITRILE UNLABELI	ED (75-05-8)				
State or local regulations					
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List					
2-METHYL-3-PHENYLBENZOIC ACID (PHENYL-13C6, 98%) (115363-11-6 (Unlabeled))					
State or local regulations					
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List					

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
F	Highly flammable
Xi	Irritant
Xn	Harmful

UG/ML IN ACETONITRILE CLM-11214-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product