

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/7/2021 Revision date: 8/4/2023 Supersedes: 5/7/2021 Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : 6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE

Product code : CLM-12293-S

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Cambridge Isotope Laboratories, Inc.

50 Frontage Rd

01810

ANDOVER, MA, 01810

USA

T 1-800-322-1174

cilsales@isotope.com - www.isotope.com

1.4. Emergency telephone number

Emergency number : 1-703-741-5970

Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Acute toxicity (oral) Category 4 H302 Harmful if swallowed
Acute toxicity (dermal) Category 4 H312 Harmful in contact with skin

Acute toxicity (inhalation) Category 4 H332 Harmful if inhaled

Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, hot surfaces, open flames, sparks

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P241 - Use explosion-proof electrical, ventilating, lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.

P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective clothing, protective gloves.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center or doctor if you feel unwell.

P322 - Specific treatment (see supplemental first aid instruction on this label)

P330 - Rinse mouth.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ACETONITRILE UNLABELED	CAS-No.: 75-05-8	99.987	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
6PPD-QUINONE (PHENYL-13C6, 99%)	CAS-No.: NA	0.013	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before

reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide.

Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as

guaranteeing any specific property of the product.

Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled

Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard. Harmful if

swallowed.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

Symptoms/effects after inhalation

Symptoms/effects after skin contact

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

8/4/2023 (Revision date) US - en 3/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or

earth for subsequent safe disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well-

ventilated area. Avoid breathing dust, mist or spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store refrigerated (-5 $^{\circ}$ C to 5 $^{\circ}$ C). Protect from light.

Incompatible materials : Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

NIOSH REL TWA [ppm]

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE No additional information available ACETONITRILE UNLABELED (75-05-8) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen. USA - OSHA - Occupational Exposure Limits OSHA PEL TWA [1] 70 mg/m³ The value in mg/m3 is approximate. OSHA PEL TWA [2] 40 ppm The value in mg/m3 is approximate. USA - NIOSH - Occupational Exposure Limits NIOSH REL TWA 34 mg/m³ Forms Cyanide in the body.

8/4/2023 (Revision date) US - en 4/13

20 ppm Forms Cyanide in the body.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6PPD-QUINONE (PHENYL-13C6, 99%) (NA)

No additional information available

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.

Hand protection:

Wear suitable protective clothing and gloves

Eye protection:

Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Personal protective equipment symbol(s):









SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid, clear.
Color : Colorless
Odor : ether-like
Odor threshold : No data available
pH : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor.

Vapor pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)

Relative vapor density at 20°C : 1.42 - (Air = 1.0)
Relative density : No data available
Density : 0.786 g/ml
Molecular mass : 41.05 g/mol
Solubility : Water: 100 %

Partition coefficient n-octanol/water (Log Pow) : -0.34

Auto-ignition temperature : 523 °C (973 °F)

Decomposition temperature : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : 4.4 – 16 vol %
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

Highly flammable liquid and vapor.

10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

10.6. Hazardous decomposition products

May release flammable gases. Carbon oxides (CO, CO2). Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Harmful if inhaled.

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 Inhalation - Rat	≥ 26.8 mg/l
LC50 Inhalation - Rat [ppm]	7551 ppm - 8h
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)		
LD50 oral rat		2460 mg/kg
LD50 dermal rabbit		2000 mg/kg
LC50 Inhalation - Rat		≥ 26.8 mg/l
LC50 Inhalation - Rat [ppm]		7551 ppm - 8h
ATE US (oral)		500 mg/kg body weight
ATE US (dermal)		2000 mg/kg body weight
ATE US (gases)		4500 ppmV/4h
ATE US (vapors)		11 mg/l/4h
ATE US (dust, mist)		1.5 mg/l/4h
6PPD-QUINONE (PHENYL-13C6, 99%) (NA	۱)	
LD50 oral rat		1005 mg/kg (OECD Test Guideline 401)
LD50 dermal rabbit		> 7940 mg/kg
ATE US (oral)		500 mg/kg body weight
Skin corrosion/irritation	: 1	Not classified
Serious eye damage/irritation	: (Causes serious eye irritation.
Respiratory or skin sensitization	: 1	Not classified
Germ cell mutagenicity	: N	Not classified
Carcinogenicity	: N	Not classified
Reproductive toxicity	: N	Not classified
STOT-single exposure	: N	Not classified
STOT-repeated exposure	: N	Not classified
Aspiration hazard	: 1	Not classified
Viscosity, kinematic	: 1	No data available
Potential Adverse human health effects and symptoms	ii N C E is r	Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as quaranteeing any specific property of the product.
Symptoms/effects after inhalation	: [Danger of serious damage to health by prolonged exposure through inhalation. Harmful if nhaled.
Symptoms/effects after skin contact		Repeated exposure to this material can result in absorption through skin causing significant nealth hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: (Causes serious eye irritation.
Symptoms/effects after ingestion		Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

8/4/2023 (Revision date) US - en 7/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE		
LC50 - Fish [1]	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 - Crustacea [1]	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
ACETONITRILE UNLABELED (75-05-8)		
LC50 - Fish [1]	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 - Crustacea [1]	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
6PPD-QUINONE (PHENYL-13C6, 99%) (NA)		
LC50 - Fish [1]	flow-through test LC50 - Oryzias latipes - 0.028 mg/l - 96 h (OECD Test Guideline 203)	
EC50 - Crustacea [1]	Immobilization EC50 - Daphnia magna (Water flea) - 0.23 mg/l - 48 h (OECD Test Guideline 202)	

12.2. Persistence and degradability

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE		
Persistence and degradability	Biodegradability	Result: - Readily biodegradable.
ACETONITRILE UNLABELED (75-05-8)		
Persistence and degradability	Biodegradability	Result: - Readily biodegradable.
6PPD-QUINONE (PHENYL-13C6, 99%) (NA)		
Biodegradation	aerobic Biochemical oxygen demand - Exposure time 28 d Remarks: According to the results of tests of biodegradability this product is not readily biodegradable.	

12.3. Bioaccumulative potential

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE		
Partition coefficient n-octanol/water (Log Pow) -0.34		
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
ACETONITRILE UNLABELED (75-05-8)		
Partition coefficient n-octanol/water (Log Pow) -0.34		
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	

12.4. Mobility in soil

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE		
Ecology - soil Not expected to absorb on soil.		
ACETONITRILE UNLABELED (75-05-8)		
Ecology - soil Not expected to absorb on soil.		

12.5. Other adverse effects

Other adverse effects

: Avoid release to the environment. Disposal must be done according to official regulations. May cause long lasting harmful effects to aquatic life.

8/4/2023 (Revision date) US - en 8/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Dispose of contents/container to Comply with applicable regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

DOT NA NO : UN1648 UN-No. (TDG) : UN1648 UN-No. (IMDG) : 1648 UN-No. (IATA) : 1648

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Acetonitrile
Proper Shipping Name (TDG) : ACETONITRILE
Proper Shipping Name (IMDG) : ACETONITRILE
Proper Shipping Name (IATA) : Acetonitrile

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 3 Hazard labels (DOT) : 3



TDG

Transport hazard class(es) (TDG) : 3 Hazard labels (TDG) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Hazard labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (IATA)



14.4. Packing group

: 11 Packing group (DOT) : II Packing group (TDG) Packing group (IMDG) : 11 Packing group (IATA) : 11

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1648

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59

F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) 150 202 DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 242 DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: 60 L

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25

passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other 40 - Stow "clear of living quarters"

TDG

UN-No. (TDG) : UN1648 Explosive Limit and Limited Quantity Index : 1L Excepted quantities (TDG) E2 Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 127

IMDG

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02

8/4/2023 (Revision date) US - en 10/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : B
Stowage and handling (IMDG) : SW2
Flash point (IMDG) : 2°C c.c.

Properties and observations (IMDG) : Colourless, volatile liquid. Flashpoint: 2°C c.c. Explosive limits: 3% to 16% Miscible with

water. When involved in a fire, evolves toxic cyanide fumes. Harmful if swallowed, by skin contact

or by inhalation.

MFAG-No : 127

IATA

PCA Excepted quantities (IATA) : E2 : Y341 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ 5000 lb		
SARA Section 311/312 Hazard Classes	311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
ACETONITRILE UNLABELED	75-05-8	Present	Active	
6PPD-QUINONE (PHENYL-13C6, 99%)	NA	Not present	-	

ACETONITRILE UNLABELED (75-05-8)		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ 5000 lb		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6PPD-QUINONE (PHENYL-13C6, 99%) (NA)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

15.2. International regulations

CANADA

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Substances List)

ACETONITRILE UNLABELED (75-05-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE

Listed on INSQ (Mexican National Inventory of Chemical Substances)

ACETONITRILE UNLABELED (75-05-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

6PPD-QUINONE (PHENYL-13C6, 99%) 100 UG/ML IN ACETONITRILE	
, and the second	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

Component	State or local regulations
ACETONITRILE UNLABELED(75-05-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 08/04/2023

Other information : This product is not radioactive. The data given for this product are those of the corresponding

unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the

corresponding unlabeled compound.

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.