

GLYCEROL (2-13C, 99%)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 20/06/2011 Revision date: 21/07/2022 Supersedes: 26/09/2016 Version: 4.0

CLM-1397

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : GLYCEROL (2-13C, 99%) EC-No. : 200-289-5 (Unlabeled)

CAS-No. : 82425-96-5 Product code : CLM-1397

Formula : HOCH2*CH(OH)CH2OH
Synonyms : 1,2,3-Propanetriol / Glycerin

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc. 50 Frontage Road

Andover, MA 01810 USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

GHS-US classification

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

No labeling applicable

GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

24/08/2022 EN (English US) 1/6

GLYCEROL (2-13C, 99%) CLM-1397

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
GLYCEROL (2-13C, 99%)	(CAS-No.) 82425-96-5 (EC-No.) 200-289-5 (Unlabeled)	100	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
GLYCEROL (2-13C, 99%)	(CAS-No.) 82425-96-5 (EC-No.) 200-289-5 (Unlabeled)	100	Not classified

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
GLYCEROL (2-13C, 99%)	(CAS-No.) 82425-96-5	100	Not classified
(Main constituent)			

Full text of H-phrases: see section 16

Mixtures

Not applicable

SECTION 4: First aid measures

Description of first aid measures

: Move out of dangerous area. Consult a physician and show this safety data sheet. First-aid measures general

: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a First-aid measures after inhalation

physician.

: Wash with soap and plenty of water. Consult a physician. First-aid measures after skin contact

First-aid measures after eye contact : Flush eyes with water as a precaution.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory tract irritation. Symptoms/effects after skin contact : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : May cause eye irritation. : May be harmful if swallowed. Symptoms/effects after ingestion

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation.

6.1.2. For emergency responders

No additional information available

Environmental precautions

Do not let product enter drains.

Methods and material for containment and cleaning up

For containment : Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable,

closed containers for disposal.

24/08/2022 2/6 EN (English US)

GLYCEROL (2-13C, 99%) CLM-1397

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a dry and well-ventilated place.

Storage conditions : Store at room temperature away from light and moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

GLYCEROL (2-13C, 99%) (82	425-96-5)	
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Upper Respiratory Tract irritation
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
USA OSHA	Remark (OSHA)	TWA 5.000000 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants; See Appendix D - Substances with No Etablished RELs

8.2. Exposure controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested

and approved under appropriate government standards such as NIOSH or EN 166.

Skin and body protection : Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested: Vitoject (KCL 890/ Aldrich Z677698, Size M) Splash protection Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested: Camatril (KCL 730/ Aldrich Z677698, Size M). Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection : When appropriate, use NIOSH/CEN approved respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Molecular mass : 93.09 g/mol (Labeled)
Color : Colorless to faint yellow

Odor : Odourless

Odor threshold : No data available

pH : 5.5 - 8

Relative evaporation rate (butyl acetate=1) : No data available Melting point : 20 °C (68 °F) Freezing point : No data available

Boiling point : 182 °C (360 °F) at 27 hPa (20.0 mmHg)

24/08/2022 EN (English US) 3/6

GLYCEROL (2-13C, 99%) CLM-1397

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 160 °C (320 °F) - closed cup Flash point

Auto-ignition temperature : 370 °C (698 °F) Decomposition temperature : No data available Flammability (solid, gas) : No data available

Vapor pressure : 0.0033 hPa (0.0025 mmHg) at 50 °C (122 °F)

Relative vapor density at 20 °C : 3.18 - (Air = 1.0) : No data available Relative density

Specific gravity / density : 1.25 g/ml at 20 °C (68 °F)

: Water: Soluble Solubility Log Pow No data available Log Kow : No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic Explosive properties : No data available : No data available Oxidizing properties

: 2.7 - 19 % (V) at 1013 hPa (760 mmHg) **Explosion limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Chemical stability 10.2.

Stable if stored under recommended conditions.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

No additional information available

Incompatible materials

Respiratory or skin sensitization

Germ cell mutagenicity

Strong bases, Strong oxidizing agents.

Hazardous decomposition products

Formed under fire conditions: Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity

GLYCEROL (2-13C, 99%) (82425-96-5)	
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10000 mg/kg

Skin corrosion/irritation : Skin - Rabbit Result: Mild skin irritation - 24 h

pH: 5.5 - 8

Serious eye damage/irritation : Eyes - Rabbit Result: Mild eye irritation 24.00 h

> pH: 5.5 - 8 : Not classified Not classified

No component of this product present at levels greater than or equal to 0.1% is identifiable as a Carcinogenicity

carcinogen or potential carcinogen by ACGIH.

: Not classified Reproductive toxicity Specific target organ toxicity - single exposure : Not classified Specific target organ toxicity - repeated : Not classified

exposure

: Not classified Aspiration hazard

24/08/2022 EN (English US) 4/6

GLYCEROL (2-13C, 99%) CLM-1397

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms

: Prolonged or repeated exposure may cause: Nausea. Headache. Vomiting. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Kidney - irregularities - Based on Human

Symptoms/effects after inhalation Symptoms/effects after skin contact : May be harmful if inhaled. May cause respiratory tract irritation. : May be harmful if absorbed through skin. May cause skin irritation.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

Toxicity

No additional information available

Persistence and degradability

No additional information available

Bioaccumulative potential

No additional information available

Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

: Waste materials should be disposed of under conditions which meet Federal, State, and local Regional legislation (waste) environmental control regulations.

Product/Packaging disposal recommendations Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

UN number

Not applicable

UN proper shipping name

Not applicable

Additional information 14.3.

Other information : No supplementary information available.

Special transport precautions : Not dangerous goods.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

14.4. **Environmental hazards**

Other information : No supplementary information available.

24/08/2022 EN (English US) 5/6

GLYCEROL (2-13C, 99%) CLM-1397

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.5. Special precautions for user

Special transport precautions : Not dangerous goods.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

GLYCEROL (2-13C, 99%) (82425-96-5)		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313	

15.2. International regulations

CANADA

No additional information available

15.2.1. National regulations

No additional information available

15.3. US State regulations

GLYCEROL (2-13C, 99%)(82425-96-5)		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	RTK - U.S Massachusetts - Right To Know List RTK - U.S Pennsylvania - RTK (Right to Know) List RTK - U.S New Jersey - Right to Know Hazardous Substance List	

SECTION 16: Other information

Other information : This product is not radioactive. The data given for this product are those of the corresponding

unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the

corresponding unlabeled compound.

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer


no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

24/08/2022 EN (English US) 6/6