

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/19/2015 Revision date: 11/15/2023 Supersedes: 10/30/2023 Version: 3.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN

ACETONITRILE

Product code : CLM-3375-S

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Cambridge Isotope Laboratories, Inc.

50 Frontage Rd

01810

ANDOVER, MA, 01810

USA

T 1-800-322-1174

cilsales@isotope.com - www.isotope.com

1.4. Emergency telephone number

Emergency number : 1-703-741-5970

Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Acute toxicity (oral) Category 4 H302 Harmful if swallowed
Acute toxicity (dermal) Category 4 H312 Harmful in contact with skin

Acute toxicity (inhalation:dust,mist) Category 4 H332 Harmful if inhaled

Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, hot surfaces, open flames, sparks

P233 - Keep container tightly closed.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.

P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, face protection, protective gloves, protective clothing.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see Hazard pictograms (CLP) on this label).

P330 - Rinse mouth.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ACETONITRILE UNLABELED	CAS-No.: 75-05-8		Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
ETHYNYLESTRADIOL (20,21-13C2, 99%)	CAS-No.: 57-63-6 (Unlabeled)	0.013	Acute Tox. 4 (Oral), H302 Carc. 1A, H350 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : In case of accident or if you feel unwell, seek medical advice immediately (show the label where

possible). Evacuate area.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash

with plenty of soap and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Harmful if swallowed. Harmful in

contact with skin. Harmful if inhaled.

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Wear a self contained breathing apparatus. Fight fire with normal precautions from a reasonable

distance.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

11/15/2023 (Revision date) US - en 3/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel

Emergency procedures

: Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Ensure adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Provide adequate ventilation to minimize dust and/or vapor concentrations. Special attention should be given to low areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Dike and contain spill. Disposal should be in accordance with applicable Federal, State and local regulations.

Methods for cleaning up

: Collect spillage. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapors are flammable.

: No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well-

ventilated area.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store at room temperature away from light and moisture.

Incompatible materials : Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE

No additional information available

ACETONITRILE UNLABELED (75-05-8)

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA [ppm] 20 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.

11/15/2023 (Revision date) US - en 4/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)		
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	70 mg/m³ The value in mg/m3 is approximate.	
OSHA PEL TWA [2]	40 ppm The value in mg/m3 is approximate.	
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL TWA	34 mg/m³ Forms Cyanide in the body.	
NIOSH REL TWA [ppm]	20 ppm Forms Cyanide in the body.	
ETHYNYLESTRADIOL (20,21-13C2, 99%) (57-63-6 (Unlabeled))		
USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.

Hand protection:

Wear suitable protective clothing and gloves

Eye protection:

Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection:

Wear suitable protective clothing, gloves and eye/face protection

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):









SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid, clear.
Color : Colorless
Odor : ether-like
Odor threshold : No data available

pH : No data available
Melting point : No data available
-48 °C (-54°F)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 $\begin{tabular}{lll} Freezing point & : No data available \\ Boiling point & : 81 - 82 °C (178 - 180 °F) \\ Flash point & : 2 °C (35.6 °F) - closed cup \\ \end{tabular}$

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor.

Vapor pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)

Relative vapor density at 20°C : 1.42 - (Air = 1.0)
Relative density : No data available
Density : 0.786 g/ml
Molecular mass : 41.05 g/mol
Solubility : Water: 100 %

Partition coefficient n-octanol/water (Log Pow) : -0.34

Auto-ignition temperature : 523 °C (973 °F)

Decomposition temperature : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosion limits : 4.4 – 16 vol %

Explosive properties : No data available

Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

Highly flammable liquid and vapor.

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Harmful if inhaled.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYNYLESTRADIOL(97% CHEMICAL PUR	RITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 Inhalation - Rat	≥ 26.8 mg/l
LC50 Inhalation - Rat [ppm]	7551 ppm - 8h
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
ACETONITRILE UNLABELED (75-05-8)	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 Inhalation - Rat	≥ 26.8 mg/l
LC50 Inhalation - Rat [ppm]	7551 ppm - 8h
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
ETHYNYLESTRADIOL (20,21-13C2, 99%) (57	7-63-6 (Unlabeled))
LD50 oral rat	960 mg/kg
ATE US (oral)	960 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ETHYNYLESTRADIOL (20,21-13C2, 99%) (57	, , , , ,
National Toxicology Program (NTP) Status	Known Human Carcinogens
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and	: This information is based on our current knowledge and is intended to describe the product for
symptoms	the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.
Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/effects after skin contact	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after ingestion

 $: \ \ \text{Harmful if swallowed. Swallowing a small quantity of this material will result in serious health}$

hazard.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE		
LC50 - Fish [1] 1640 mg/l Pimephales promelas (fathead minnow) - 96h		
EC50 - Crustacea [1]	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic) 640 mg/l Daphnia magna (Water flea) - 14d		
ACETONITRILE UNLABELED (75-05-8)		
LC50 - Fish [1]	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 - Crustacea [1]	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	

12.2. Persistence and degradability

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE		
Persistence and degradability	Biodegradability	Result: - Readily biodegradable.
ACETONITRILE UNLABELED (75-05-8)		
Persistence and degradability	Biodegradability	Result: - Readily biodegradable.
ETHYNYLESTRADIOL (20,21-13C2, 99%) (57-63-6 (Unlabeled))		
Persistence and degradability	Not available.	

12.3. Bioaccumulative potential

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE		
Partition coefficient n-octanol/water (Log Pow)	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
ACETONITRILE UNLABELED (75-05-8)		
Partition coefficient n-octanol/water (Log Pow)	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
ETHYNYLESTRADIOL (20,21-13C2, 99%) (57-63-6 (Unlabeled))		
Bioaccumulative potential	Not available.	

12.4. Mobility in soil

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE		
Ecology - soil	Not expected to absorb on soil.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)	
Ecology - soil Not expected to absorb on soil.	
ETHYNYLESTRADIOL (20,21-13C2, 99%) (57-63-6 (Unlabeled))	
Ecology - soil Not available.	

12.5. Other adverse effects

Other adverse effects : Avoid release to the environment. Disposal must be done according to official regulations.

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

DOT NA NO : UN1648 UN-No. (TDG) : UN1648 UN-No. (IMDG) : 1648 UN-No. (IATA) : 1648

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Acetonitrile
Proper Shipping Name (TDG) : ACETONITRILE
Proper Shipping Name (IMDG) : ACETONITRILE
Proper Shipping Name (IATA) : Acetonitrile

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 3 Hazard labels (DOT) : 3



TDG

Transport hazard class(es) (TDG) : 3 Hazard labels (TDG) : 3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



IMDG

Transport hazard class(es) (IMDG) Hazard labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) Hazard labels (IATA) : 3



14.4. Packing group

Packing group (DOT) : 11 Packing group (TDG) : II Packing group (IMDG) : II : II Packing group (IATA)

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

UN-No.(DOT) : UN1648

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59

F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

CFR 175.75)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

TDG

UN-No. (TDG) : UN1648
Explosive Limit and Limited Quantity Index : 1 L
Excepted quantities (TDG) : E2
Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 127

IMDG

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : B
Stowage and handling (IMDG) : SW2
Flash point (IMDG) : 2°C c.c.

Properties and observations (IMDG) : Colourless, volatile liquid. Flashpoint: 2°C c.c. Explosive limits: 3% to 16% Miscible with

water. When involved in a fire, evolves toxic cyanide fumes. Harmful if swallowed, by skin contact

or by inhalation.

MFAG-No : 127

IATA

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) 353 PCA max net quantity (IATA) 51 CAO packing instructions (IATA) 364 CAO max net quantity (IATA) : 60L ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE

Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 5000 lb

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE		
	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
ACETONITRILE UNLABELED	75-05-8	Present	Active	
ETHYNYLESTRADIOL (20,21-13C2, 99%)	57-63-6 (Unlabeled)	Not present	-	

ACETONITRILE UNLABELED (75-05-8)		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ 5000 lb		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	

ETHYNYLESTRADIOL (20,21-13C2, 99%) (57-63-6 (Unlabeled))		
Not subject to reporting requirements of the United States SARA Section 313		
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard		

15.2. International regulations

CANADA

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Substances List)

ACETONITRILE UNLABELED (75-05-8)

Listed on the Canadian DSL (Domestic Substances List)

ETHYNYLESTRADIOL (20,21-13C2, 99%) (57-63-6 (Unlabeled))

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE

Listed on INSQ (Mexican National Inventory of Chemical Substances)

ACETONITRILE UNLABELED (75-05-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

ETHYNYLESTRADIOL(97% CHEMICAL PURITY) (20,21-13C2, 99%) 100 UG/ML IN ACETONITRILE	
	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

Component	State or local regulations
ACETONITRILE UNLABELED(75-05-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
ETHYNYLESTRADIOL (20,21-13C2, 99%)(57-63-6 (Unlabeled))	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List; U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/15/2023

Other information : This product is not radioactive. The data given for this product are those of the corresponding

unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the

corresponding unlabeled compound.

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
H350	May cause cancer
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.