

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 13/05/2015 Revision date: 04/12/2019 Supersedes: 13/05/2015 Version: 1.1

CLM-3848-S

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : 1,3,5-TRINITROBENZENE (13C6, 99%) 1 MG/ML IN ACETONITRILE

Product code : CLM-3848-S

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Acute Tox. 4 (Oral)
 H302

 Acute Tox. 4 (Dermal)
 H312

 Acute Tox. 4 (Inhalation:dust,mist)
 H332

 Eye Irrit. 2
 H319

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

Xn; R20/21/22

R1

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225
Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Acute Tox. 4 (Inhalation:dust,mist) H332
Eye Irrit. 2A H319
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Lungs, Blood, Kidney, Liver, Central nervous system.

04/12/2019 EN (English US) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

Signal word (CLP)

Hazardous ingredients : 1,3,5-TRINITROBENZENE (13C6, 99%); ACETONITRILE UNLABELED

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (CLP)

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

GHS-US labeling

Signal word (GHS-US)

Hazard pictograms (GHS-US)





: Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking. Precautionary statements (GHS-US)

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a poison center or doctor if you feel unwell

P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - Rinse mouth.

P337+P313 - If eve irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water

spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations

Other hazards

No additional information available

04/12/2019 EN (English US) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

Substances

Not applicable

Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.8728	F; R11 Xi; R36 Xn; R20/21/22
1,3,5-TRINITROBENZENE (13C6, 99%)	(CAS-No.) 99-35-4 (unlabeled) (EC-No.) 202-752-7 (EC Index-No.) 609-005-00-8	0.1272	T+; R26/27/28 Xi; R41 Xi; R37/38 N; R50/53 R1 R33
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.8728	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dramal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
1,3,5-TRINITROBENZENE (13C6, 99%)	(CAS-No.) 99-35-4 (unlabeled) (EC-No.) 202-752-7 (EC Index-No.) 609-005-00-8	0.1272	Expl. 1.1, H201 Acute Tox. 3 (Oral), H301 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400
Name	Product identifier	%	GHS-US classification
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8	99.8728	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures

Description of first aid measures

: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of First-aid measures general dangerous area.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a First-aid measures after inhalation POISON CENTER or doctor/physician if you feel unwell.

Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash First-aid measures after skin contact with plenty of soap and water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

First-aid measures after ingestion : Rinse mouth, Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.

Symptoms/effects after skin contact Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

: Causes serious eye irritation. Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

Indication of any immediate medical attention and special treatment needed

No additional information available

Symptoms/effects after eye contact

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

04/12/2019 EN (English US) 3/11

CLM-3848-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture. Reactivity : Vapors may form explosive mixture with air.

5.3. Advice for firefighters

Firefighting instructions : Wear a self contained breathing apparatus. Fight fire with normal precautions from a

reasonable distance.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking

6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Ensure adequate air ventilation. Evacuate unnecessary personnel. Eliminate all ignition sources if safe to do so. Provide adequate ventilation to minimize dust and/or vapor concentrations. Special

attention should be given to low areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill. Disposal should be in accordance with applicable Federal, State and

local regulations.

Methods for cleaning up : Collect spillage. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. This material and its container must be disposed of in a

and snover into container for disposal. This material and its container must be disposed of in

safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well-

ventilated area.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store in freezer (-20°C). Protect from light.

Incompatible materials : Heat sources

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ACETONITRILE UNLABELED (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	34 mg/m³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.

04/12/2019 EN (English US) 4/11

CLM-3848-9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.







Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear safety glasses with side shields (or goggles) and a face shield. Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : Wear appropriate mask.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state : Liquid

Appearance : Liquid, Clear

Molecular mass : 41.05 g/mol

Color : Colorless

Odor : Ether-like

Odor threshold : No data available

Odor threshold : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : -48 °C (-54°F)

Freezing point : No data available

Boiling point : No data available

81 - 82 °C (178 - 180 °F)

Flash point : 2 °C (35.6 °F) - closed cup

Auto-ignition temperature : 523 °C (973 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)

Relative vapor density at 20 °C : 1.42 - (Air = 1.0)
Relative density : No data available
Specific gravity / density : 0.786 g/ml
Solubility : Water: 100 %

Log Pow : -0.34

Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : 4.4 - 16 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form explosive mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

Highly flammable liquid and vapor.

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

04/12/2019 EN (English US) 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:dust,mist: Harmful if

	inhaled.	
1,3,5-TRINITROBENZENE (13C6, 99%) 1 MG/ML IN ACETONITRILE		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	
LC50 inhalation rat (ppm)	7551 ppm - 8h	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	1100.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
ACETONITRILE UNLABELED (75-05-8)		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	

ACTION THE GREATELES (10 00 0)		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l	
LC50 inhalation rat (ppm)	7551 ppm - 8h	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	2000.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	

1,3,5-TRINITROBENZENE (13C6, 99%) (99-35-4 (unlabeled))	
LD50 oral rat	275 mg/kg
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	5.000 mg/kg body weight
ATE CLP (dust, mist)	0.050 mg/l/4h

Skin corrosion/irritation : Not classified

Skin - Rabbit - No skin irritation

Serious eye damage/irritation : Causes serious eye irritation.

Eyes - Rabbit - Irritating to eyes

: Did not cause sensitization on laboratory animals - Buehler Test - Guinea pig - Did not cause Respiratory or skin sensitization

sensitization on laboratory animals - (OECD 406 method)

Germ cell mutagenicity

Carcinogenicity No evidence of carcinogenicity in animal studies (when indicated).

: Not classified

Reproductive toxicity : Animal testing did not show any effects on fertility.

Specific target organ toxicity - single exposure Not classified

The substance or mixture is not classified as specific target organ toxicant.

exposure

Aspiration hazard

Specific target organ toxicity - repeated

symptoms

Symptoms/effects after skin contact

The substance or mixture is not classified as specific target organ toxicant.

: Not classified

Potential Adverse human health effects and

: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Symptoms/effects after inhalation Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

> Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion Swallowing a small quantity of this material will result in serious health hazard.

04/12/2019 EN (English US) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations		
SECTION 12: Ecological informati	on	
12.1. Toxicity		
1,3,5-TRINITROBENZENE (13C6, 99%) 1 M	NG/ML IN ACETONITRILE	
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
ACETONITRILE UNLABELED (75-05-8)		
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
1,3,5-TRINITROBENZENE (13C6, 99%) (99		
LC50 fish 1	0.52 mg/l Oncorhynchus mykiss(rainbow trout) - 96 h	
EC50 Daphnia 1	2.7 mg/l Daphnia magna (Water flea) - 48 h	
12.2. Persistence and degradability 1,3,5-TRINITROBENZENE (13C6, 99%) 1 M	MG/ML IN ACETONITRII E	
Persistence and degradability	Biodegradability Result: - Readily biodegradable.	
<u> </u>	Diodogradamity House Housey blodogradamic.	
ACETONITRILE UNLABELED (75-05-8) Persistence and degradability	Diadogradokility Boodily hisdogradoklo	
	Biodegradability Result: - Readily biodegradable.	
1,3,5-TRINITROBENZENE (13C6, 99%) (99		
Persistence and degradability	Not available.	
12.3. Bioaccumulative potential		
1,3,5-TRINITROBENZENE (13C6, 99%) 1 M	MG/ML IN ACETONITRILE	
Log Pow	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
ACETONITRILE UNLABELED (75-05-8)		
Log Pow	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
1,3,5-TRINITROBENZENE (13C6, 99%) (99	9-35-4 (unlabeled))	
Log Pow	0.243	
Bioaccumulative potential	Not available.	
12.4. Mobility in soil		
1,3,5-TRINITROBENZENE (13C6, 99%) 1 M	MG/ML IN ACETONITRILE	
Ecology - soil	Not expected to absorb on soil.	
ACETONITRILE UNLABELED (75-05-8)		
Ecology - soil	Not expected to absorb on soil.	
1,3,5-TRINITROBENZENE (13C6, 99%) (99	3-35-4 (unlabeled))	
Ecology - soil	Not available.	
12.5. Results of PBT and vPvB assess	ment	
No additional information available		
12.6. Other adverse effects		
Other adverse effects	: Avoid release to the environment. Disposal must be done according to official regulations. May cause long lasting harmful effects to aquatic life.	
SECTION 13: Disposal considerati	ions	
13.1. Waste treatment methods		
Pagianal logislation (wests)	· Weste meterials should be dispessed of under conditions which most Enderel. State, and lead	

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Dispose of as unused product.

04/12/2019 EN (English US) 7/11

CI M-3848-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 1648 DOT NA no. UN1648

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Acetonitrile

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : II

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

Hazard labels (ADR) : 3 - Flammable liquids



Orange plates



Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) : 11
EAC : •2YE
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

04/12/2019 EN (English US) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 40 - Stow "clear of living quarters" **DOT Vessel Stowage Other**

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.6.

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

1,3,5-TRINITROBENZENE (13C6, 99%) 1 MC	G/ML IN ACETONITRILE
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313
ACETONITRILE UNLABELED (75-05-8)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

1,3,5-TRINITROBENZENE (13C6, 99%) 1 MG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

1,3,5-TRINITROBENZENE (13C6, 99%) 1 MG/ML IN ACETONITRILE()		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	
ACETONITRII E IINI AREI ED (75-05-9)	1	

ACETONITRILE UNLABEL	ED (73-03-8)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
		Female	Male	

04/12/2019 EN (English US)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)				
No	No No No			
ACETONITRILE UNLABELED (75-05-8)				
State or local regulations				
LLS - Massachusetts - Right To Know List				

SECTION 16: Other information

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List

Other information

This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

text of R-, H- and EUH-phrases:	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Expl. 1.1	Explosive Category 1.1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H201	Explosive; mass explosion hazard
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H400	Very toxic to aquatic life
R1	Explosive when dry
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R33	Danger of cumulative effects
R36	Irritating to eyes
R37/38	Irritating to respiratory system and skin
R41	Risk of serious damage to eyes
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
F	Highly flammable
N	Dangerous for the environment
T+	Very toxic
Xi	Irritant
Xn	Harmful

04/12/2019 EN (English US) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause


temporary incapacitation or residual injury.

: 3 - Liquids and solids (including finely divided suspended NFPA fire hazard solids) that can be ignited under almost all ambient

temperature conditions.

: 0 - Material that in themselves are normally stable, even NFPA reactivity

under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

04/12/2019 EN (English US) 11/11