

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 24/01/2011

Revision date: 20/12/2016

Supersedes: 24/01/2011

Version: 2.0

CLM-404

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : DL-CYSTEINE, S-BENZYL (1-13C, 99%)

EC no : 222-160-2 (Unlabeled)

CAS No : 77284-35-6 Product code : CLM-404

Formula : C6H5CH2SCH2CH(NH2)*COOH
Synonyms : (+/-)-2-Amino-3-mercaptopropionic acid.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335

Full text of H-statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R22 Xi; R36/37/38

Full text of R-phrases: see section 16

GHS-US classification

Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335

Adverse physicochemical, human health and environmental effects

No additional information available

03/01/2017 EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Hazard statements (CLP)

: H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eve irrita

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Precautionary statements (CLP) : P261 - Avoid breathing dust, fume, gas, mist, spray, vapours

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective clothing, protective gloves

P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell

P302+P352 - IF ON SKIN: Wash with plenty of water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing dust, fume, gas, mist, spray, vapours

P264 - Wash Both hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective clothing, protective gloves

P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - If swallowed, rinse mouth

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%	Classification according to Directive 67/548/EEC
DL-CYSTEINE, S-BENZYL (1-13C, 99%)	(CAS No) 77284-35-6	100	Xn; R22
(Main constituent)	(EC no) 222-160-2 (Unlabeled)		Xi; R36/37/38

03/01/2017 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
DL-CYSTEINE, S-BENZYL (1-13C, 99%) (Main constituent)	(CAS No) 77284-35-6 (EC no) 222-160-2 (Unlabeled)	100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of R- and H-statements; see section 16

Name	Product identifier	%	GHS-US classification
DL-CYSTEINE, S-BENZYL (1-13C, 99%) (Main constituent)	(CAS No) 77284-35-6	100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3. H335

Full text of H-statements: see section 16

Mixture 3.2.

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Move out of dangerous area. Consult a physician and show this safety data sheet.

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a

physician.

First-aid measures after skin contact : Wash with soap and plenty of water. Consult a physician. : Flush eye with water for 15 minutes. Get medical attention. First-aid measures after eye contact

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May be harmful if inhaled. May cause respiratory tract irritation. : May be harmful if absorbed through skin. Causes skin irritation. Symptoms/injuries after skin contact

Symptoms/injuries after eye contact : Causes serious eye irritation.

: Harmful if swallowed. Symptoms/injuries after ingestion

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure

adequate ventilation.

For emergency responders 6.1.2.

No additional information available

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for For containment

disposal.

Reference to other sections

No additional information available

03/01/2017 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate

exhaust ventilation at places where dust is formed. Normal measures for preventive fire

protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a cool, dry and well-ventilated place.

Storage conditions : Store refrigerated (-5 C to 5 C). Protect from light.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284-35-6)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	1 ppm Upper Respiratory Tract irritation;Visual impairment;See Notice of Intended Changes (NIC);Not classifiable as a human carcinogen; Danger of cutaneous absorption
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	3 ppm Upper Respiratory Tract irritation;Visual impairment;See Notice of Intended Changes (NIC);Not classifiable as a human carcinogen; Danger of cutaneous absorption
USA OSHA	OSHA PEL (TWA) (mg/m³)	100 mg/m³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	25 ppm The value in mg/m3 is approximate.

8.2. Exposure controls

Personal protective equipment : Gloves. Safety glasses. Protective clothing. Self-contained breathing apparatus.









Hand protection : protective gloves.

Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance

at the work place.

Respiratory protection : When appropriate, use NIOSH/CEN approved respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.

Molecular mass : 212.27 g/mol (Labeled)

Colour : White.

Odour : No data available Odour threshold : No data available pΗ No data available Relative evaporation rate (butylacetate=1) : No data available : 225 °C (437 °F) - dec. Melting point Freezing point : No data available Boiling point : No data available Flash point : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

03/01/2017 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available Solubility Log Pow : No data available Log Kow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable if stored under recommended conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Not available.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

formed under fire conditions: Carbon oxides. Nitrogen oxides. Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284-35-6)	
LD50 oral rat	730 mg/kg Harmful if swallowed. (DL-Cysteine) (OECD Test Guideline 401)
LD50 dermal rabbit	580 mg/kg (OECD Test Guideline 402)
LC50 inhalation rat (mg/l)	7.1 mg/l/4h (OECD Test Guideline 403)
ATE CLP (oral)	730.000 mg/kg bodyweight
ATE CLP (dermal)	580.000 mg/kg bodyweight
ATE CLP (vapours)	7.100 mg/l/4h
ATE CLP (dust,mist)	7.100 mg/l/4h

Skin corrosion/irritation : Extremely corrosive and destructive to tissue. (OECD Test Guideline 404)

Serious eye damage/irritation : Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

No data available

Respiratory or skin sensitisation : in vivo assay - Guinea pig Result: Did not cause sensitisation on laboratory animals.

No data available

Germ cell mutagenicity : Not available
Carcinogenicity : Not classified
Reproductive toxicity : Not available

Specific target organ toxicity (single exposure) : Inhalation - May cause respiratory irritation.

No data available

Specific target organ toxicity (repeated

exposure)

: Not classified No data available

Aspiration hazard

Potential adverse human health effects and

symptoms

Not classifiedMaterial is extremely destructive to tissue of the mucous membranes and upper respiratory tract,

eyes, and skin.,spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Central nervous

system - Irregularities - Based on Human Evidence.

Symptoms/injuries after inhalation : May be harmful if inhaled. May cause respiratory tract irritation. Symptoms/injuries after skin contact : May be harmful if absorbed through skin. Causes skin irritation.

03/01/2017 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after eye contact : Causes serious eye irritation.
Symptoms/injuries after ingestion : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284-35-6)	
LC50 fish 1	24 mg/l LC50 - Oryzias latipes (Orange-red killifish) - 96 h (Triethylamine) (OECD Test Guideline 203)
LC50 other aquatic organisms 1	17 mg/l LC50 - Daphnia dubia (water flea) - 48 h (Triethylamine)
LC50 other aquatic organisms 2	95 mg/l LC50 - Bacteria - 17 h (Triethylamine)
ErC50 (algae)	8 mg/l EC50 - Pseudokirchneriella subcapitata (green algae) - 72 h (OECD Test Guideline 201)
NOEC chronic algae	1.1 mg/l NOEC - Pseudokirchneriella subcapitata (green algae) - 72 h (OECD Test Guideline 201)

12.2. Persistence and degradability

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284-35-6)	
Persistence and degradability	Not available.
Biodegradation	80 % - Readily biodegradable;aerobic - Exposure time 28 d (Triethylamine);(OECD Test Guideline 301B)

12.3. Bioaccumulative potential

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284-35-6)	
Bioaccumulative potential	Cyprinus carpio (Carp) - 42 d (Triethylamine);Bioconcentration factor (BCF): < 0.5 (OECD Test Guideline 305C) Remarks: Does not bioaccumulate.

12.4. Mobility in soil

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284	l-35-6)
Ecology - soil	Not available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : An environmental hazard cannot be excluded in the event of an unprofessional handling or disposal. Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Waste disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Not dangerous goods.

Overland transport

No additional information available

Transport by sea

No additional information available

03/01/2017 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : Not dangerous goods.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DL-CYSTEINE, S-BENZYL (1-13C, 99%) (77284-35-6)	
Subject to reporting requirements of United State	s SARA Section 313
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

No additional information available

15.2.1. National regulations

No additional information available

15.3. US State regulations

DL-CYSTEINE, S-BENZYL (1-13C, 99%)(77284-35-6)	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
R22	Harmful if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
Xi	Irritant
Xn	Harmful

NFPA health hazard

: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 0 - Materials that will not burn under typical dire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.

1 0

03/01/2017 EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

CIL Multi-Solvent Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

03/01/2017 EN (English) 8/8