

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 19/08/2022 Revision date: : CLM-6620-S

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Product form : Mixtures Product name : METHYLPHOSPHONIC ACID, MONO-(1,2,2-TRIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH Product code : CLM-6620-S Relevant identified uses of the substance or mixture and uses advised against 1.2. 1.2.1. **Relevant identified uses** Main use category : Professional use Industrial/Professional use spec : For professional use only 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com **Emergency telephone number** Emergency numbers: Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Acute Tox. 3 (Oral) H301 Acute Tox. 3 (Dermal) H311 Acute Tox. 3 (Inhalation) H331 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 1 H370

Full text of hazard classes and H-statements : see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 T; R39/23/24/25 Xi; R36/38 Full text of R-phrases: see section 16

#### **GHS-US** classification

 Flam. Liq. 2
 H225

 Acute Tox. 3 (Oral)
 H301

 Acute Tox. 3 (Dermal)
 H311

 Acute Tox. 3 (Inhalation)
 H331

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 STOT SE 1
 H370

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Eyes, Kidney, Liver, Heart, Central nervous system. Highly flammable liquid and vapor. Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (if inhaled, if swallowed, in contact with skin). Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements	
Labeling according to Regulation (EC) No. 1	272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS08 GHS06
Signal word (CLP)	: Danger
Hazardous ingredients	: 100% METHANOL UNLABELED
Hazard statements (CLP)	<ul> <li>H225 - Highly flammable liquid and vapor H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (kidneys, liver, heart, eyes, central nervous system) (if inhaled, if swallowed, in contact with skin)</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P260 - Do not breathe dust, mist, vapors, fume, gas, spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> </ul>
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS08 GHS06
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor
	H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal, Inhalation, oral)
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, open flames, sparks No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P260 - Do not breathe dust, fume, mist, gas, spray, vapors.</li> <li>P261 - Avoid breathing dust, fume, gas, spray, vapors, mist.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective clothing, protective gloves.</li> <li>P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> </ul>

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lenses, if present and easy to do. Continue rinsing P307+P311 - If exposed: Call a poison center/doctor P311 - Call a doctor, a POISON CENTER P312 - Call a doctor, a POISON CENTER if you feel unwell
P321 - Specific treatment (see Hazardous component(s) for labeling on this label)
P322 - Specific treatment (see Hazard pictograms (CLP) on this label) P330 - Rinse mouth.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry
extinguishing powder to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in
accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

PBT: not relevant - no registration required

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.987	F; R11 T; R39/23/24/25 Xi; R36/38
METHYLPHOSPHONIC ACID,MONO-(1,2,2-TRIMETHYL- PROPYL) ESTER (TRIMETHYLPROPYL-13C6, 99%) CP 95%	(CAS-No.) 1435934-74-9 (EC-No.) (EC Index-No.)	0.013	Xi; R36/37/38
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.987	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370
METHYLPHOSPHONIC ACID,MONO-(1,2,2-TRIMETHYL- PROPYL) ESTER (TRIMETHYLPROPYL-13C6, 99%) CP 95%	(CAS-No.) 1435934-74-9 (EC-No.) (EC Index-No.)	0.013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Name	Product identifier	%	GHS-US classification
100% METHANOL UNLABELED	(CAS-No.) 67-56-1	99.987	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370
METHYLPHOSPHONIC ACID,MONO-(1,2,2-TRIMETHYL- PROPYL) ESTER (TRIMETHYLPROPYL-13C6, 99%) CP 95%	(CAS-No.) 1435934-74-9	0.013	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

#### Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If medical advice is needed, have product container or label at hand. Call a physician immediately. Evacuate danger area.

### Safety Data Sheet

26, 2012 / Rules and Regulations	- ,
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take immediately victim to hospital. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Call a physician immediately.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/effects	: Causes damage to organs (Eyes, heart, liver, kidneys, central nervous system, Skin) (in contact with skin, if inhaled, if swallowed).
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed.
4.3. Indication of any immediate me	edical attention and special treatment needed
Treat symptomatically.	
	<u> </u>
SECTION 5: Firefighting measur	es
5.1. Extinguishing media	December December
Suitable extinguishing media	: Dry powder. Dry sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	ie substance or mixture
Fire hazard	: Highly flammable liquid and vapor.
Reactivity	: Vapors may form flammable mixture with air. Highly flammable liquid and vapor.
5.3. Advice for firefighters	
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Wear recommended personal protective equipment.
Other information	: Use water spray to cool exposed surfaces.
<b>SECTION 6: Accidental release r</b>	
6.1. Personal precautions, protectiv	ve equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear respiratory protection. Do not breathe dust, mist, gas, spray, vapors, fume. Avoid contact with skin, eyes and clothing. Ventilate spillage area. Remove all sources of ignition. No open flames, no sparks, and no smoking. Ensure adequate air ventilation. Special attention should be given to low areas/pits where flammable vapors can accumulate.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	Do not allow to enter drains or water courses. Avoid release to the environment.
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Dike and contain spill.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

### Safety Data Sheet

SECTION 7: Handling an	nd storage
7.1. Precautions for safe	handling
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapors, mist. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe s	torage, including any incompatibilities
Technical measures	: Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Storage conditions	: Store refrigerated (-5 °C - 5 °C) and dessicated.
7.3. Specific end use(s)	
No additional information availab	ble

ECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
METHYLPHOSPHONIC ACID	MONO-(1,2,2-TRIMETHYL-PROPYL ESTER (TRIMETH	YLPROPYL-13C6,99%) 100 UG/ML IN MEOH
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m <sup>3</sup> Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m <sup>3</sup> Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.
100% METHANOL UNLABEL	ED (67-56-1)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)

### Safety Data Sheet

Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values
haly Follagar boxtribolin		(TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	325 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m <sup>3</sup> Basis: USA. Occupational Exposure Limit (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m <sup>3</sup> Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Ai Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.

DINEL/DIVIEL (VVOIKEIS)	
Acute - systemic effects, dermal	40 mg/kg bodyweight/day
Acute - systemic effects, inhalation	260 mg/m <sup>3</sup>
Acute - local effects, dermal	260 mg/cm <sup>2</sup>
Long-term - systemic effects, dermal	40 mg/kg bodyweight/day
Long-term - local effects, dermal	260 mg/cm <sup>2</sup>
Long-term - local effects, inhalation	260 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	8 mg/kg body weight
Acute - systemic effects, inhalation	50 mg/m <sup>3</sup>
Acute - systemic effects, oral	8 mg/kg body weight
Acute - local effects, inhalation	50 mg/m³
Long-term - systemic effects,oral	8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	50 mg/m³
Long-term - systemic effects, dermal	8 mg/kg bodyweight/day
Long-term - local effects, inhalation	50 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	154 mg/l
PNEC aqua (marine water)	15.4 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	570.4 mg/kg dwt
PNEC (Soil)	
PNEC soil	23.5 mg/kg dwt

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

METHYLPHOSPHONIC ACID, MONO-(1,2,2-	TRIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH
PNEC (STP)	
PNEC sewage treatment plant	100 mg/kg
8.2. Exposure controls	
Appropriate engineering controls	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.
Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear eye protection. Chemical goggles or face shield with safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.
Environmental exposure controls	: Avoid release to the environment.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main compo	nent of this mixture.
Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: 32.04 g/mol
Color	: Colorless
Odor	: Pungent
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: -98 °C (-144 °F)
Freezing point	: No data available
Boiling point	: 64.7 °C (148.5 °F)
Flash point	: 9.7 °C (49.5 °F) - closed cup
Auto-ignition temperature	: 455 °C (851 °F) at 1,013 hPa (760 mmHg)
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F)
Vapor pressure at 50 °C	: 546.6 hPa (410 mmHg) at 50 °C (122 °F)
Relative vapor density at 20 °C	: 1.11
Relative density	: No data available
Specific gravity / density	: 0.791 g/ml at 25 °C (77 °F)
Solubility	: Water: Completely miscible
Log Pow	: -0.77
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Non oxidizing material according to EC criteria.
Explosion limits	: 6 - 36 % (V)
0.2 Other information	

9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Vapors may form flammable mixture with air. Highly flammable liquid and vapor.

### Safety Data Sheet

conditions of use.
es, no sparks. Eliminate all sources of ignition.
nt. Alkali Metal Amides. Reducing agents. Acids.
ts
ation
ts
: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.
-TRIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH 1187 - 2769 mg/kg
17100 mg/kg
128.2 mg/l/4h ; 87.6 mg/l - 6 h
100.000 mg/kg body weight
300.000 mg/kg body weight
3.000 mg/l/4h
128.200 mg/l/4h
143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause
gastrointestinal irritation, nausea, vomiting and diarrhea.
1187 - 2769 mg/kg
17100 mg/kg
128.2 mg/l/4h ; 87.6 mg/l - 6 h
100.000 mg/kg body weight
300.000 mg/kg body weight
3.000 mg/l/4h
128.200 mg/l/4h
143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
: Skin – Rabbit - Result: No skin irritation
: Eyes – Rabbit - Result: No eye irritation
: Maximisation Test . Guinea pig. Did not cause sensitization. (OECD 406 method)
<ul> <li>AMES test : S. tymphimurium. Result: Negative. Fibroblast. Result: Negative. Mutation in mammalian somatic cells. Mutagenicity (In vivo mammalian bone-marrow cystogenetic test, chromosomal analysis) - Mouse - Male and female Result: Negative. Mouse - Male and female. Result: Negative</li> </ul>
: Not classified
: Damage to fetus not classifiable. Fertility classification not possible from current data.
: Causes damage to organs through prolonged or repeated exposure
: The substance or mixture is not classified as specific target organ toxicant, repeated exposure
: Not classified
: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may
include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans.
swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
<ul><li>swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans.</li><li>stomach.</li><li>Toxic if inhaled.</li></ul>

### Safety Data Sheet

<b>SECTION 12: Ecological information</b>		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
METHYLPHOSPHONIC ACID, MONO-(1,2,2-	RIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH	
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h	
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h	
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h	
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h	
100% METHANOL UNLABELED (67-56-1)		
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h	
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h	
EC50 Daphnia 2 22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh wa		
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h	
12.2. Persistence and degradability		
METHYLPHOSPHONIC ACID, MONO-(1.2.2-	RIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH	
Biochemical oxygen demand (BOD)	600 - 1200 mg/g	
Chemical oxygen demand (COD)	1420 mg/g	
ThOD	1500 mg/g	
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d	
100% METHANOL UNLABELED (67-56-1)		
Biochemical oxygen demand (BOD)	600 - 1200 mg/g	
Chemical oxygen demand (COD)	1420 mg/g	
ThOD	1500 mg/g	
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d	
12.3. Bioaccumulative potential		
	RIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH	
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C	
Bioconcentration factor (BCF REACH)	1	
Log Pow	-0.77	
100% METHANOL UNLABELED (67-56-1)		
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C	
Bioconcentration factor (BCF REACH)	1	
Log Pow	-0.77	
12.4. Mobility in soil		
METHYLPHOSPHONIC ACID, MONO-(1,2,2-	RIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH	
Ecology - soil	Not degradable in the soil.	
100% METHANOL UNLABELED (67-56-1)	•	
Ecology - soil	Not degradable in the soil.	
12.5. Results of PBT and vPvB assessme		
	RIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH	
PBT: not relevant – no registration required		
100% METHANOL UNLABELED (67-56-1)		
PBT: not relevant – no registration required		
12.6. Other adverse effects		
Other adverse effects	: Avoid release to the environment.	
Other information	: Stability in water: at 19 °C - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water. Hydrolyses readily.	
SECTION 13: Disposal consideratio	ns	
13.1. Waste treatment methods		
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.	

### Safety Data Sheet

26, 2012 / Rules and Regulations	
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
<b>SECTION 14: Transport information</b>	
In accordance with ADR / RID / IMDG / IATA / AD	DN .
14.1. UN number	
UN-No.(DOT)	: 1230
DOT NA no.	UN1230
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Methanol
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid 6.1 - Poison
	FLAMMABLE LIQUID POISON 6
DOT Symbols	: + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Proper shipping name appropriate for international and domestic transportation
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 131
Other information	: No supplementary information available.
Overland transport	
Hazard identification number (Kemler No.)	: 336
Orange plates	<b>336</b> <b>1230</b>
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	11
Excepted quantities (ADR)	: E2
· · · · · /	
Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

MFAG-No	: 131			
Air transport				
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L			
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L			
Civil Aeronautics Law	: Flammable liquids			
14.4. Environmental hazards				
Other information	: No supplementary information available.			
14.5. Special precautions for user				
14.6. Transport in bulk according to Anne Not applicable	x II of MARPOL 73/78 and the IBC Code			
SECTION 15: Regulatory information				
15.1. US Federal regulations				
METHYLPHOSPHONIC ACID, MONO-(1,2,2-TI	RIMETHYL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH			
Listed on the United States TSCA (Toxic Substa	ances Control Act) inventory			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313			
100% METHANOL UNLABELED (67-56-1)				
Listed on the United States TSCA (Toxic Substa	ances Control Act) inventory			
CERCLA RQ	5000 lb			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313			
	RIMETHYL- PROPYL) ESTER (TRIMETHYLPROPYL-13C6, 99%) CP 95% (1435934-74-9)			
METHYLPHOSPHONIC ACID,MONO-(1,2,2-TH SARA Section 302 Threshold Planning	RIMETHYL- PROPYL) ESTER (TRIMETHYLPROPYL-13C6, 99%) CP 95% (1435934-74-9) SARA 302: No chemicals in this material are subject to the reporting requirements of SARA			

CANADA

METHYLPHOSPHONIC ACID, MONO-(1,2,2-TRIMETHYL-PROPYL ESTE	R (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH
Listed on the Canadian DSL (Domestic Substances List)	
100% METHANOL UNLABELED (67-56-1)	
Listed on the Canadian DSL (Domestic Substances List)	

#### 15.2.1. National regulations

No additional information available

15.3. US State regulations

METHYLPHOSPHONIC ACID, MONO-(1,2,2-TRIMETH	YL-PROPYL ESTER (TRIMETHYLPROPYL-13C6,99%) 100 UG/ML IN MEOH()
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	Yes
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	CID,MONO-(			IYLPROPYL-13C6,99%) 100 U	u u
State or local regulations			U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentration RTK - U.S Massachusetts - Right To Know List RTK - U.S Pennsylvania - RTK (Right to Know) List RTK - U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances		
100% METHANOL UNLA	BELED (67-56	5-1)			
U.S California - Proposition 65 - Carcinogens List	U.S Cal Propositio	ifornia -	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes		No	No	
			- PROPYL) ESTER (TRIMET	HYLPROPYL-13C6, 99%) CP	95% (1435934-74-9)
U.S California - Proposition 65 - Carcinogens List	U.S Cal Propositio	ifornia -	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No		No	No	
100% METHANOL UNLA		5-1)			
State or local regulations		<b>-</b> 1)			
RTK - U.S New Jersey - U.S New York - Reportin METHYLPHOSPHONIC A State or local regulations RTK - U.S Pennsylvania RTK - U.S New Jersey -	g of Releases CID,MONO-( - RTK (Right	Part 597 - List of 1,2,2-TRIMETHYI to Know) List	Hazardous Substances PROPYL) ESTER (TRIMET	HYLPROPYL-13C6, 99%) CP	95% <b>(1435934-74-9)</b>
· · · · ·	-				
SECTION 16: Other information Other information Full text of R-, H- and EUH		: This p unlab labele	eled compound, unless specif	e data given for this product are ically indicated otherwise. Hea ot available, but are assumed to d.	Ith and safety data for
Acute Tox. 3 (Dermal)		Acute toxicity (dermal) Category 3			
Acute Tox. 3 (Inhalation)		Acute toxicity (inhalation) Category 3			
Acute Tox. 3 (Inhalat	ion:vapour)		halation:vapour) Category 3		
Acute Tox. 3 (Oral) A		Acute toxicity (oral) Category 3			
Eye Irrit. 2			nage/eye irritation Category 2		
Flam. Liq. 2		Flammable liqui			
Skin Irrit. 2			ritation Category 2		
STOT SE 1			rgan toxicity (single exposure)		
STOT SE 3		· ·	rgan toxicity (single exposure)	Category 3	
H225		- · ·	e liquid and vapor		
H301		Toxic if swallowe			
H311		Toxic in contact			
H315		Causes skin irrit			
H319		Causes serious			

F

Т

H331

H335

H370

R11

R36/37/38

R39/23/24/25

R36/38

May cause respiratory irritation

Irritating to eyes, respiratory system and skin

Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed

Causes damage to organs

Irritating to eyes and skin

Toxic if inhaled

Highly flammable

Highly flammable

Toxic

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Xi	Irritant
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product