

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 17/01/2017 Revision date: 01/11/2020 Supersedes: 17/01/2017 Version: 2.0

CLM-816

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Substance name : 2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN)

EC Index-No. : 610-006-00-0 (Unlabeled) EC-No. : 202-746-4 (Unlabeled)

CAS-No. : 1185125-07-8 Product code : CLM-816

Formula : CI2\*C6H2(NO2)NH2

Synonyms : Dichloran

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

# 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

#### **Emergency telephone number**

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 2 (Oral) H300
Acute Tox. 1 (Dermal) H310
Acute Tox. 2 (Inhalation:dust,mist) H330
STOT RE 2 H373
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

# Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T+; R26/27/28 N; R51/53 Xn; R48/20/21/22

Full text of R-phrases: see section 16

# **GHS-US** classification

Acute Tox. 1 (Oral) H300 Acute Tox. 1 (Dermal) H310 Acute Tox. 1 (Inhalation) H330 STOT RE 2 H373 Aquatic Acute 2 H401 Aquatic Chronic 2 H411

Full text of H statements : see section 16

01/12/2020 EN (English US) 1/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled

H373 - May cause damage to organs (organs) through prolonged or repeated exposure (in

contact with skin, if inhaled, if swallowed)

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P260 - Do not breathe dust, fume, gas, mist, spray, vapors.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, protective gloves.

P284 - [In case of inadequate ventilation] wear Self contained breathing apparatus. P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

#### **GHS-US** labeling

Hazard pictograms (GHS-US)







Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled

H373 - May cause damage to organs (organs) through prolonged or repeated exposure

(Dermal, Inhalation, oral)

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) : P260 - Do not breathe dust, fume, gas, mist, spray, vapors.

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, protective gloves.

P284 - [In case of inadequate ventilation] wear - Respiratory protection. P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a doctor, a POISON CENTER P314 - Get medical advice/attention if you feel unwell.

P320 - Specific treatment is urgent (see Hazardous component(s) for labeling on this label)

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

P330 - Rinse mouth.

P361 - Take off immediately all contaminated clothing. P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

01/12/2020 EN (English US) 2/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN)	(CAS-No.) 1185125-07-8 (EC-No.) 202-746-4 (Unlabeled) (EC Index-No.) 610-006-00-0 (Unlabeled)	100	T+; R26/27/28 N; R51/53 Xn; R48/20/21/22
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN)	(CAS-No.) 1185125-07-8 (EC-No.) 202-746-4 (Unlabeled) (EC Index-No.) 610-006-00-0 (Unlabeled)	100	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist), H330 STOT RE 2, H373 Aquatic Chronic 2, H411

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN) (Main constituent)	(CAS-No.) 1185125-07-8	100	Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 1 (Inhalation), H330 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

#### 3.2. Mixtures

Not applicable

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

First-aid measures after inhalation : If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a

physician.

First-aid measures after skin contact : Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a

Wash off wash off wash

First-aid measures after eye contact : Flush eyes with water as a precaution.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Fatal if inhaled.

Symptoms/effects after skin contact : Fatal in contact with skin. Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : Fatal if swallowed.

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Not available.

# 5.3. Advice for firefighters

Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

01/12/2020 EN (English US) 3/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

For containment

 Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures
Storage conditions

: Keep container tightly closed in a dry and well-ventilated place.: Store at room temperature away from light and moisture.

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Materials for protective clothing

: Wear suitable protective clothing and gloves.

Hand protection Eve protection : Wear suitable protective clothing and gloves.: Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection

: Choose body protection according to the amount and concentration of the dangerous

substance at the work place.

Respiratory protection

When appropriate, use NIOSH/CEN approved respirator.

Environmental exposure controls

: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder

Molecular mass : 212.97 g/mol (Labeled)

Color : Dark yellow
Odor : No data available
Odor threshold : No data available
pH : No data available

01/12/2020 EN (English US) 4/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : 190 - 192 °C (374 - 378 °F) - lit.

: No data available Freezing point No data available Boiling point Flash point : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available Solubility No data available Log Pow : No data available Log Kow : No data available No data available Viscosity, kinematic Viscosity, dynamic No data available No data available Explosive properties : No data available Oxidizing properties **Explosion limits** : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Not available.

#### 10.2. Chemical stability

Stable if stored under recommended conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

# 10.4. Conditions to avoid

Not available.

### 10.5. Incompatible materials

Acid anhydrides.

# 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Nitrogen oxides. Hydrogen chloride gas.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Fatal if swallowed. Dermal: Fatal in contact with skin. Inhalation:dust,mist: Fatal if inhaled.

2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN) (1185125-07-8)		
LD50 oral rat	2400 mg/kg Remarks: Behavioral: Tremor. Behavioral: Convulsions or effect on seizure threshold. Behavioral: Ataxia.	
LD50 dermal rabbit	> 2000	
LC50 inhalation rat (mg/l)	> 21600 mg/m³ 1 h	
ATE CLP (oral)	5.000 mg/kg body weight	
ATE CLP (dermal)	5.000 mg/kg body weight	
ATE CLP (dust, mist)	0.050 mg/l/4h	

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity : Not classified

Carcinogenicity : Carcinogenicity - Mouse - Oral. Tumorigenic: Equivocal tumorogenic agent by RTECS criteria.

Liver: Tumors. Blood: Tumors.

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

01/12/2020 EN (English US) 5/9

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity - repeated

Potential Adverse human health effects and

exposure

: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

: Not classified

symptoms

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence.

: Fatal if inhaled. Symptoms/effects after inhalation

Symptoms/effects after skin contact : Fatal in contact with skin. Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : Fatal if swallowed.

# **SECTION 12: Ecological information**

# **Toxicity**

2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN) (1185125-07-8)	
LC50 fish 1	1.6 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h
EC50 Daphnia 1	2.07 mg/l Daphnia magna (Water flea) - 48 h

### Persistence and degradability

No additional information available

### **Bioaccumulative potential**

No additional information available

#### Mobility in soil

No additional information available

#### Results of PBT and vPvB assessment

No additional information available

# Other adverse effects

Other adverse effects

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

Regional legislation (waste)

: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.

Product/Packaging disposal recommendations

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

: Dispose of as unused product. Ecology - waste materials

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### **UN** number

UN-No.(DOT) : 3077 DOT NA no. UN3077

### **UN** proper shipping name

Proper Shipping Name (DOT)

: Environmentally hazardous substances, solid, n.o.s.

Class (DOT)

: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

9 - Class 9 (Miscellaneous dangerous materials) Hazard labels (DOT)



: G - Identifies PSN requiring a technical name **DOT Symbols** 

Packing group (DOT) : III - Minor Danger

01/12/2020 EN (English US) 6/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

- : 8 A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.
  - 146 This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.
  - 335 Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.
  - A112 Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg:
  - a. Metal: 11A, 11B, 11N, 21A, 21B and 21N
  - b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2
  - c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2
  - d. Fiberboard: 11G
- e. Wooden: 11C, 11D and 11F (with inner liners)
- f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner). B54 Open-top, sift-proof rail cars are also authorized.
- IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).
- IP3 Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
- N20 A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle. T1 1.5 178.274(d)(2) Normal...... 178.275(d)(2)
- TP33 The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 155
DOT Packaging Non Bulk (49 CFR 173.xxx) : 213
DOT Packaging Bulk (49 CFR 173.xxx) : 240

#### 14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Not dangerous goods.

# **Overland transport**

Packing group (ADR) : III

Class (ADR) : 9 - Miscellaneous dangerous substances and articles

Hazard identification number (Kemler No.) : 90
Classification code (ADR) : M7

Hazard labels (ADR) : 9 - Miscellaneous dangerous substances and articles



Orange plates

90 3077

Tunnel restriction code (ADR) : E

01/12/2020 EN (English US) 7/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Limited quantities (ADR) 5kg
EAC : 2Z
Excepted quantities (ADR) : E1

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

MFAG-No : 171

Air transport

DOT Quantity Limitations Passenger aircraft/rail : No limit

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : No limit

CFR 175.75)

Civil Aeronautics Law : Miscellaneous dangerous substances & articles

14.4. Environmental hazards

Dangerous for the environment

¥2>

Other information : No supplementary information available.

14.5. Special precautions for user

Special transport precautions : Not dangerous goods.

# 14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN) (1185125-07-8)		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.	

# 15.2. International regulations

#### **CANADA**

# 2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN) (1185125-07-8)

Listed on the Canadian DSL (Domestic Substances List)

# 15.2.1. National regulations

No additional information available

# 15.3. US State regulations

2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN)(1185125-07-8)		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	
State or local regulations	U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List	

01/12/2020 EN (English US) 8/9

816

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,6-DICHLORO-4-NITROANILINE (RING-13C6, 99%) (DICLORAN)(1185125-07-8)	
	This product does not contain any chemicals known to State of California to cause cancer,
	birth defects, or any other reproductive harm.

# **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-phrases:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 2	Acute toxicity (inhalation:dust,mist) Category 2
(Inhalation:dust,mist)	
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T+	Very toxic
Xn	Harmful

NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



# **Hazard Rating**

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

### CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

01/12/2020 EN (English US) 9/9