

DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 26/08/2019

CLM-9437-MT-S

Revision date:

Version: 1.0

SECTI	ON 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1.	Product identifier	
Product	form	: Mixtures
Product	name	: DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE
Product	code	: CLM-9437-MT-S
1.2.	Relevant identified uses of the s	ubstance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Main us	se category	: Professional use
Industria	al/Professional use spec	: For professional use only
1.2.2.	Uses advised against	
	itional information available	
1.3.	Details of the supplier of the saf	etv data sheet
50 Fron Andove USA	dge Isotope Laboratories, Inc. tage Road er, MA 01810 -800-322-1174 Int: 1-978-749-8000	
	<u>@isotope.com</u> w ww.isotope.com	,
	Emergency telephone number	
Emerge	ncy numbers:	
	ec: 1-800-424-9300 (24 hours) ional: 1-703-741-5970 (24 hours)	
SECTI	ON 2: Hazards identification	n
2.1.	Classification of the substance of	or mixture
Flam. L	fication according to Regulation (Ed iq. 2 H225 t. 2 H315	C) No. 1272/2008 [CLP]
Full text	t of hazard classes and H-statements	: see section 16
F; R11 Xi; R38	fication according to Directive 67/54	48/EEC [DSD] or 1999/45/EC [DPD]
Full text	t of R-phrases: see section 16	

GHS-US classification

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

central nervous system. kidneys.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	· Dongor
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapor H315 - Causes skin irritation
Precautionary statements (CLP)	 P210 - Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, lighting, ventilating equipment P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of w ater. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater/shower.
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H315 - Causes skin irritation
Precautionary statements (GHS-US)	 P210 - Keep aw ay fromheat, hot surfaces, open flames, sparks No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P303+P352 - If on skin: Wash with plenty of w ater P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with w ater/shower P321 - Specific treatment (see Hazardous component(s) for labeling on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and w ash it before reuse. P370+P378 - In case of fire: Use Water spray, Alcohol resistant foam, Dry chemical, Carbon dioxide. to extinguish. P403+P235 - Store in a w ell-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

Substances 3.1.

- Not applicable
- 3.2. **Mixtures**

Name	Product identifier	%	Classification according to Directive 67/548/EEC
METHYL TERT-BUTYL ETHER UNLABELED	(CAS-No.) 1634-04-4 (EC-No.) 216-653-1 (EC Index-No.) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	F; R11 X; R38
DECAMETHYLCYCLOPENTASILOXANE (DECAMETHYL- 13C10, 98%)	(CAS-No.) 541-02-6 (Unlabeled) (EC-No.) 208-764-9 (Unlabeled) (EC Index-No.)	0.013	R53

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
METHYL TERT-BUTYL ETHER UNLABELED	(CAS-No.) 1634-04-4 (EC-No.) 216-653-1 (EC Index-No.) 603-181-00-X (REACH-no) 01-2119452786-27	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
DECAMETHYLCYCLOPENTASILOXANE (DECAMETHYL- 13C10, 98%)	(CAS-No.) 541-02-6 (Unlabeled) (EC-No.) 208-764-9 (Unlabeled) (EC Index-No.)	0.013	Aquatic Chronic 4, H413
Name	Product identifier	%	GHS-US classification
METHYL TERT-BUTYL ETHER UNLABELED	(CAS-No.) 1634-04-4	99.987	Flam. Liq. 2, H225 Skin Irrit. 2, H315
DECAMETHYLCYCLOPENTASILOXANE (DECAMETHYL- 13C10, 98%)	(CAS-No.) 541-02-6 (Unlabeled)	0.013	Flam. Liq. 4, H227 Aquatic Chronic 4, H413

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	S
First-aid measures general	: If you feel unw ell, seek medical advice (show the label w here possible). Evacuate danger area.
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and o	effects, both acute and delayed
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: May be harmful if sw allowed.
4.3. Indication of any immediate me No additional information available	dical attention and special treatment needed
SECTION 5: Firefighting measure	S
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry chemical pow der, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the	
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing apparatus.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Use water spray to cool exposed surfaces.
SECTION 6: Accidental release m	ieasures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Use personal protective equipment as required. Avoid breathing vapors, mist, gas. Provide adequate ventilation to minimize dust and/or vapor concentrations. Avoid dust formation. Evacuate area. Remove all sources of ignition. Special attention should be given to low areas/pits where flammable vapors can accumulate.
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	

Prevent entry to sew ers and public w aters. Avoid release to the environment.

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and mate	rial for containment an	d cleaning up		
For containment	it. co ea	Small quantities of liquid spill: take ontainer for disposal. For large spills	s soon as possible, using an absorbent material to collect up in non-combustible absorbent material and shovel into , confine the spill in a dike and charge it with wet sand or his material and its container must be disposed of in a	
Other information	: Dis	spose of materials or solid residues	at an authorized site.	
6.4. Reference to other	sections			
For further information refer to	section 13.			
SECTION 7: Handling a	nd storage			
7.1. Precautions for saf	fe handling			
Precautions for safe handling	ex bu	plosion-proof equipment. Keep aw a	bid breathing dust, fume, gas, mist, spray, vapors. Use ay from sources of ignition - No smoking. Prevent the de adequate ventilation to minimize dust and/or vapor	
Hygiene measures		ash hands and other exposed areas noking and w hen leaving w ork.	s w ith mild soap and w ater before eating, drinking or	
7.2. Conditions for safe	storage, including an	y incompatibilities		
Technical measures	: Ste	ore in a well-ventilated place. Keep	container tightly closed.	
Storage conditions	: Ste	ore at room temperature aw ay from	light and moisture.	
7.3. Specific end use(s))			
No additional information availa	able			
SECTION 8: Exposure	controls/personal	protection		
8.1. Control parameters	5			
DECAMETHYLCYCLOPENT	ASILOXANE "D5" (DEC	CAMETHYL-13C10, 98%) 100 UG/	ML IN MTBE	
ltaly - Portugal - USA ACGIH	ACGIH TWA (ppm)		50.0000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen w ith unknown relevance to humans.	
USA OSHA	OSHA PEL (Ceiling)	(mg/m³)	144 mg/m³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).	
USA OSHA	OSHA PEL (Ceiling)	(ppm)	40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).	
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)				
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)		50.0000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) Remarks: Upper Respiratory Tract irritation. Kidney damage. Confirmed animal carcinogen w ith unknown relevance to humans.	
USA OSHA	OSHA PEL (Ceiling)	(mg/m³)	144 mg/m ³ Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).	
USA OSHA	OSHA PEL (Ceiling)	(ppm)	40 ppm Basis: California permissible exposure limits for chemical contaminants. (Title 8, Article 107).	
8.2. Exposure controls	·			
Appropriate engineering contro	bls : Wa	ash hands and other exposed areas	s w ith mild soap and w ater before eating, drinking or	

w ith mild soap and water c ling, smoking and when leaving work.

: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.

Personal protective equipment

Materials for protective clothing

Environmental exposure controls

Skin and body protection

Respiratory protection

- : Wear suitable protective clothing and gloves.
- ÷ Wear suitable protective clothing and gloves.
- Wear eye protection. Chemical goggles or face shield with safety glasses. 2
- Wear suitable protective clothing, gloves and eye/face protection. :
- : In case of inadequate ventilation w ear respiratory protection. Approved supplied air respirator.
 - : Avoid release to the environment.

Hand protection

Eye protection

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	26, 2012 / Rules and Regulations		
SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
The properties listed below are for the solvent, the main component of this mixture.			
Physical state	: Liquid		
Appearance	: Liquid		
Molecular mass	: 88.15 g/mol		
Color	: Colorless		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: -108.6 °C (-163.5 °F)		
Freezing point	: No data available		
Boiling point	: 55 - 56 °C (131 - 133 °F) - lit.		
Flash point	: -33 °C (- 27.4 °F) - closed cup		
Auto-ignition temperature	: 374 °C (705.2 °F)		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: 1018.7 hPa (764.1 mmHg) at 55°C (131°F), 279.2 hPa (209.4 mmHg) at 20 °C (68°F)		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Specific gravity / density	: 0.74 g/ml at 25 °C (77 °F)		
Solubility	: Water: 42 g/l at 20 °C (68 °F) - OECD Test Guideline 105		
Log Pow	: 1.06		
Log Kow	: No data available		
Viscosity, kinematic	: 0.464 mm²/s at 20 °C (68 °F) - 0.409 mm2/s at 40 °C (104 °F)		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Explosion limits	: 1.6 - 15.1 % (V)		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
See storage and expiration date on CoA.			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
Heat. Open flame. Sparks.			
10.5. Incompatible materials			
Oxidizing agent. Strong acids.	Oxidizing agent. Strong acids.		
10.6. Hazardous decomposition products			
Carbon oxides (CO, CO2).			
SECTION 11: Toxicological information			
11.1 Information on toxicological effects			

11.1. Information on toxicological effects	
Acute toxicity :	Not classified
DECAMETHYLCYCLOPENTASILOXANE "D5"	(DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE
LD50 oral rat	4000 mg/kg
LC50 inhalation rat (ppm)	23576 ppm/4h

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DECAMETHYLCYCLOPENTASILOXANE (DECAMETHYL-13C10, 98%) (541-02-6 (Unlabeled))			
LD50 oral rat	> 5000 mg/kg (OECD Test Guideline 401)		
LD50 dermal rabbit	> 2000 mg/kg - male and female (OECD Test Guideline 402)		
LC50 inhalation rat (mg/l)	8.67 mg/l/4h - male and female (OECD Test Guideline 403)		
METHYL TERT-BUTYL ETHER UNLABELED	(1634-04-4)		
LD50 oral rat	4000 mg/kg		
LC50 inhalation rat (ppm)	23576 ppm/4h		
Skin corrosion/irritation	: Causes skin irritation.		
	Skin rabbit Causes skin irritation		
Serious eye damage/irritation	: Not classified		
	Eyes rabbit No eye irritation		
Respiratory or skin sensitization	: Will not occur		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity – single exposure	: Not classified		
Specific target organ toxicity – repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Potential Adverse human health effects and symptoms	: This information is based on our current know ledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. central nervous system. Dizziness. Nausea. Vomiting. IF INHALED: Risk of pneumonia.		
ARC group	: 2B		
Symptoms/effects after inhalation	: May be harmful if inhaled. May cause respiratory irritation.		
Symptoms/effects after skin contact	: Causes skin irritation.		
Symptoms/effects after eye contact	: May cause eye irritation.		
Symptoms/effects after ingestion	: May be harmful if sw allowed.		

SECTION 12: Ecological information

12.1. Toxicity		
DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE		
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h	
LC50 fish 2	> 1000 mg/l other fish - 96 h	
METHYL TERT-BUTYL ETHER UNLABEL	ED (1634-04-4)	
LC50 fish 1	672 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	472 mg/l Daphnia magna (Water flea) - 48 h	
EC50 other aquatic organisms 1	491 mg/l Pseudokirchneriella subcapitata (green algae) - 96 h	
LC50 fish 2	> 1000 mg/l other fish - 96 h	

12.2. Persistence and degradability			
DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE			
Persistence and degradability	Persistence and degradability Not readily biodegradable. (OECD 301D method).		
Biodegradation	0 %		
DECAMETHYLCYCLOPENTASILOXAN	E (DECAMETHYL-13C10, 98%) (541-02-6 (Unlabeled))		
Persistence and degradability	May cause long-term adverse effects in the environment.		
Biodegradation	0.14 % - Not biodegradable anaerobic - Exposure time 28 d		
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)			
Persistence and degradability Not readily biodegradable. (OECD 301D method).			
Biodegradation	0 %		
26/08/2019	EN (English LIS)	6/10	

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccum ulative potential		
DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE		
Log Pow	1.06	
BCF fish 1	0.0011 mg/l at 22 °C - Pimephales promelas (fathead minnow) - 35 d	
Bioconcentration factor (BCF REACH)	7060 (OECD Test Guideline 305) Remarks: Can accumulate in aquatic organisms.	
Log Pow	8.023 at 25.3 °C (77.5 °F)	
METHYL TERT-BUTYL ETHER UNLABELED		
Log Pow	1.06	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessme	nt	
No additional information available		
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal consideration	s	
13.1. Waste treatment methods		
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.	
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.	
Ecology - w aste materials	: Dispose of as unused product.	
SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / AD	DN	
14.1. UN number		
UN-No.(DOT)	: 2398	
DOT NA no.	UN2398	
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	: Methyl tert-butyl ether	
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120	
Hazard labels (DOT)	: 3 - Flammable liquid	
	FLAMMABLE LIQUID 3	
Packing group (DOT)	: II - Medium Danger	
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150	
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202	
DOT Packaging Bulk (49 CFR 173.xxx)	: 242	
DOT RQ	: 1000 lbs	
Marine pollutant	: No	
14.3. Additional information Emergency Response Guide (ERG) Number	: 127	
Other information	: No supplementary information available.	

98%) 100 UG/ML IN MTBE CLM-9437-MT-S

Safety Data Sheet

Special transport precautions

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Not classified as dangerous in the meaning of transport regulations.

Overland transport	
Packing group (ADR)	: 1
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids
	3
Orange plates	33 2398
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	1
EAC	: •3YE
Excepted quantities (ADR)	: E2
Transport by sea	
DOT Vessel Stow age Location	: E - The material may be stow ed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in w hich the limiting number of passengers is exceeded.
MFAG-No	: 127
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
Special transport precautions	: Not classified as dangerous in the meaning of transport regulations.

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information					
15.1. US Federal regulations					
DECAMETHYLCYCLOPENTASILOXANE "D5"	DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard				
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313				
DECAMETHYLCYCLOPENTASILOXANE (DECAMETHYL-13C10, 98%) (541-02-6 (Unlabeled))					
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.				
SARA Section 311/312 Hazard Classes	Fire hazard Delayed (chronic) health hazard				

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DECAMETHYLCYCLOPENTASILOXANE (DECA	CAMETHYLCYCLOPENTASILOXANE (DECAMETHYL-13C10, 98%) (541-02-6 (Unlabeled))				
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.				
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)					
Subject to reporting requirements of United States SARA Section 313					
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.				
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard				

15.2. International regulations

CANADA

DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE
Listed on the Canadian DSL (Domestic Substances List)
METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)
Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations						
DECAMETHYLCYCLOPENTASILOXANE "D5" (DECAMETHYL-13C10, 98%) 100 UG/ML IN MTBE()						
U.S California - Proposition 65 - Carcinogens List		Ν	0			
U.S California - Proposition 65 - Developmental Toxicity		Ν	No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No				
U.S California - Proposition 65 - Reproductive Toxicity - Male		No				
State or local regulations		U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List				
DECAMETHYLCYCLOPEN	ASILOXANE (DECAMETH	IYI	13C10, 98%) (541-02-6 (Unl	labeled))		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No		No	No		
METHYL TERT-BUTYL ETH	IER UNLABELED (1634-0	4-4	4)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No		No	No		
DECAMETHYLCYCLOPEN	ASILOXANE (DECAMETH	-IYI	13C10, 98%) (541-02-6 (Unl	labeled))		
State or local regulations						
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List						
METHYL TERT-BUTYL ETH	METHYL TERT-BUTYL ETHER UNLABELED (1634-04-4)					
State or local regulations						
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List						

98%) 100 UG/ML IN MTBE

CLM-9437-MT-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

```
Other information
```

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

······································					
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4				
Flam. Liq. 2	Flammable liquids Category 2				
Skin Irrit. 2	Skin corrosion/irritation Category 2				
H225	Highly flammable liquid and vapor				
H315	Causes skin irritation				
H413	May cause long lasting harmful effects to aquatic life				
R11	Highly flammable				
R38	Irritating to skin				
R53	May cause long-term adverse effects in the aquatic environment				
F	Highly flammable				
Xi	Irritant				

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product