

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 18/02/2020 Revision date: : Version: 1.0

DLM-11086

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%)

EC-No. : 210-647-2 (Unlabeled) CAS-No. : 620-67-7 (Unlabeled)

Product code : DLM-11086 Formula : C24H35D9O6

Synonyms : Glycerol trienanthate / Glycerol triheptanoate / Trioenanthin / Triheptanoin / 1,2,3-

Trienanthoylglycerol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R38 N; R51/53

Full text of R-phrases: see section 16

GHS-US classification

Skin Irrit. 2 H315 Aquatic Chronic 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

21/02/2020 EN (English US) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Signal word (CLP) : Warning

Hazard statements (CLP) : H315 - Causes skin irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

GHS-US labeling

Hazard pictograms (GHS-US)





GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water

P321 - Specific treatment (see supplemental first aid instruction on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%)	(CAS-No.) 620-67-7 (Unlabeled) (EC-No.) 210-647-2 (Unlabeled) (EC Index-No.)	100	Xi; R38 N; R51/53
Name	Product identifier	%	Classification according to
			Regulation (EC) No. 1272/2008 [CLP]

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%) (Main constituent)	(CAS-No.) 620-67-7 (Unlabeled)	100	Skin Irrit. 2, H315 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

21/02/2020 EN (English US) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mixtures

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.

First-aid measures after inhalation When symptoms occur: go into open air and ventilate suspected area. If not breathing give

artificial respiration. Get medical advice/attention.

First-aid measures after skin contact Wash with plenty of soap and water. and soap. Get immediate medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get

medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact : May cause eye irritation. : May be harmful if swallowed. Symptoms/effects after ingestion

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

: Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Suitable extinguishing media

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing

apparatus. Do not enter fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Wear recommended personal protective equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid breathing vapors, mist, gas. Avoid dust formation.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment

Methods and material for containment and cleaning up

For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. Small

quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or

earth for subsequent safe disposal.

Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation.

Reference to other sections

For further information refer to section 13

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation to minimize dust and/or vapor concentrations.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.

21/02/2020 EN (English US) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Store refrigerated (-5 °C to 5 °C). Protect from light. Storage conditions

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

No additional information available

Exposure controls

: Wash hands and other exposed areas with mild soap and water before eating, drinking or Appropriate engineering controls

smoking and when leaving work.

Personal protective equipment Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Materials for protective clothing Wear suitable protective clothing and gloves. Wear suitable protective clothing and gloves. Hand protection

Eye protection Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection Wear suitable protective clothing, gloves and eye/face protection.

In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator. Respiratory protection

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid **Appearance** : Oil

Molecular mass : 437.66 g/mol (Labeled) Color : Colorless to faint vellow Odor No data available No data available Odor threshold : No data available : No data available Relative evaporation rate (butyl acetate=1) Melting point No data available : No data available Freezing point Boiling point : No data available : No data available Flash point Auto-ignition temperature No data available

Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C No data available

: 0.966 g/mL at 20 °C (68 °F) Relative density

Solubility : No data available

Log Pow . 7.5

Log Kow No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic Explosive properties No data available No data available Oxidizing properties : No data available **Explosion limits**

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity

No additional information available

21/02/2020 EN (English US) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. **Chemical stability**

Stable if stored under recommended conditions.

Possibility of hazardous reactions

No additional information available

Conditions to avoid

No additional information available

Incompatible materials

No additional information available

Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Not classified

TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%) (620-67-7 (Unlabeled))	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 ma/ka

Skin corrosion/irritation : Skin - Rabbit - Result: Skin irritation Eyes - Rabbit - Result: No eye irritation Serious eye damage/irritation

Respiratory or skin sensitization Will not occur Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified : Not classified Specific target organ toxicity - single exposure Specific target organ toxicity - repeated : Not classified

exposure

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%) (620-67-7 (Unlabeled))	
LC50 fish 1	> 95 mg/l Danio rerio (zebra fish) - 96 h
EC50 Daphnia 1	> 3.9 mg/l Daphnia magna (Water flea) - 48 h
EC50 other aquatic organisms 1	> 1.8 Desmodesmus subspicatus (green algae) - 72 h

Persistence and degradability

No additional information available

Bioaccumulative potential

•	
TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9,	98%) (620-67-7 (Unlabeled))
Log Pow	7.5

Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

21/02/2020 EN (English US) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.6. Other adverse effects

Other adverse effects : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 3082 DOT NA no. UN3082

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Environmentally hazardous substances, liquid, n.o.s.

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102) : 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for

solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 155
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241

14.3. Additional information

Emergency Response Guide (ERG) Number : 171

Other information : No supplementary information available.

21/02/2020 EN (English US) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Overland transport

Packing group (ADR) : III

Class (ADR) : 9 - Miscellaneous dangerous substances and articles

Hazard identification number (Kemler No.) : 90
Classification code (ADR) : M6

Hazard labels (ADR) : 9 - Miscellaneous dangerous substances and articles



Orange plates

90 3082

Tunnel restriction code (ADR) : E Limited quantities (ADR) 5l Excepted quantities (ADR) : E1

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

MFAG-No : 171

Air transport

DOT Quantity Limitations Passenger aircraft/rail : No limit

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : No limit

CFR 175.75)

Civil Aeronautics Law : Miscellaneous dangerous substances & articles

14.4. Environmental hazards

Dangerous for the environment



Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%) (620-67-7 (Unlabeled))	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.

15.2. International regulations

CANADA

No additional information available

21/02/2020 EN (English US) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2.1. National regulations

TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%) (620-67-7 (Unlabeled))

Listed on the Canadian NDSL (Non-Domestic Substances List)

15.3. US State regulations

TRIHEPTANOIN (TRIS(HEPTANOYL-7,7,7)-D9, 98%)(620-67-7 (Unlabeled))	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H411	Toxic to aquatic life with long lasting effects
R38	Irritating to skin
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
Xi	Irritant

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause


temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as

concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard
Physical : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21/02/2020 EN (English US) 8/8