

DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN NONANE

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 17/12/2015 Revision date: Version: 1.0

DLM-1148-S

1.1.	Product identifier	
Produc	t form	: Mixture
Produc	t name.	: DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN NONANE
Produc	t code	: DLM-1148-S
1.2.	Relevant identified uses of the sub	stance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Industri	al/Professional use spec	: For professional use only.
1.2.2.	Uses advised against	
No add	itional information available	
1.3.	Details of the supplier of the safety	data sheet
	dge Isotope Laboratories, Inc.	
	ntage Road er, MA_01810	
USA	,	
	-800-322-1174 Int: 1-978-749-8000 @isotope.com www.isotope.com	
	Emergency telephone number	
Emerge	ency numbers:	
Chemtr	ec: 1-800-424-9300 (24 hours)	

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20 Xn; R65 Xi; R38 N; R51/53 R10 Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304


Adverse physicochemical, human health and environmental effects

Central Nervous System.

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2



- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H336 May cause drowsiness or dizziness
- P210 Keep away from heat, hot surfaces, open flames, sparks. No smoking P233 - Keep container tightly closed
 - P240 Ground/bond container and receiving equipment
 - P241 Use explosion-proof electrical, lighting, ventilating equipment
 - P242 Use only non-sparking tools
 - P243 Take precautionary measures against static discharge
 - P261 Avoid breathing dust, fume, gas, mist, spray, vapours
 - P264 Wash Both hands thoroughly after handling
 - P271 Use only outdoors or in a well-ventilated area
- P280 Wear eye protection, face protection, protective clothing, protective gloves
 - P301+P310 IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
 - P302+P352 IF ON SKIN: Wash with plenty of soap and water
 - P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated
 - clothing. Rinse skin with water/shower
- P304+P340 IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P312 Call a POISON CENTER/doctor/physician if you feel unwell
- P321 Specific treatment (see Hazard pictograms (CLP) on this label)
- P331 If swallowed, do NOT induce vomiting
- P332+P313 If skin irritation occurs: Get medical advice/attention
- P337+P313 If eye irritation persists: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P370+P378 In case of fire: Use Alcohol resistant foam, Carbon dioxide., Dry chemical, Water spray for extinction
- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations.

Precautionary statements (GHS-US)

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.9861	R10 Xn; R20 Xn; R65 R67 Xi; R38
DIAZINON (DIETHYL-D10, 98%)	(CAS No) 333-41-5 (Unlabeled) (EC no) 206-373-8 (Unlabeled) (EC index no) 015-040-00-4	0.0139	Xn; R20/22 R43 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.9861	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
DIAZINON (DIETHYL-D10, 98%)	(CAS No) 333-41-5 (Unlabeled) (EC no) 206-373-8 (Unlabeled) (EC index no) 015-040-00-4	0.0139	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation:vapour), H331 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS No) 111-84-2	99.9861	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see Hazard pictograms (CLP) on this label).
First-aid measures after eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate medica	al attention and special treatment needed

No additional information available

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting	measures		
5.1. Extinguishing media			
Suitable extinguishing media	: Use water spray, alcoho	pl-resistant foam, dry chemical, or carbon dioxide.	
5.2. Special hazards aris	ing from the substance or mixture		
Fire hazard	: Flammable liquid and va	apour.	
Explosion hazard	: May form flammable/exp	plosive vapour-air mixture.	
Reactivity	: Vapors may form explos	sive mixture with air.	
5.3. Advice for firefighter	S		
Firefighting instructions	: Use water spray to cool	•	
Protection during firefighting	: Do not enter fire area wi	ithout proper protective equipment, including respiratory protection.	
SECTION 6: Accidental	release measures		
6.1. Personal precaution	s, protective equipment and emergency p	rocedures	
General measures	: Remove ignition sources smoking.	s. Use special care to avoid static electric charges. No naked lights. No	
6.1.1. For non-emergency	personnel		
Emergency procedures	ventilation. Remove all	equipment. Avoid breathing vapors, mist or gas. Ensure adequate sources of ignition. Evacuate personnel to safe areas. Beware of vapours plosive concentrations. Vapours can accumulate in low areas.	
6.1.2. For emergency respo			
Protective equipment	: Avoid breathing dust, m	ist or spray.	
6.2. Environmental preca			
Prevent further leakage or spilla	ge if safe to do so. Do not let product enter o	drains. Discharge into the environment must be avoided.	
	al for containment and cleaning up		
For containment		ollect with non-combustible absorbent material. Disposal should be in ble Federal, State and local regulations.	
6.4. Reference to other s			
No additional information availab	ble		
SECTION 7: Handling ar	id storage		
7.1. Precautions for safe	handling		
Additional hazards when proces Precautions for safe handling Hygiene measures	: No naked lights. No smo	s with care because residual vapours are flammable. oking. Take precautionary measures against static discharge. Use only only outdoors or in a well-ventilated area. Avoid breathing dust, mist or	
,,,		ugniy arter nanuning.	
7.2. Conditions for safe s Technical measures	storage, including any incompatibilities	dures to avoid static electricity should be followed. Ground/bond	
recrimical measures		equipment. Use explosion-proof electrical equipment.	
Storage conditions	: Store refrigerated (-5 C	Store refrigerated (-5 C to 5 C). Protect from light.	
Incompatible materials	: Heat sources.		
7.3. Specific end use(s)			
No additional information availab	ble		
SECTION 8: Exposure c	ontrols/personal protection		
8.1. Control parameters			
DIAZINON (DIETHYL-D10, 98	%) 100 UG/ML IN NONANE		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.	
N-NONANE UNLABELED (11	1-84-2)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.	
DIAZINON (DIETHYL-D10, 98%) (333-41-5 (Unlabeled))			
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	0.0100000000 mg/m ³ Skin contact does contribute to exposure.Not classifiable as a human carcinogen	
USA OSHA	OSHA PEL (TWA) (mg/m3)	0.100000000 mg/m ³ Skin notation	
L			

0

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.	2. Exposure controls	
Personal protective equipment		: Protective clothing. Protective goggles. Self-contained breathing apparatus. Gloves.
Ha	and protection	: Wear suitable protective clothing and gloves.
Ey	e protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Sł	kin and body protection	: Wear suitable protective clothing.
Re	espiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
The properties listed below are for the solvent, the main component of this mixture.			
Physical state	: Liquid		
Appearance	: Liquid.		
Molecular mass	: 128.3 g/mol		
Colour	: Colourless.		
Odour	: No data available		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: -53 °C (- 63 °F) - lit		
Boiling point	: 151 °C (304 °F) - lit		
Flash point	: 31.0 °C (87.8 °F) - closed cup		
Self ignition temperature	: 205 °C (401 °F)		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Flammable liquid and vapour		
Vapour pressure	: 12.4 hPa (9.3 mmHg) at 37.7 °C (99.9 °F)		
Relative vapour density at 20 °C	: No data available		
Relative density	: No data available		
Density	: 0.718 g/ml		
Solubility	: Water: 0 %		
Log Pow	: 5.65		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: 0.87 - 2.9 % (V)		
9.2. Other information			

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
Vapors n	Vapors may form explosive mixture with air.		
10.2.	Chemical stability		
See stora	See storage and expiration date on CoA.		
10.3.	Possibility of hazardous reactions		
No additional information available			
10.4.	Conditions to avoid		
Open flame. Overheating. Direct sunlight. Heat. Sparks.			
10.5.	Incompatible materials		
Strong oxidizing agents.			

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products				
May release flammable gases.				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	: Harmful if inhaled.			
DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN	INONANE			
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h			
LC50 inhalation rat (ppm)	3200 ppm/4h			
ATE (gases)	4500.000 ppmV/4h			
ATE (vapours)	11.000 mg/l/4h			
ATE (dust,mist)	1.500 mg/l/4h			
N-NONANE UNLABELED (111-84-2)				
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h			
LC50 inhalation rat (ppm)	3200 ppm/4h			
ATE (gases)	3200.000 ppmV/4h			
ATE (vapours)	11.000 mg/l/4h			
ATE (dust,mist)	23.760 mg/l/4h			
DIAZINON (DIETHYL-D10, 98%) (333-41-5 (Uni	abeled))			
LD50 oral rat	1012696 mg/kg			
LD50 dermal rabbit	> 2020 mg/kg			
LC50 inhalation rat (mg/l)	> 5400 mg/m³ 4 h			
ATE (oral)	500.000 mg/kg bodyweight			
ATE (dermal)	1100.000 mg/kg bodyweight			
ATE (vapours)	3.000 mg/l/4h			
Skin corrosion/irritation	: Causes skin irritation.			
	Skin - rat - Skin irritation - Draize test			
Serious eye damage/irritation	: Causes serious eye irritation.			
	No data available			
Respiratory or skin sensitisation	: Not available			
	No data available			
Germ cell mutagenicity	: Not available			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not available			
,	: May cause drowsiness or dizziness.			
	May cause drowsiness or dizziness.			
Specific target argen toxicity (repeated	-			
Specific target organ toxicity (repeated exposure)	: Not classified No data available			
Aspiration hazard	: May be fatal if swallowed and enters airways.			
	: The chemical, physical, and toxicological properties have not been thoroughly investigated.			
symptoms				
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.			
Symptoms/injuries after skin contact	: Causes skin irritation.			
Symptoms/injuries after eye contact	: Causes eye irritation.			
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.			

SECTION 12: Ecological information

12.1. Toxicity

DIAZINON (DIETHYL-D10, 98%) (333-41-5 (Unlabeled))		
LC50 fishes 1	3.2 mg/l Salmo salar (Atlantic salmon) - 96 h	
EC50 Daphnia 1	0.001 mg/l Daphnia magna (Water flea) - 48 h	
LOEC (acute)	0.316 mg/l Pimphales promelas (Fathead minnow) - 7 d	
NOEC (acute)	0.001 mg/l Daphnia Magna (Water flea) - 48 h	

12.2. Persistence and degradability

No additional information available

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential			
DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN NONANE			
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
N-NONANE UNLABELED (111-84-2)			
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
DIAZINON (DIETHYL-D10, 98%) (333-41-5 (U	nlabeled))		
Log Pow	3.3		
12.4. Mobility in soil			
DIAZINON (DIETHYL-D10, 98%) (333-41-5 (U			
Ecology - soil	Not available.		
12.5. Results of PBT and vPvB assessme No additional information available	nt		
12.6. Other adverse effects			
Other adverse effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
SECTION 13: Disposal consideration)S		
13.1. Waste treatment methods			
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Additional information	: Handle empty containers with care because residual vapours are flammable.		
Ecology - waste materials	: Hazardous waste due to toxicity.		
SECTION 14: Transport information			
In accordance with ADR / RID / ADNR / IMDG / I	CAO / IATA		
14.1. UN number			
UN-No.(DOT)	: 1920		
DOT NA no.	UN1920		
14.2. UN proper shipping name			
DOT Proper Shipping Name	: Nonanes		
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120		
Hazard labels (DOT)	: 3 - Flammable liquid		
	3		
Packing group (DOT)	: III - Minor Danger		
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203		
DOT Packaging Bulk (49 CFR 173.xxx)	: 242		

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: 111
Class (ADR)	: 3 - Flammable liquids
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
	3
Orange plates	30 1920
Tunnel restriction code	: D/E
Limited quantities (ADR)	5L
EAC code	: 3Y
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids(Hazardous materials notice Appended Table 1 Article 194 of the Enforcemen Regulations)
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Anne	x II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
DIAZINON (DIETHYL-D10, 98%) 100 UG/ML	

DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN NONANE	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
N-NONANE UNLABELED (111-84-2)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

15.2. International regulations

CANADA

DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN NONANE
Listed on the Canadian DSL (Domestic Sustances List) inventory.

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2.1. National regulations

No additional information available

15.3. US State regulations	
DIAZINON (DIETHYL-D10, 98%) 100 UG/ML IN NONANE()	
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

N-NONANE UNLABELED (111-84-2)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases::

Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R10	Flammable
R20	Harmful by inhalation
R20/22	Harmful by inhalation and if swallowed
R38	Irritating to skin
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product