

L-LEUCINE (5,5,5-D3) Q7A COMPLIANT

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 28/04/2016 :

Revision date:

Version: 1.0

DLM-1259-CTM

	he substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Substance	
Substance name EC no	: L-LEUCINE (5,5,5-D3) Q7A COMPLIANT	
EC NO CAS No	: 200-522-0 (Unlabeled) : 87828-86-2	
Product code	: DLM-1259-CTM	
Formula	: CH3CH(CD3)CH2CH(NH2)COOH	
Synonyms	: (S)-2-Amino-4-methylpentanoic acid	
, ,	the substance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Industrial/Professional use spec	: For professional use only.	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the	safety data sheet	
Cambridge Isotope Laboratories, Inc.		
50 Frontage Road Andover, MA 01810		
USA		
USA: 1-800-322-1174 Int: 1-978-749- cilsales@isotope.com www.isotope.com		
Emergency telephone number		
Emergency numbers:		
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hour	rs)	
SECTION 2: Hazards identification	ation	
2.1. Classification of the substan	nce or mixture	
Classification according to Regulatio	n (EC) No. 1272/2008 [CLP]	
Not classified		
Classification according to Directive	67/548/EEC or 1999/45/EC	
Not classified		
Classification (GHS-US)		
Not classified		
Adverse physicochemical, human health and environmental effects		
No additional information available		
2.2. Label elements		
Labeling according to Regulation (EC) No. 1272/2008 [CLP]		
No labeling applicable		
CHC US labeling		
GHS-US labeling		

No labeling applicable

2.3. Other hazards

No additional information available

29/04/2016

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (Main constituent)	(CAS No) 87828-86-2 (EC no) 200-522-0 (Unlabeled)	100	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]

Full text of R-, H- and EUH-phrases: see section 16

Name	Product identifier	%	Classification (GHS-US)
L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (Main constituent)	(CAS No) 87828-86-2	100	Not classified

Full text of H-phrases: see section 16

3.2. Mixtures	
Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
First-aid measures after skin contact	: Wash with soap and plenty of water. Consult a physician.
First-aid measures after eye contact	: Flush eyes with water as a precaution.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: Contact may cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medic	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Avoid dust formation. Avoid breathing vapors, mist or gas.

6.1.2. For emergency responders

No additional information available

Environmental precautions

6.2. Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up 6.3.

For containment

: Sweep up and shovel. Keep in suitable, closed containers for disposal.

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.		
7.2. Conditions for safe storage, includi	ng any incompatibilities		
Technical measures	: Keep container tightly closed in a dry and well-ventilated place.		
Storage conditions	: Store at room temperature away from light and moisture.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/pers	sonal protection		
8.1. Control parameters			
No additional information available			
8.2. Exposure controls			
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.		
Hand protection	: Wear suitable protective clothing and gloves.		
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.		
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
Respiratory protection	: When appropriate, use NIOSH/CEN approved respirator.		
SECTION 9. Physical and chemical properties			
SECTION 9: Physical and chemical	properties		
SECTION 9: Physical and chemical 9.1. Information on basic physical and o			
9.1. Information on basic physical and o	chemical properties		
9.1. Information on basic physical and of Physical state	: Solid		
9.1. Information on basic physical and of Physical state Appearance	 chemical properties : Solid : Powder. 		
9.1. Information on basic physical and of Physical state Appearance Molecular mass	 chemical properties Solid Powder. 134.19 g/mol (Labeled) 		
9.1. Information on basic physical and of Physical state Appearance Molecular mass Color	 chemical properties : Solid : Powder. : 134.19 g/mol (Labeled) : White. 		
9.1. Information on basic physical and of Physical state Appearance Molecular mass Color Odor	 chemical properties Solid Powder. 134.19 g/mol (Labeled) White. No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)	 chemical properties Solid Powder. 134.19 g/mol (Labeled) White. No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting point	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available > 300 °C (> 572 °F) 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing point	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling point	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash point	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperature	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperature	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressure	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative vapor density at 20 °C	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative vapor density at 20 °CRelative density	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative vapor density at 20 °CRelative densitySolubility	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available Water: 23 g/cm3 at 18 °C (64 °F) Water: 23 g/l at 25 °C (77 °F) - completely miscible 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog Pow	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available No data available		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog Kow	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog KowViscosity, kinematic	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog KowViscosity, kinematicViscosity, dynamic	Shemical properties Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No da		
9.1.Information on basic physical and ofPhysical stateAppearanceMolecular massColorOdorOdor thresholdpHRelative evaporation rate (butyl acetate=1)Melting pointFreezing pointBoiling pointFlash pointSelf ignition temperatureDecomposition temperatureFlammability (solid, gas)Vapor pressureRelative densitySolubilityLog PowLog KowViscosity, kinematic	 Solid Solid Powder. 134.19 g/mol (Labeled) White. No data available No data available No data available No data available > 300 °C (> 572 °F) No data available 		

L-LEUCINE (5,5,5-D3) Q7A COMPLIANT DLM-1259-CTM Safety Data Sheet

2010 and according to Federal Register / Vol. 77 No March 26, 2012 / Bulas and Bagulatic а

according to Regulation (EC) No. 453/2010 and according	g to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable if stored under recommended conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
carbon oxides. Nitrogen oxides.	
SECTION 11: Toxicological informat	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (878	28-86-2)
LD50 oral rat	> 16000 mg/kg male and female
LD50 Intraperitoneal - Rat - 5,379 mg/kg Remarks	Lungs, Thorax, or Respiration
Skin corrosion/irritation	: Not classified
	No data available
Serious eye damage/irritation	: Not classified
	No data available
Respiratory or skin sensitization	: Not available
	No data available
Germ cell mutagenicity Carcinogenicity	: Ames test. S. typhimurium result: negative : Not classified
0,	
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not available : Not classified
Specific target organ toxicity (repeated	: Not classified
exposure) L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (878	28.96.2)
NOAEL (oral,rat,90 days)	3840 mg/kg bodyweight/day female
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: The levorotary (I) forms of leucine, isoleucine, and valine have been found to have tumor- promoting activity for bladdar carcinomas. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Symptoms/injuries after inhalation	: May be harmful if inhaled. May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Symptoms/injuries after eye contact	: Contact may cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.

SECH	IN 12: Ecological information
12.1.	Toxicity
No addit	nal information available
12.2	Persistence and degradability

L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (87828-86-2) Persistence and degradability Not available.

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential		
L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (87828-86-2)		
Bioaccumulative potential	Not available.	
12.4. Mobility in soil		
L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (87	828-86-2)	
Ecology - soil	Not available.	
12.5. Results of PBT and vPvB assessme	ant	
No additional information available		
12.6. Other adverse effects		
Other adverse effects	: Not available.	
SECTION 13: Disposal consideration	ns	
13.1. Waste treatment methods		
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.	
Waste disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.	
Ecology - waste materials	: Dispose of as unused product.	
SECTION 14: Transport information		
In accordance with ADR / RID / ADNR / IMDG /		
14.1. UN number		
Not applicable		
14.2. UN proper shipping name		
Not applicable		
14.3. Additional information		
Other information	: No supplementary information available.	
Special transport precautions	: Not dangerous goods.	
Overland transport		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
14.4. Environmental hazards		
Other information	: No supplementary information available.	
14.5. Special precautions for user		
Special transport precautions	: Not dangerous goods.	
14.6. Transport in bulk according to Anno	ex II of MARPOL 73/78 and the IBC Code	
Not applicable		
SECTION 15: Regulatory information	n and a second se	

15.1. US Federal regulations

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations CANADA

L-LEUCINE (5,5,5-D3) Q7A COMPLIANT (87828-86-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

15.2.1. National regulations

No additional information available

15.3. US State regulations	
L-LEUCINE (5,5,5-D3) Q7A COMPLIANT(87828-86-2)	
State or local regulations	U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information	
Other information	: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.
NFPA health hazard	: 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard

CIL Multi-Solvent Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product