

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 24/11/2014

Revision date:

Version: 1.0

DLM-1939-S

CECTION 4. Identificati	on of the output and of the component in destabling
1.1. Product identifier	on of the substance/mixture and of the company/undertaking
Product form	: Mixtures
Product name.	2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 MG/ML IN ACETONITRILE
Product code	: DLM-1939-S
1.2. Relevant identified	uses of the substance or mixture and uses advised against
1.2.1. Relevant identified	
Industrial/Professional use spe	
1.2.2. Uses advised again	st
No additional information availa	able
1.3. Details of the suppl	ier of the safety data sheet
Cambridge Isotope Laboratorie	is, Inc.
50 Frontage Road Andover, MA 01810	
USA	
USA: 1-800-322-1174 Int: 1-	978-749-8000
cilsales@isotope.com www.i	isotope.com
Emergency telepho	ne number
Emergency numbers:	
Chemtrec: 1-800-424-9300 (2 International: 1-202-483-7616	
SECTION 2: Hazards id	entification
2.1. Classification of the	e substance or mixture
Classification according to R	Regulation (EC) No. 1272/2008 [CLP]
Flam. Liq. 2	H225
Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Dermal)	H312
Acute Tox. 4 (Inhalation:dust,m	nist) H332
Eye Irrit. 2	H319
Carc. 1B	H350
Full text of H-phrases: see sect	tion 16
Classification according to D	Directive 67/548/EEC or 1999/45/EC
Carc.Cat.1; R45	
Carc.Cat.1; R49	
F; R11	
Xn; R20 Full text of R-phrases: see sect	tion 16
T UNITEAL OF IN-PHILASES. SEE SEC	
Classification (GHS-US)	
Flam. Liq. 2	H225
Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal)	H302
Acute Tox. 4 (Dermai) Acute Tox. 4 (Inhalation:vapou	H312 r) H332
Eye Irrit. 2A	H319
Carc 1B	H350

Adverse physicochemical, human health and environmental effects

H350

H361

Lungs, Blood, Kidney, Liver, Central nervous system.

Carc. 1B

Repr. 2

DLM-1939-S

Safety Data Sheet


Signal word (GHS-US)

Hazard statements (GHS-US)

Precautionary statements (GHS-US)

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label elements 2.2.



- : Danger
- H225 Highly flammable liquid and vapor
- H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled
- H319 Causes serious eye irritation
- H350 May cause cancer (Dermal, Inhalation, oral)
 - H361 Suspected of damaging fertility or the unborn child (oral, Inhalation, Dermal)
- : P201 Obtain special instructions before use
 - P202 Do not handle until all safety precautions have been read and understood
 - P210 Keep away from heat, hot surfaces, open flames, sparks. No smoking
 - P233 Keep container tightly closed
 - P240 Ground/bond container and receiving equipment
 - P241 Use explosion-proof electrical, lighting, ventilating equipment
 - P242 Use only non-sparking tools
 - P243 Take precautionary measures against static discharge
- P261 Avoid breathing fume, mist, spray, vapors
- P264 Wash Both hands thoroughly after handling
- P270 Do no eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear eye protection, face protection, protective clothing, protective gloves
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P302+P352 - IF ON SKIN: Wash with plenty of soap and water
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated
- clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- P308+P313 IF exposed or concerned: Get medical advice/attention
- P312 Call a POISON CENTER/doctor/physician if you feel unwell
- P330 If swallowed, rinse mouth
- P337+P313 If eye irritation persists: Get medical advice/attention
- P362+P364 Take off contaminated clothing and wash it before reuse
- P370+P378 In case of fire: Use Alcohol resistant foam., Carbon dioxide., Dry chemical., Water spray for extinction
- P403+P235 Store in a well-ventilated place. Keep cool
 - P405 Store locked up

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC no) 200-835-2 (EC index no) 608-001-00-3	99.8728	F; R11
2,6-DINITROTOLUENE (METHYL-D3, 98%)	(CAS No) 93951-90-7 (EC no) 210-106-0 (EC index no) 609-049-00-8	0.1272	Carc.Cat.1; R45 Carc.Cat.1; R49 Repr.Cat.3; R62 T+; R26 T; R24/25 R52/53 R48
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC no) 200-835-2 (EC index no) 608-001-00-3	99.8728	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
2,6-DINITROTOLUENE (METHYL-D3, 98%)	(CAS No) 93951-90-7 (EC no) 210-106-0 (EC index no) 609-049-00-8	0.1272	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361f STOT SE 3, H336 STOT RE 2, H373 Aquatic Chronic 3, H412
Name	Product identifier	%	Classification (GHS-US)
ACETONITRILE UNLABELED	(CAS No) 75-05-8	99.8728	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
2,6-DINITROTOLUENE (METHYL-D3, 98%)	(CAS No) 93951-90-7	0.1272	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Aquatic Acute 3, H402 Aquatic Chronic 3, H412

Full text of R-, H- and EUH-phrases: see section 16

04/02/2015	EN (English LIS) 2/4
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures general	: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
4.1. Description of first aid measures	
SECTION 4: First aid measures	

DLM-1939-S

4.2.	Most important symptoms and effects	, both acute and delayed
Symptom	s/injuries after inhalation :	Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause cancer by inhalation.
Symptom	s/injuries after skin contact :	Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptom	s/injuries after eye contact :	Causes eye irritation.
Symptom	s/injuries after ingestion :	Swallowing a small quantity of this material will result in serious health hazard.
4.3.	Indication of any immediate medical a	ttention and special treatment needed
No additio	onal information available	
SECTIC	ON 5: Firefighting measures	
5.1.	Extinguishing media	
suitable e	xtinguishing media :	Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2.	Special hazards arising from the subs	tance or mixture
Fire haza	rd :	Highly flammable liquid and vapor.
Explosion	hazard :	May form flammable/explosive vapor-air mixture.
Reactivity	:	Vapors may form explosive mixture with air.
5.3.	Advice for firefighters	
Firefightin	g instructions :	Use water spray to cool unopened containers.
Protection	a during firefighting :	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTIO	ON 6: Accidental release measu	res
6.1.	Personal precautions, protective equip	oment and emergency procedures
General n	neasures :	Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
6.1.1.	For non-emergency personnel	
Emergeno	cy procedures :	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	For emergency responders onal information available	
6.2.	Environmental precautions	
Prevent fu	urther leakage or spillage if safe to do so.	Do not let product enter drains.
6.3.	Methods and material for containment	and cleaning up
For contain	inment :	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet- brushing and place in container for disposal according to local regulations.
6.4.	Reference to other sections	
No additio	onal information available	
SECTIC	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Additional	hazards when processed :	Handle empty containers with care because residual vapors are flammable.
Precautio	ns for safe handling :	No naked lights. No smoking. Use only non-sparking tools. Use only outdoors or in a well- ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Hygiene r	neasures :	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
	Conditions for safe storage, including	
		Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage c		Store at room temperature away from light and moisture.
Incompati	ble materials :	Heat sources.
	Specific end use(s)	
No additio	onal information available	

DLM-1939-S

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure c	ontrols/personal protection	
.1. Control parameters		
2,6-DINITROTOLUENE (MET	HYL-D3, 98%) 1 MG/ML IN ACETONITRILE	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.000000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
ACETONITRILE UNLABELED (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.000000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA OSHA	OSHA PEL (TWA) (ppm)	40.000000000 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	60.000000000 ppm

8.2. Exposure controls

Personal protective equipment

: Gas mask with filter type NO at conc. in air >. Protective clothing. Protective goggles. Selfcontained breathing apparatus. Gloves.



Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: Wear approved mask.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1. The properties listed below are for the solvent, the main component of this mixture. Physical state : Liquid Appearance : Liquid, clear. Molecular mass : 41.05 Color : Colourless. Odor : ether-like. : No data available Odor threshold : No data available pН Relative evaporation rate (butyl acetate=1) : No data available Melting point : -48 °C (-54°F) Freezing point : No data available : 81 - 82 °C (178 - 180 °F) Boiling point Flash point : 2.0 °C (35.6 °F) - closed cup Self ignition temperature : 523 °C (973 °F) Decomposition temperature : No data available : Highly flammable liquid and vapor Flammability (solid, gas) Vapor pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F) Relative vapor density at 20 °C : 1.42 - (Air = 1.0) Relative density : No data available Solubility : Water: 100 % Log Pow : -0.34 Log Kow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available Explosive limits : 4.4 - 16 vol % **Other information** 9.2.

No additional information available

DLM-1939-S

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Vapors may form explosive mixture with air.	
10.2. Chemical stability	
See storage and expiration date on CoA.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Open flame. Direct sunlight.	
10.5. Incompatible materials	
Acids, Bases, Oxidizing agents, Reducing agents	, Alkali metals.
10.6. Hazardous decomposition products	
May release flammable gases.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.
,	
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit LC50 inhalation rat (mg/l)	2000 mg/kg
	≥ 26.8 mg/l
LC50 inhalation rat (ppm) ATE (oral)	7551 ppm - 8h 500.000 mg/kg body weight
ATE (dermal)	
ATE (definal) ATE (vapors)	2000.000 mg/kg body weight 26.800 mg/l/4h
ATE (vapors) ATE (dust, mist)	26.800 mg/l/4h
	1.500 mg///4m
ACETONITRILE UNLABELED (75-05-8)	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l
LC50 inhalation rat (ppm)	7551 ppm - 8h
ATE (oral)	500.000 mg/kg body weight
ATE (dermal)	2000.000 mg/kg body weight
ATE (gases)	4500.000 ppmV/4h
ATE (vapors)	11.000 mg/l/4h
ATE (dust, mist)	1.500 mg/l/4h
2,6-DINITROTOLUENE (METHYL-D3, 98%) (9	3951-90-7)
LD50 oral rat	177 mg/kg
LC50 inhalation rat (mg/l)	240 mg/m ³ 6 h
ATE (oral)	177.000 mg/kg body weight
ATE (dermal)	300.000 mg/kg body weight
ATE (vapors)	0.240 mg/l/4h
ATE (dust, mist)	0.240 mg/l/4h
Skin corrosion/irritation	: Not classified
	Skin - rabbit - No skin irritation
Serious eye damage/irritation	: Causes serious eye irritation.
conous eye damage/initation	Eyes - Rabbit - Irritating to eyes
Respiratory or skin sensitization	: Did not cause sensitization on laboratory animals.
Neophalory of onth denoillanion	
Corm coll mutogenicity	Buehler Test - guinea pig - Did not cause sensitisation on laboratory animals.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: No evidence of carcinogenicity in animal studies (when indicated).
Reproductive toxicity	: Animal testing did not show any effects on fertility.
Specific target organ toxicity (single exposure)	: Not classified
	The substance or mixture is not classified as specific target organ toxicant.
	-

Specific target organ toxicity (repeated exposure)	: Not classified The substance or mixture is not classified as specific target organ toxicant.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause cancer by inhalation.
Symptoms/injuries after skin contact	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information		
12.1. Toxicity		
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 M	IG/ML IN ACETONITRILE	
LC50 fish 1	1640.00 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
ACETONITRILE UNLABELED (75-05-8)		
LC50 fish 1	1640.00 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
2,6-DINITROTOLUENE (METHYL-D3, 98%) (93951-90-7)		
LC50 fish 1	17.2 - 50 mg/l Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	21.70 mg/l Daphnia magna (Water flea) - 48 h	
ErC50 (algae)	11 - 20 mg/l Desmodesmus subspicatus (green algae) - 72 h	

12.2. Persistence and degradability	12.2. Persistence and degradability		
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 MG/ML IN ACETONITRILE			
Persistence and degradability	Biodegradability Result: - Readily biodegradable.		
ACETONITRILE UNLABELED (75-05-8)			
Persistence and degradability	Biodegradability Result: - Readily biodegradable.		
2,6-DINITROTOLUENE (METHYL-D3, 98%) (93	951-90-7)		
Persistence and degradability	Not available.		
12.3. Bioaccumulative potential			
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 M	IG/ML IN ACETONITRILE		
Log Pow	-0.34		
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).		
ACETONITRILE UNLABELED (75-05-8)			
Log Pow	-0.34		
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).		
2,6-DINITROTOLUENE (METHYL-D3, 98%) (93	951-90-7)		
Log Pow	2.10		
Bioaccumulative potential	Not available.		
12.4. Mobility in soil			
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 MG/ML IN ACETONITRILE			
Ecology - soil	Not expected to absorb on soil.		
ACETONITRILE UNLABELED (75-05-8)			
Ecology - soil	Not expected to absorb on soil.		
2,6-DINITROTOLUENE (METHYL-D3, 98%) (93951-90-7)			
Ecology - soil	Not available.		
12.5. Results of PBT and vPvB assessment			
No additional information available			

12.6. Other adverse effects	
Other adverse effects	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	. Weste meterials should be dispessed of upday and dispess which meet Federal Otate, and Level
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
SECTION 14: Transport information	
In accordance with ADR / RID / ADNR / IMDG /	ICAO / IATA
14.1. UN number	
UN-No.(DOT)	: 1648
DOT NA no.	UN1648
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Acetonitrile
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
	following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubic expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (5 F) and 50 C (122 F), respectively.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
Orange plates	33 1648

EN (English US)

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Regulation (EC) No. 453/2010 and according Tunnel restriction code	: D/E
Limited quantities (ADR)	1L
EAC	: •2YE
Excepted quantities (ADR)	: E2
Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" or passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
MFAG-No	: 127
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Annex	x II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1	MG/ML IN ACETONITRILE
Listed on SARA Section 313 (Specific toxic cher	mical listings)
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
ACETONITRILE UNLABELED (75-05-8)	
Listed on SARA Section 313 (Specific toxic cher	mical listings)
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
2,6-DINITROTOLUENE (METHYL-D3, 98%) (93	3951-90-7)
Listed on SARA Section 313 (Specific toxic cher	mical listings)
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 MG/ML IN ACETONITRILE	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
ACETONITRILE UNLABELED (75-05-8)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
2,6-DINITROTOLUENE (METHYL-D3, 98%) (93951-90-7)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

15.2.1. National regulations

No additional information available

DLINI-1939-5

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations		
2,6-DINITROTOLUENE (METHYL-D3, 98%) 1 MG/ML IN ACETONITRILE()		
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	

ACETONITRILE UNLABELED (75-	05-8)
-----------------------------	-------

U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

2,6-DINITROTOLUENE (METHYL-D3, 98%) (93951-90-7)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases::

III T	il text of R-, H- and EUH-phrases:				
	Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2			
	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3			
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3			
	Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4			
	Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4			
	Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4			
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4			
	Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3			
	Carc. 1B	Carcinogenicity Category 1B			
	Eye Irrit. 2	Serious eye damage/eye irritation Category 2			
	Flam. Liq. 2	Flammable liquids Category 2			
	Muta. 2	Germ cell mutagenicity Category 2			
	Repr. 2	Reproductive toxicity Category 2			
	STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2			
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3			
	H225	Highly flammable liquid and vapor			
	H301	Toxic if swallowed			
	H302	Harmful if swallowed			
	H311	Toxic in contact with skin			
	H312	Harmful in contact with skin			
	H319	Causes serious eye irritation			
	H330	Fatal if inhaled			
	H332	Harmful if inhaled			
	H336	May cause drowsiness or dizziness			
	H341	Suspected of causing genetic defects			
	H350	May cause cancer			
	H361f	Suspected of damaging fertility			
	H373	May cause damage to organs through prolonged or repeated exposure			
	H412	Harmful to aquatic life with long lasting effects			
	R11	Highly flammable			
	R20	Harmful by inhalation			
	R24/25	Toxic in contact with skin and if swallowed			
	R26	Very toxic by inhalation			
0.2	/2015	EN /English LIS)			

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

R45	May cause cancer
R48	Danger of serious damage to health by prolonged exposure
R49	May cause cancer by inhalation
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
F	Highly flammable
Т	Toxic
T+	Very toxic
Xn	Harmful

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product