

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 18/12/2014

Revision date:

Version: 1.0

DLM-6083-S

SECTION 1: Identifica	tion of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name.	: 2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/ML IN METHANOL-D
Product code	: DLM-6083-S
1.2. Relevant identifie	d uses of the substance or mixture and uses advised against
1.2.1. Relevant identifie	d uses
Industrial/Professional use sp	pec : For professional use only.
1.2.2. Uses advised aga	inst
No additional information ava	
1.3. Details of the sup	plier of the safety data sheet
Cambridge Isotope Laborato	ries, Inc.
50 Frontage Road	
Andover, MA 01810 USA	
USA: 1-800-322-1174 Int:	1-978-749-8000
	w.isotope.com
Emergency teleph	none number
Emergency numbers:	
Chemtrec: 1-800-424-9300 International: 1-703-741-597	
SECTION 2: Hazards i	
2.1. Classification of t	the substance or mixture
Classification according to	Regulation (EC) No. 1272/2008 [CLP]
	225
Acute Tox. 3 (Oral) H3	101
Acute Tox. 3 (Dermal) H3)11
Acute Tox. 3 (Inhalation) H3	131
Skin Irrit. 2 H3	315
Eye Irrit. 2 H3	319
STOT SE 1 H3	370
Full text of H-phrases: see se	ection 16
Classification according to	Directive 67/548/EEC or 1999/45/EC
F; R11	
T; R23/24/25	
Xi; R36/38	
Full text of R-phrases: see se	action 16
Classification (GHS-US)	
Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Acute Tox. 3 (Inhalation:vapo Skin Irrit. 2	bur) H331 H315
Eye Irrit. 2A	H315

Adverse physicochemical, human health and environmental effects

H370

Eyes, Kidney, Liver, Heart, Central nervous system.

STOT SE 1


Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label elements 2.2.







Signal word (GHS-US) Hazard statements (GHS-US)

Precautionary statements (GHS-US)

GHS02 GHS06

- : Danger
- H225 Highly flammable liquid and vapor •
- H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled
 - H315 Causes skin irritation

H319 - Causes serious eye irritation

H370 - Causes damage to organs (central nervous system, heart, eye, kidneys, liver) (Dermal, Inhalation, oral)

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking P233 - Keep container tightly closed

GHS08

- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof ventilating, electrical, lighting equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P260 Do not breathe fume, mist, spray, vapors
- P261 Avoid breathing fume, mist, spray, vapors
- P264 Wash Both hands thoroughly after handling P270 - Do no eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear eye protection, face protection, protective clothing, protective gloves
 - P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P302+P352 IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- P311 Call a POISON CENTER or doctor/physician
- P312 Call a POISON CENTER/doctor/physician if you feel unwell
- P321 Specific treatment (see Hazard pictograms (CLP) on this label)
- P330 If swallowed, rinse mouth
- P332+P313 If skin irritation occurs: Get medical advice/attention
- P337+P313 If eye irritation persists: Get medical advice/attention
- P361 Remove/Take off immediately all contaminated clothing
- P362 Take off contaminated clothing and wash before reuse
- P363 Wash contaminated clothing before reuse

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use Alcohol resistant foam., Carbon dioxide., Dry chemical., Water spray for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. **Other hazards**

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substances**

- Not applicable
- 3.2. **Mixtures**

Name	Product identifier	%	Classification according to Directive 67/548/EEC
METHANOL-D (D, 99%)	(CAS No) 1455-13-6 (EC no) 200-659-6 (EC index no) 603-001-00-X	99.877	F; R11 T; R23 T; R23/24/25 Xi; R36/38 Xi; R39
2,4,6-TRICHLOROANISOLE (D5, 98%)	(CAS No) 87-40-1 (Unlabeled) (EC no) 201-743-5	0.123	Xn; R22 Xi; R36 R53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
METHANOL-D (D, 99%)	(CAS No) 1455-13-6 (EC no) 200-659-6 (EC index no) 603-001-00-X	99.877	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370
2,4,6-TRICHLOROANISOLE (D5, 98%)	(CAS No) 87-40-1 (Unlabeled) (EC no) 201-743-5	0.123	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
Name	Product identifier	%	Classification (GHS-US)
METHANOL-D (D, 99%)	(CAS No) 1455-13-6	99.877	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Move out of dangerous area. Consult a physician and show this safety data sheet.
First-aid measures after inhalation	 Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Flush eye with water for 15 minutes. Get medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May be harmful if inhaled. Causes respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: Toxic if swallowed.

DLM-6083-S

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	edical attention and special treatmedical	nent needed
No additional information available		
SECTION 5: Firefighting measure	es	
5.1. Extinguishing media	– 11 <i>0</i> 1	
suitable extinguishing media	fires, apply water from as f	such as "alcohol" foam, dry chemical, or carbon dioxide. For large ar as possible. Use very large quantities (flooding) of water applied ms of water may be ineffective. Cool all affected containers with
5.2. Special hazards arising from th	e substance or mixture	
Fire hazard	: Highly flammable liquid and	
Explosion hazard	: May form flammable/explo	
Reactivity	: Vapours may form explosiv	ve mixture with air.
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray to cool un	•
Protection during firefighting	: Do not enter fire area witho	but proper protective equipment, including respiratory protection.
SECTION 6: Accidental release r	neasures	
6.1. Personal precautions, protectiv	ve equipment and emergency pro	cedures
General measures	: Remove ignition sources. I smoking.	Jse special care to avoid static electric charges. No naked lights. No
6.1.1. For non-emergency personnel		
Emergency procedures	ventilation. Remove all sou	uipment. Avoid breathing vapors, mist or gas. Ensure adequate urces of ignition. Evacuate personnel to safe areas. Beware of vapo usive concentrations. Vapours can accumulate in low areas.
6.1.2. For emergency responders No additional information available		
6.2. Environmental precautions		
Prevent further leakage or spillage if safe to	o do so. Do not let product enter drai	ns.
6.3. Methods and material for conta	inment and cleaning up	
For containment		ect with non-combustible absorbent material. Disposal should be in Federal, State and local regulations.
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage	je	
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers v	vith care because residual vapors are flammable.
Precautions for safe handling	0	ng. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with breaks and at the end of w	good industrial hygiene and safety practice. Wash hands before orkday.
7.2. Conditions for safe storage, inc	cluding any incompatibilities	
Technical measures	container and receiving eq	
Storage conditions		away from light and moisture.
ncompatible materials	: Heat sources.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/p	personal protection	
8.1. Control parameters		
METHANOL-D (D, 99%) (1455-13-6)		
Italy - Portugal - USA ACGIH ACGIH T	WA (ppm)	200.0000000000 ppm Headache. Eye damage.

	· · · · · · · · · · · · · · · · · · ·	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Headache. Eye damage.
		Danger of cutaneous absorption.
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250.000000000 ppm Headache Eye damage. Danger of cutaneous absorption.
USA OSHA	OSHA PEL (TWA) (ppm)	200.000000000 ppm Skin notation.

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

METHANOL-D (D, 99%) (1455-13-6) USA OSHA OSHA PEL (STEL) (ppm)	250.000000000 ppm Skin notation.
8.2. Exposure controls		
Personal protective equipment	· Safety glasses Glove	s. Respiratory protection of the dependent type. Protective clothing.
Lond protection	. Maar auitable protect	in a alathing and alayes
Hand protection	: Wear suitable protect	
Eye protection Skin and body protection	: Wear suitable protect	with side shields (or goggles) and a face shield.
Respiratory protection		e NIOSH/CEN approved respirator.
SECTION 9: Physical and chemica	properties	
9.1. Information on basic physical and		
The properties listed below are for the solvent, the main comp		
Physical state	: Liquid	
Appearance Molecular mass	: Liquid. : 33.05	
Color	: Colourless.	
Odor	: No data available.	
Odor threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: -98 °C (-144 °F)	
Freezing point	: No data available	
Boiling point	: 64.7 °C (148.5 °F)	
Flash point	: 11.0 °C (51.8 °F) - clo	psed cup
Self ignition temperature	: 455 °C (851 °F)	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Highly flammable liqu	id and vapor
Vapor pressure	•••	Hg) at 50.0 °C (122.0 °F)
Relative vapor density at 20 °C	No data available	
Relative density	: No data available	
Solubility	: Water: Completely mi	scible
Log Pow	: -0.77	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosive limits	: 6 - 36 % (V)	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivit	y	
10.1. Reactivity		
Vapours may form explosive mixture with air.		
10.2. Chemical stability		
See storage and expiration date on CoA.		
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Open flame. Direct sunlight.		
-,		

EN (English US)

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals. Reducing agents, Acids.

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

24,0 TrichtChronitout (b), 90,1 Tricht Martinettruetter) LD50 oral rat 628 mg/kg LD50 oral rat 15800 mg/kg LC50 inhalization rat (ppm) 64000 ppm 4 h ATE (darmal) 300.000 mg/kg body weight ATE (darmal) 300.000 mg/kg body weight ATE (gases) 700.000 ppm/kh ATE (qases) 700.000 ppm/kh ATE (darmal) 0.500 mg/kh ATE (darmal) 0.500 mg/kh ATE (darmal) 0.500 mg/kh METHANDL - DD, 99%) (1455-13-6) 1 LD50 oral rat 5628 mg/kg LD50 oral rat <th>2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/</th> <th></th>	2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/	
LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (cral) 100.000 mg/kg body weight ATE (darmal) 300.000 mg/kg body weight ATE (darmal) 300.000 pmV/4h ATE (darses) 700.000 ppmV/4h ATE (dayses) 700.000 pmV/4h ATE (dayses) 0.500 mg/L4h METHANOL-D (D, 99%) (1455-13-6) 100.000 mg/kg LD50 dermal rabbit 5628 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (dran) 100.000 mg/kg body weight ATE (dran) 300.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight Skin corosion/irritation Causes skin irritation. Skin corosion/irritation Causes serious eye irritation. Eyes - rabbit - Skin irritation - 24 h <th></th> <th></th>		
LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (drai) 100.000 mg/kg body weight ATE (draina) 300.000 mg/kg body weight ATE (gases) 700.000 pgm//4h ATE (draina) 0.500 mg/kg hody ATE (dust, mist) 0.500 mg/kg hody METHANOL-D (D, 99%) (1455-13-6) 15800 mg/kg LD50 dermal rabbit 15800 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (dvan) 100.000 mg/kg body weight ATE (dvan) 100.000 mg/kg body weight ATE (dvana) 100.000 mg/kg body weight ATE (dvana) 3000.000 mg/kg body weight ATE (dvana) 300.000 mg/kg body weight ATE (dvana) 300.000 mg/kg body weight ATE (oral) 500.000 mg/kg body weight Skin corosion/irritation Causes skin irritation. Skin crossion/irritation Causes skin irritation. Eyes - rabbit - Skin irritation - 24 h Serious eye damage/irritation Serious eye damage/irritation Not classified Reportucitive toxicity Not classified Specific target organ toxicity (repeated exe) sure organs		
ATE (oral) 100.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (gases) 700.000 ppmV/4h ATE (vapors) 3.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body meight ATE (vapors) 3.000 mg/kg body meight ATE (vapors) 3.000 mg/kg LD50 oral rat 5628 mg/kg LD50 oral rat 5628 mg/kg LD50 inhalation rat (ppm) 64000 ppm 4 h ATE (rang) 100.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight ATE (vapors) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin - rabbi - Sevi waisint Skin - rabbi - Sevi mitation - 24 h Serious eye damage/irritation : Not available Germ cell mutagenicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs (central nervous		
ATE (dermal) 300.000 mg/kg body weight ATE (gases) 700.000 ppm/k/h ATE (dust, mist) 0.500 mg/k4h ATE (dust, mist) 0.500 mg/k4h METHANOL-D (D, 99%) (1455-13-6) 15800 mg/kg LD50 dermal rabbit 15800 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (dermal) 300.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (qora) 100.000 mg/kg body weight ATE (orapors) 3.000 mg/kg body weight ATE (coral) 100.000 mg/kg body weight ATE (oral) 500.000 mg/kg body weight ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation - 24 h Serious eye damage/irritation : Causes serious eye irritation - 24 h Respiratory or skin sensitization : Not available No data available No data available Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Causes da		
ATE (gases) 700.000 ppmV/4h ATE (vapors) 3.000 mgl/4h ATE (dust, mist) 0.500 mgl/4h ATE (dust, mist) 0.500 mgl/4h ATE (dust, mist) 0.500 mgl/4h ATE (dust, mist) 5628 mg/kg LD50 oral rat 5628 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhaliation rat (ppm) 64000 ppm 4 h ATE (dermal) 300.000 mg/kg body weight ATE (dermal) 30.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight ATE (raral) 500.000 mg/kg body weight ATE (raral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin corrosion/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available Carcinogenicity : Not available Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (repeated exposure) : Not classified No data available No		
ATE (vapors) 3.000 mg/l/4h ATE (dust, mist) 0.500 mg/l/4h METHANOL-D (D, 99%) (1455-13-6)		
ATE (dust, mist) 0.500 mg/l/4h METHANOL-D (D, 99%) (1455-13-6) 1000 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhalization rat (ppm) 64000 ppm 4 h ATE (dermal) 300.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight ATE (vapors) 3.0000 mg/kg body weight ATE (vapors) 3.0000 mg/kg body weight ATE (ral) 500.000 mg/kg body weight ATE (oral) 500.000 mg/kg body weight ATE (ral) 500.000 mg/kg body weight Skin corrosion/irritation Causes skin irritation. Skin - rabbit - Skin irritation - 24 h Serious eye damage/irritation E causes serious eye irritation - 24 h Respiratory or skin sensitization Not available Not data available Not data available Germ cell mutagenicity Not available Causes damage to organs Causes damage to organs Specific target organ toxicity (single exposure) Causes damage to organs Specific target organ toxicity (repeated exposure) Not classified Symptoms/injuries after inhalation May be harmfuli finhaled. Causes respiratory tract irritation.		
METHANOL-D (D, 99%) (1455-13-6) LD50 oral rat 5628 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (oral) 100.000 mg/kg body weight ATE (oral) 300.000 mg/kg body weight ATE (ranl) 300.000 mg/kg body weight ATE (oral) 300.000 mg/kg body weight ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation Causes skin irritation. Skin - rabbit - Skin irritation - 24 h Serious eye damage/irritation Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization Not available No data available No data available Carcinogenicity Not classified Specific target organ toxicity (single exposure) : Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after inhalation : May		
LD50 oral rat 5628 mg/kg LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (oral) 100.000 mg/kg body weight ATE (oral) 300.000 mg/kg body weight ATE (ran) 300.000 mg/kg body weight ATE (rana) 300.000 mg/kg body weight ATE (rana) 300.000 mg/kg body weight ATE (rana) 500.000 mg/kg body weight ATE (rana) 500.000 mg/kg body weight ATE (rana) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin - rabbit - Skin irritation - 24 h Serious eye damage/irritation : Causes serious eye irritation - 24 h Respiratory or skin sensitization : Not available No data available Germ cell mutagenicity : Not available Carcinogenicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after inhonatti : Causes eye irritatio	ATE (dust, mist)	0.500 mg/l/4h
LD50 dermal rabbit 15800 mg/kg LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (oral) 100.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight Z4,6-TRICHLOROANISOLE (D5, 98%) (87-40-1 (Unlabeled)) ATE (oral) ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes skin irritation. Serious eye damage/irritation : Causes skin irritation. Eyes - rabbit - Skin irritation - 24 h Respiratory or skin sensitization : Not available No data available No data available Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (repeated exposure) : Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organs Specific target organ toxicity (repeated exposure) kspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after skin contact : Causes eye irritation.	METHANOL-D (D, 99%) (1455-13-6)	
LC50 inhalation rat (ppm) 64000 ppm 4 h ATE (oral) 100.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight 2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40-1 (Unlabeled)) ATE (vapors) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin - rabbit - Skin irritation. Eyes - rabbit - Skin irritation. Eyes - rabbit - Eye irritation. Eyes - rabbit - Eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available No data available Germ cell mutagenicity : Not available Cacinogenicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified No data available Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after skin contact Symptoms/injuries after skin contact : Causes eye irritation.	LD50 oral rat	
ATE (oral) 100.000 mg/kg body weight ATE (dermal) 300.000 mg/kg body weight ATE (vapors) 3.000 mg/kg body weight Z4,6-TRICHLOROANISOLE (D5, 98%) (87-40-1 (Unlabeled)) 500.000 mg/kg body weight ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin corrosion/irritation : Causes skin irritation - 24 h Serious eye damage/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available No data available No data available Carcinogenicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after skin contact : Causes eye irritation.	LD50 dermal rabbit	15800 mg/kg
ATE (dermal) 300.000 mg/kg body weight ATE (vapors) 3.000 mg/k4 2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40-1 (Unlabeled)) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin - rabbit - Skin irritation - 24 h Serious eye damage/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available No data available Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contact : Causes skin irritation.	LC50 inhalation rat (ppm)	64000 ppm 4 h
ATE (vapors) 3.000 mg/l/4h 2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40-1 (Unlabeled)) ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation : Not available No data available No data available Carcinogenicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contact : Causes eye irritation.	ATE (oral)	100.000 mg/kg body weight
2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40-1 (Unlabeled)) ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin - rabbit - Skin irritation - 24 h Serious eye damage/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available No data available Germ cell mutagenicity : Not available Carcinogenicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contact : Causes eye irritation.	ATE (dermal)	300.000 mg/kg body weight
ATE (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Causes skin irritation. Skin - rabbit - Skin irritation - 24 h Serious eye damage/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available No data available Germ cell mutagenicity : Not available Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (repeated exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contact : Causes skin irritation.	ATE (vapors)	3.000 mg/l/4h
Skin corrosion/irritation : Causes skin irritation. Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Eyes - rabbit - Eye irritation. Eyes - rabbit - Eye irritation - 24 h Respiratory or skin sensitization : Not available Mo data available No data available Germ cell mutagenicity : Not available Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organs : Not classified Specific target organ toxicity (repeated exposure) : Not classified No data available : Not classified Aspiration hazard : Not classified Symptoms/injuries after inhalation : May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation.	2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40	-1 (Unlabeled))
Skin - rabbit - Skin irritation - 24 hSerious eye damage/irritation: Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 hRespiratory or skin sensitization: Not available No data availableGerm cell mutagenicity: Not available No data availableGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): Causes damage to organsSpecific target organ toxicity (repeated exposure): Not classified No data availableAspiration hazard: Not classified No data availableSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation. Causes skin irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.	ATE (oral)	500.000 mg/kg body weight
Skin - rabbit - Skin irritation - 24 hSerious eye damage/irritation: Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 hRespiratory or skin sensitization: Not available No data availableGerm cell mutagenicity: Not available No data availableGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure): Not classified No data availableAspiration hazard: Not classified No data availableSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contactSymptoms/injuries after eye contact: Causes eye irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.	Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation:Causes serious eye irritation. Eyes - rabbit - Eye irritation - 24 hRespiratory or skin sensitization:Not available No data availableGerm cell mutagenicity:Not availableCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSpecific target organ toxicity (single exposure):Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure):Not classified No data availableAspiration hazard:Not classified No data availableSymptoms/injuries after inhalation:May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contactSymptoms/injuries after eye contact:Causes eye irritation.Symptoms/injuries after eye contact:Causes eye irritation.		
Respiratory or skin sensitizationEyes - rabbit - Eye irritation - 24 hRespiratory or skin sensitization: Not available No data availableGerm cell mutagenicity: Not availableCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure): Not classified No data availableAspiration hazard: Not classified No data availableSymptoms/injuries after inhalation: Not classified No date availableSymptoms/injuries after eye contact: Causes skin irritation. Symptoms/injuries after eye contactSymptoms/injuries after eye contact: Causes eye irritation.Symptoms/injuries after eye contact: Causes eye irritation.	Serious eve damage/irritation	
Respiratory or skin sensitization:Not available No data availableGerm cell mutagenicity:Not availableCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSpecific target organ toxicity (single exposure):Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure):Not classifiedAspiration hazard:Not classified No data availableSymptoms/injuries after inhalation:May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contactSymptoms/injuries after eye contact:Causes eye irritation.Symptoms/injuries after eye contact:Causes eye irritation.	conodo oyo damago, maalom	
No data availableGerm cell mutagenicity: Not availableCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure): Not classified No data availableAspiration hazard: Not classified Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation. Symptoms/injuries after eye contactSymptoms/injuries after eye contact: Causes eye irritation.Symptoms/injuries after eye contact: Causes eye irritation.	Respiratory or skip sensitization	
Germ cell mutagenicity:Not availableCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSpecific target organ toxicity (single exposure):Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure):Not classified No data availableAspiration hazard:Not classified No data availableSymptoms/injuries after inhalation:May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after eye contact:Causes skin irritation.Symptoms/injuries after eye contact:Causes eye irritation.		
Carcinogenicity: Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure): Not classified No data availableAspiration hazard: Not classified Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.	Corm coll mutogonicity	
Reproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure): Not classified No data availableAspiration hazard: Not classified Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after eye contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.	o ,	
Specific target organ toxicity (single exposure):Causes damage to organs (central nervous system, eye, heart, kidneys, liver). Causes damage to organsSpecific target organ toxicity (repeated exposure):Not classified No data availableAspiration hazard:Not classified Not classifiedSymptoms/injuries after inhalation:May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact:Causes skin irritation.Symptoms/injuries after eye contact:Causes eye irritation.	Carcinogenicity	: Not classified
Specific target organ toxicity (repeated exposure)Causes damage to organsSpecific target organ toxicity (repeated exposure)Not classified No data availableAspiration hazardNot classified Not classifiedSymptoms/injuries after inhalationMay be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contactCauses skin irritation.Symptoms/injuries after eye contactCauses eye irritation.	Reproductive toxicity	: Not classified
Specific target organ toxicity (repeated exposure)Not classified No data availableAspiration hazard: Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.	Specific target organ toxicity (single exposure)	: Causes damage to organs (central nervous system, eye, heart, kidneys, liver).
exposure)No data availableAspiration hazard: Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.		Causes damage to organs
exposure)No data availableAspiration hazard: Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.	Specific target organ toxicity (repeated	Not classified
Aspiration hazard: Not classifiedSymptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.		
Symptoms/injuries after inhalation: May be harmful if inhaled. Causes respiratory tract irritation.Symptoms/injuries after skin contact: Causes skin irritation.Symptoms/injuries after eye contact: Causes eye irritation.		
Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation.	•	
Symptoms/injuries after eye contact : Causes eye irritation.		
Symptoms/injuries after ingestion : Toxic if swallowed.	Symptoms/injuries after eye contact	: Causes eye irritation.
	Symptoms/injuries after ingestion	: Toxic if swallowed.

SECTION 12: Ecological information	
12.1. Toxicity	
2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/N	IL IN METHANOL-D
LC50 fish 1	19000.00 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h
EC50 Daphnia 1	24500.00 mg/l Daphnia magna (Water flea) - 48 h
METHANOL-D (D, 99%) (1455-13-6)	
LC50 fish 1	19000.00 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h
EC50 Daphnia 1	24500.00 mg/l Daphnia magna (Water flea) - 48 h

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/	
Persistence and degradability	Not available.
• .	
METHANOL-D (D, 99%) (1455-13-6)	
Persistence and degradability	Not available.
2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40	-1 (Unlabeled))
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/	/ML IN METHANOL-D
Log Pow	-0.77
Bioaccumulative potential	Not available.
METHANOL-D (D, 99%) (1455-13-6)	
Log Pow	-0.77
Bioaccumulative potential	Not available.
2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40	-1 (Unlabeled))
Log Pow	4.02
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/	/ML IN METHANOL-D
Ecology - soil	Not available.
METHANOL-D (D, 99%) (1455-13-6)	
Ecology - soil	Not available.
2,4,6-TRICHLOROANISOLE (D5, 98%) (87-40	
Ecology - soil	No data available.
12.5. Results of PBT and vPvB assessment	nt
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: Not available.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
SECTION 14: Transport information	
In accordance with ADR / RID / ADNR / IMDG / I	CAO / IATA
14.1. UN number	
UN-No.(DOT)	: 1230
DOT NA no.	UN1230
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Methanol
Department of Transportation (DOT) Hazard	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Classes	
Hazard labels (DOT)	: 3 - Flammable liquid 6.1 - Poison inhalation hazard
DOT Symbols	 + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Proper shipping name appropriate for international and domestic transportation

DLM-6083-S

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (DOT)	to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations : II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
	F) and 50 C (122 F), respectively.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202 : 242
DOT Packaging Bulk (49 CFR 173.xxx)	. 242
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 336
Classification code (ADR)	: FT1
Danger labels (ADR)	: 3 - Flammable liquids 6.1 - Toxic substances
Orange plates	336 1230
Tunnel restriction code	: D/E
Limited quantities (ADR)	1L
EAC	: •2WE
APP	: A(fl)
Excepted quantities (ADR)	: E2
Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
MFAG-No	: 131
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information	
15.1. US Federal regulations	
2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/N	IL IN METHANOL-D
Listed on SARA Section 313 (Specific toxic chem	ical listings)
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
METHANOL-D (D, 99%) (1455-13-6)	
Listed on SARA Section 313 (Specific toxic chem	ical listings)
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/ML IN METHANOL-D
Listed on the Canadian DSL (Domestic Substances List) inventory.
METHANOL-D (D, 99%) (1455-13-6)
Listed on the Canadian DSL (Domestic Substances List) inventory.

15.2.1. National regulations

No additional information available

15.3. US State regulations

2,4,6-TRICHLOROANISOLE (D5, 98%) 1 MG/ML IN METHANOL-D()	
U.S California - Proposition 65 - Reproductive Toxicity - Female	Yes
U.S California - Proposition 65 - Reproductive Toxicity - Male	Yes
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List WARNING! This product contains a chemical known by the state of California to cause birth defects or other reproductive harm.

METHANOL-D (D, 99%) (1455-13-6)

Propos	California - ition 65 - ogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
			Yes	Yes	

METHANOL-D (D, 99%) (1455-13-6)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List

WARNING! This product contains a chemical known by the state of California to cause birth defects or other reproductive harm.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information	Other	inform	ation
-------------------	-------	--------	-------

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of	R-, H-	and E	UH-phrases::
--------------	--------	-------	--------------

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	skin corrosion/irritation Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H370	Causes damage to organs
H413	May cause long lasting harmful effects to aquatic life
R11	Highly flammable
R22	Harmful if swallowed
R23	Toxic by inhalation
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
R36/38	Irritating to eyes and skin
R39	Danger of very serious irreversible effects
R53	May cause long-term adverse effects in the aquatic environment
F	Highly flammable
Т	Toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product