

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/8/2016 Revision date: 6/14/2023 Supersedes: 3/8/2016 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : 3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN

Product code : DLM-7171-S

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Cambridge Isotope Laboratories, Inc.

50 Frontage Rd

01810

ANDOVER, MA, 01810

USA

T 1-800-322-1174

cilsales@isotope.com - www.isotope.com

1.4. Emergency telephone number

Emergency number : 1-703-741-5970

Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Acute toxicity (oral) Category 4 H302 Harmful if swallowed
Acute toxicity (dermal) Category 4 H312 Harmful in contact with skin

Acute toxicity (inhalation:vapor) Category 4 H332 Harmful if inhaled

Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. heat, hot surfaces, open flames, sparks

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing fume, mist, spray, vapors.

P264 - Wash Both hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see Hazard pictograms (CLP) on this label).

P330 - Rinse mouth.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE	CAS-No.: 75-05-8		Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

[:] In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Evacuate area.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If not

breathing, give artificial respiration. Call a physician immediately. Get immediate medical

advice/attention.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before

reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get

immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms

: Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Symptoms/effects after inhalation

: Harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact

 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.

Symptoms/effects after eye contact

: Causes serious eye irritation.

Symptoms/effects after ingestion

 Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide. Foam. Dry powder.

Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray to cool unopened containers. Use water spray or fog for cooling exposed

containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from

entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Flammable in presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures

: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations.

Methods for cleaning up

: For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

- : Handle empty containers with care because residual vapors are flammable.
- : Avoid breathing dust, mist or spray. No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Do not eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions

: Store at room temperature away from light and moisture.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Heat sources. Sources of ignition. Direct sunlight.

6/14/2023 (Revision date) US - en 4/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 9	98%) 100 UG/ML IN CD3CN			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	20 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.			
USA - OSHA - Occupational Exposure Limits				
OSHA PEL TWA [2]	40 ppm			
OSHA PEL STEL [2]	60 ppm			
ACETONITRILE-D3 (D, 99.8%) MANUFACTUR	ING GRADE (75-05-8)			
USA - ACGIH - Occupational Exposure Limits				
Local name	Acetonitrile			
ACGIH OEL TWA [ppm]	20 ppm USA. ACGIH Threshold Limit Values (TLV) Lower Respiratory Tract irritation. Not classifiable as a human carcinogen. Danger of cutaneous absorption			
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)			
Regulatory reference	ACGIH 2022			
USA - OSHA - Occupational Exposure Limits				
OSHA PEL TWA [1]	70 mg/m³ USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants. The value in mg/m³ is approximate.			
OSHA PEL TWA [2]	40 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants. The value in mg/m3 is approximate.			
USA - NIOSH - Occupational Exposure Limits				
NIOSH REL TWA	34 mg/m³ USA. NIOSH Recommended Exposure Limits. Forms Cyanide in the body.			
NIOSH REL TWA [ppm]	20 ppm USA. NIOSH Recommended Exposure Limits.Forms Cyanide in the body.			

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gas mask with filter type NO at conc. in air >. Protective clothing. Protective goggles. Self-contained breathing apparatus. Gloves. Avoid all unnecessary exposure.

н	an	м	nı	'n	ŧΔ	cti	in	n	٠

Wear suitable protective clothing and gloves. Wear protective gloves.

Eye protection:

Wear safety glasses with side shields (or goggles) and a face shield. Chemical goggles or safety glasses

Skin and body protection:

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

When appropriate, use NIOSH/CEN approved respirator. Wear appropriate mask

Personal protective equipment symbol(s):









Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid, clear.
Color : Colorless
Odor : ether-like
Odor threshold : No data availa

Odor threshold : No data available
pH : No data available
Melting point : -48 °C (-54°F)
Freezing point : No data available
Boiling point : 81 – 82 °C (178 - 180 °F)

Flash point : 81 – 82 °C (178 - 180 °F)

1 2 °C (35.6 °F) - closed cup

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor.

Vapor pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)

Relative vapor density at 20°C : 1.42 - (Air = 1.0)
Relative density : No data available
Density : 0.786 g/ml
Molecular mass : 41.05 g/mol
Solubility : Water: 100 %
Partition coefficient n-octanol/water (Log Pow) : -0.34

Auto-ignition temperature : 523 °C (973 °F)

Decomposition temperature : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosion limits : 4.4 – 16 vol %

Explosive properties : No data available

Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

See storage and expiration date on CoA.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Harmful if inhaled.

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN		
LD50 oral rat	2460 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 Inhalation - Rat [ppm]	7551 ppm - 8h	
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	2000 mg/kg body weight	
ATE US (vapors)	11 mg/l/4h	

ATE US (vapors)	11 mg/l/4h	
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)		
LD50 oral rat	1320 – 6690 mg/kg	
LD50 oral	2230 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg male and female (OECD Test Guideline 402)	
LD50 dermal	296 mg/kg	
LC50 Inhalation - Rat	≥ 26.8 mg/l - 4h	
LC50 Inhalation - Rat [ppm]	3587 ppm Mouse - 4h (OECD Test Guideline 403)	
LC50 Inhalation - Rat (Vapours)	17.93 mg/l/4h	
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	2000 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
Skin corrosion/irritation	Not classified	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide.

Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death. Lungs - Lung edema - Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information

Based on human evidence. Harmful if swallowed. Harmful in contact with skin. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as

guaranteeing any specific property of the product.

Symptoms/effects after inhalation : Harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard. Harmful if

swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN			
LC50 - Fish [1]	1640 mg/l Pimephales promelas (fathead minnow) - 96h		
EC50 - Crustacea [1]	3600 mg/l Daphnia magna (Water flea) - 48h		
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d		
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)			
LC50 - Fish [1]	1640 mg/l Pimephales promelas (fathead minnow) - 96h		
EC50 - Crustacea [1]	3600 mg/l Daphnia magna (Water flea) - 48h (OECD Test Guideline 202)		
NOEC (acute)	102 mg/l Oryzias latipes - 21d		
NOEC (chronic)	160 mg/l Daphnia magna (Water flea) - 21d		
NOEC chronic crustacea	960 mg/l		
NOEC chronic algae	700 mg/l		

12.2. Persistence and degradability

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN		
Persistence and degradability Not available. Not established.		
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)		
BOD (% of ThOD) 84 % ThOD		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)		
Biodegradation	Readily biodegradable. (OECD Test Guideline 301C)	

12.3. Bioaccumulative potential

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN		
Partition coefficient n-octanol/water (Log Pow) -0.34		
Bioaccumulative potential Not available. Not established.		
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)		
Bioaccumulative potential No bioaccumulation is to be expected (log Pow <= 4).		

12.4. Mobility in soil

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN		
Ecology - soil Not available.		
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)		
Ecology - soil Not expected to absorb on soil.		

12.5. Other adverse effects

Other adverse effects : Disposal must be done according to official regulations.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

 DOT NA No
 : UN1648

 UN-No. (TDG)
 : UN1648

 UN-No. (IMDG)
 : 1648

 UN-No. (IATA)
 : 1648

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Acetonitrile
Proper Shipping Name (TDG) : ACETONITRILE
Proper Shipping Name (IMDG) : ACETONITRILE
Proper Shipping Name (IATA) : Acetonitrile

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 3
Hazard labels (DOT) : 3



TDG

Transport hazard class(es) (TDG) : 3
Hazard labels (TDG) : 3



IMDG

Transport hazard class(es) (IMDG) : 3 Hazard labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1648

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

: 60 L

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

TDG

UN-No. (TDG) : UN1648
Explosive Limit and Limited Quantity Index : 1 L
Excepted quantities (TDG) : E2
Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 127

IMDG

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : B
Stowage and handling (IMDG) : SW2
Flash point (IMDG) : 2°C c.c

Properties and observations (IMDG) : Colourless, volatile liquid. Flashpoint: 2°C c.c. Explosive limits: 3% to 16% Miscible with

water. When involved in a fire, evolves toxic cyanide fumes. Harmful if swallowed, by skin contact

or by inhalation.

MFAG-No : 127

IATA

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN		
Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	5000 lb	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE	75-05-8	Present	Active	

ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	5000 lb	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	

15.2. International regulations

CANADA

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN

Listed on the Canadian DSL (Domestic Substances List)

ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN

Listed on INSQ (Mexican National Inventory of Chemical Substances)

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE (75-05-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on TECI (Thailand Existing Chemicals Inventory)

15.3. US State regulations

3-AMINO-2-OXAZOLIDONE (AOZ) (RING-D4, 98%) 100 UG/ML IN CD3CN	
	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

Component	State or local regulations
ACETONITRILE-D3 (D, 99.8%) MANUFACTURING GRADE(75-05-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/14/2023

Other information : This product is not radioactive. The data given for this product are those of the corresponding

unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the

corresponding unlabeled compound.

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.