

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 09/03/2011 Revision date: 24/10/2019 Supersedes: 09/03/2011 Version: 2.0

DLM-841

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : ANISOLE (METHOXY-D3, 99%)

EC-No. : 202-876-1 (Unlabeled)

 CAS-No.
 : 29676-15-1

 Product code
 : DLM-841

 Formula
 : \*C6H5OCH3

Synonyms : Methoxybenzene / Methyl phenyl ether

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

### **Emergency telephone number**

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226

Full text of hazard classes and H-statements : see section 16

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

N; R51 R10

Full text of R-phrases: see section 16

#### **GHS-US** classification

Flam. Liq. 3 H226 Aquatic Acute 2 H401

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

25/10/2019 EN (English US) 1/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.2. Label elements

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapor

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS02

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H401 - Toxic to aquatic life

Precautionary statements (GHS-US) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
ANISOLE (METHOXY-D3, 99%)	(CAS-No.) 29676-15-1 (EC-No.) 202-876-1 (Unlabeled) (EC Index-No.)	100	N; R51 R10
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ANISOLE (METHOXY-D3, 99%)	(CAS-No.) 29676-15-1 (EC-No.) 202-876-1 (Unlabeled) (EC Index-No.)	100	Flam. Liq. 3, H226

Full text of R- and H- phrases: see section 16

25/10/2019 EN (English US) 2/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
ANISOLE (METHOXY-D3, 99%) (Main constituent)	(CAS-No.) 29676-15-1	100	Flam. Liq. 3, H226 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

#### **Mixtures**

Not applicable

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Evacuate danger area.

First-aid measures after inhalation When symptoms occur: go into open air and ventilate suspected area. If not breathing give

artificial respiration. Get medical advice/attention.

First-aid measures after skin contact Wash with plenty of soap and water. and soap. Get immediate medical advice/attention.

: Rinse cautiously with water for several minutes. First-aid measures after eye contact

First-aid measures after ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse

mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory irritation.

: May cause skin irritation. Symptoms/effects after skin contact Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

### Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media

For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

## Special hazards arising from the substance or mixture

No additional information available

#### Advice for firefighters

Firefighting instructions Fight fire with normal precautions from a reasonable distance. Wear a self contained breathing

apparatus. Do not enter fire area without proper protective equipment, including respiratory

protection.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Wear recommended personal protective equipment.

: Use water spray to cool unopened containers Other information

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Avoid breathing vapors, mist, gas. Avoid dust formation.

#### 6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

#### **Environmental precautions**

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

# Methods and material for containment and cleaning up

For containment : Contain spillage, then collect with non-combustible absorbent material. Disposal should be in

accordance with applicable Federal, State and local regulations.

: This material and its container must be disposed of in a safe way, and as per local legislation. Methods for cleaning up

## Reference to other sections

For further information refer to section 13.

25/10/2019 EN (English US) 3/8

# ANISOLE (METHOXY-D3, 99%) DLM-8.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Avoid all eye and skin contact and do not breathe vapor and mist.

Precautions for safe handling : Provide adequate ventilation to minimize dust and/or vapor concentrations.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practice

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed. Storage conditions : Store at room temperature away from light and moisture.

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

## 8.2. Exposure controls

Appropriate engineering controls

Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

Environmental exposure controls : Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear, Liquid

Molecular mass : 114.09 g/mol (Labeled)

Color : Colorless

Odor : No data available
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : -37 °C (-35 °F)
Freezing point : No data available
Boiling point : 154 °C (309 °F)

Flash point : 51.7 °C (125.1 °F) - closed cup

Auto-ignition temperature : 475 °C (887 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : 13 hPa (10 mmHg) at 42.20  $^{\circ}$ C (107.96  $^{\circ}$ F)

Relative vapor density at 20 °C : No data available
Relative density : No data available
Specific gravity / density : 3.73 - (Air = 1.0)
Solubility : Insoluble.
Log Pow : 2.1

Log Kow : No data available Viscosity, kinematic : No data available

25/10/2019 EN (English US) 4/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available Viscosity, dynamic Explosive properties No data available Oxidizing properties : No data available **Explosion limits** : No data available

#### Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### Reactivity

No additional information available

#### **Chemical stability**

Stable if stored under recommended conditions.

### Possibility of hazardous reactions

Vapors may form explosive mixture with air.

#### **Conditions to avoid**

Avoid Heat, Flames and Sparks.

#### Incompatible materials

Strong oxidizing agents.

#### **Hazardous decomposition products**

Carbon oxides (CO, CO2).

### **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicity : Not classified

ANISOLE (METHOXY-D3, 99%) (29676-15-1)	
LD50 oral	3700 mg/kg
LC50 inhalation rat (mg/l)	> 5000 g/m³

Skin corrosion/irritation : Skin - Rabbit Result: Mid skin irritation Serious eye damage/irritation : Eyes - Rabbit Result: No eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity : Laboratory experiments have shown mutagenic effects. Genotoxicity in vivo - Human sister

chromatid exchange

Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity - single exposure : Not classified Specific target organ toxicity - repeated : Not classified

exposure

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact May cause skin irritation. Symptoms/effects after eye contact : May cause eye irritation. Symptoms/effects after ingestion : May be harmful if swallowed.

# **SECTION 12: Ecological information**

#### **Toxicity**

Ecology - general : Very toxic to aquatic life.

ANISOLE (METHOXY-D3, 99%) (29676-15-1)	
LC50 fish 1	> 1 mg/l Danio rerio (zebra fish) - 96 h
EC50 Daphnia 1	11.05 mg/l 24 h

#### Persistence and degradability

No additional information available

25/10/2019 EN (English US) 5/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.3. Bioaccumulative potential

ANISOLE (METHOXY-D3, 99%) (29676-15-1)	
BCF fish 1	Gambusia affnis (Mosquito fist) - 24 h
Bioconcentration factor (BCF REACH)	22
Log Pow	2.1

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No.(DOT) : 2222 DOT NA no. UN2222

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Anisole

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this

subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242

#### 14.3. Additional information

Emergency Response Guide (ERG) Number : 128

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : III

Class (ADR) : 3 - Flammable liquid

25/10/2019 EN (English US) 6/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard identification number (Kemler No.) : 30 Classification code (ADR) : F1

Hazard labels (ADR) : 3 - Flammable liquids



Orange plates

Tunnel restriction code (ADR) : D/E Limited quantities (ADR) 51 EAC : 3Y Excepted quantities (ADR) : E1

Transport by sea

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

MFAG-No : 128

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. **Environmental hazards** 

Other information : No supplementary information available.

14.5. Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

ANISOLE (METHOXY-D3, 99%) (29676-15-1)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.

# 15.2. International regulations

# **CANADA**

# ANISOLE (METHOXY-D3, 99%) (29676-15-1)

Listed on the Canadian DSL (Domestic Substances List)

#### **National regulations**

No additional information available

### 15.3. US State regulations

ANISOLE (METHOXY-D3, 99%)(29676-15-1)	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No

25/10/2019 EN (English US) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ANISOLE (METHOXY-D3, 99%)(29676-15-1)	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List

# **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-phrases:

Flam. Liq. 3	Flammable liquids Category 3
H226	Flammable liquid and vapor
R10	Flammable
R51	Toxic to aquatic organisms
N	Dangerous for the environment

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer

no hazard beyond that of ordinary combustible materials.


NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to

relatively high ambient temperatures before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



#### **Hazard Rating**

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard Physical : 0 Minimal Hazard

## CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

25/10/2019 EN (English US) 8/8