

## TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) 100 UG/ML IN ACETONITRILE

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Povision data: 05/06/2017 Date of issue: 27/06/2014

Supersedes: 27/06/2014

Version: 1.1

DLM-9317-S

LEAN	SIULI	uale.	03/00/20	JT7

	ation of the substance/mixture and of the company/undertaking
1.1. Product identifie	
Product form	: Mixtures
Product name	: TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) 100 UG/ML IN ACETONITRILE
Product code	: DLM-9317-S
1.2. Relevant identifi	ied uses of the substance or mixture and uses advised against
1.2.1. Relevant identifi	ed uses
Industrial/Professional use	spec : For professional use only
1.2.2. Uses advised ag	Jainst
No additional information av	•
	upplier of the safety data sheet
Cambridge Isotope Laborat	
50 Frontage Road	
Andover, MA 01810	
USA USA: 1-800-322-1174 Int	. 1 078 740 8000
	w.isotope.com
Emergency telep	abone number
Entergency tere	
Emergency numbers:	
0,	) (24 hours)
Chemtrec: 1-800-424-9300	
Chemtrec: 1-800-424-9300 International: 1-703-741-59	970 (24 hours)
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards	970 (24 hours)
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of	970 (24 hours) sidentification
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according 6	970 (24 hours)         cidentification         i the substance or mixture
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according to Flam. Liq. 2	970 (24 hours)         5 identification         6 the substance or mixture         8 to Regulation (EC) No. 1272/2008 [CLP]
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according ( Flam. Liq. 2 Acute Tox. 4 (Oral)	070 (24 hours)         5 identification         6 the substance or mixture         to Regulation (EC) No. 1272/2008 [CLP]         H225
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according 1 Flam. Liq. 2 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal)	aro (24 hours) <b>5 identification</b> <b>6 the substance or mixture</b> <b>10 Regulation (EC) No. 1272/2008 [CLP]</b> H225 H302 H312
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according 1 Flam. Liq. 2 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal) Acute Tox. 4 (Inhalation:vap	aro (24 hours) <b>5 identification</b> <b>6 the substance or mixture</b> <b>10 Regulation (EC) No. 1272/2008 [CLP]</b> H225 H302 H312
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according ( Flam. Liq. 2 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal) Acute Tox. 4 (Inhalation:vaj Eye Dam. 1	aro (24 hours) <b>5 identification</b> <b>6 the substance or mixture</b> <b>1 the substance or mixture or mixture or mixture or mixture</b>
Classification according ( Flam. Liq. 2 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal) Acute Tox. 4 (Inhalation:vap Eye Dam. 1 Full text of hazard classes a	and H-statements : see section 16
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according ( Flam. Liq. 2 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal) Acute Tox. 4 (Inhalation:vap Eye Dam. 1 Full text of hazard classes a	a identification if the substance or mixture to Regulation (EC) No. 1272/2008 [CLP] H225 H302 H312 pour) H332 H318
Chemtrec: 1-800-424-9300 International: 1-703-741-59 SECTION 2: Hazards 2.1. Classification of Classification according 1 Flam. Liq. 2 Acute Tox. 4 (Oral) Acute Tox. 4 (Dermal) Acute Tox. 4 (Inhalation:vap Eye Dam. 1 Full text of hazard classes a Classification according 1	and H-statements : see section 16

### **GHS-US** classification

Flam. Liq. 2	H225
Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Dermal)	H312
Acute Tox. 4 (Inhalation:dust,mist)	H332
Eye Dam. 1	H318
Full text of H statements : see sect	ion 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to Comply with applicable regulations

2.3. Other hazards

No additional information available

## ACETONITRILE DLM-9317-S

**SECTION 3: Composition/Information on ingredients** 

### Safety Data Sheet

Cubata

2.4

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.1. Substances				
Not applicable				
3.2. Mixtures				
Name	Product identifier	%	Classification according to Directive 67/548/EEC	
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC No) 200-835-2 (EC Index No) 608-001-00-3 (REACH-no) 01-2119471307-38	99.9873	F; R11 Xi; R36 Xn; R20/21/22	
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%)	(CAS No) 13674-84-5 (Unlabeled) (EC No) 237-158-7	0.0127	Xn; R22	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC No) 200-835-2 (EC Index No) 608-001-00-3 (REACH-no) 01-2119471307-38	99.9873	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319	
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%)	(CAS No) 13674-84-5 (Unlabeled) (EC No) 237-158-7	0.0127	Acute Tox. 4 (Oral), H302	
Name	Product identifier	%	GHS-US classification	
ACETONITRILE UNLABELED	(CAS No) 75-05-8	99.9873	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319	

#### Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measur	es
First-aid measures general	: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate m	edical attention and special treatment needed
No additional information available	
<b>SECTION 5: Firefighting measur</b>	es
5.1. Extinguishing media	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2. Special hazards arising from the	ne substance or mixture
Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
05/06/2017	EN (English LIS) 3/4

ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
6.1.	6.1. Personal precautions, protective equipment and emergency procedures		
General	measures	:	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. No additi	For non-emergency personnel ional information available		
6.1.2. No additi	For emergency responders ional information available		
6.2.	Environmental precautions		
Prevent	further leakage or spillage if safe to do so	).	Do not let product enter drains. Discharge into the environment must be avoided.
6.3.	Methods and material for containment	nt	and cleaning up
No additi	ional information available		
6.4.	Reference to other sections		
No additi	onal information available		
SECTI	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Additiona	al hazards when processed	:	Handle empty containers with care because residual vapors are flammable.
Precautio	ons for safe handling	:	No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well- ventilated area. Avoid breathing dust, mist or spray.
Hygiene	measures	:	Do not eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.
7.2.	Conditions for safe storage, including	g	any incompatibilities
Technica	Il measures	:	Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.
Storage	conditions	:	Store at room temperature away from light and moisture.
Incompa	tible materials	:	Heat sources.
7.3.	Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
ACETONITRILE UNLABELED (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	34 mg/m <sup>3</sup> Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA) (mg/m³)	70 mg/m <sup>3</sup> The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.

#### **Exposure controls** 8.2.

Personal protective equipment

: Gloves. Protective clothing. Self-contained breathing apparatus. Protective goggles.



: Wear suitable protective clothing and gloves.
: Wear safety glasses with side shields (or goggles) and a face shield.
: Wear suitable protective clothing.
: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	nemical properties	
The properties listed below are for the solvent, the main component	nt of this mixture.	
Physical state	: Liquid	
05/06/2017	EN (English US)	4/10

## ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Appearance	: Liquid, clear.
Molecular mass	: 41.05 g/mol
Color	: Colourless.
Odor	: ether-like.
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: -48 °C (-54°F)
Freezing point	: No data available
Boiling point	: 81 - 82 °C (178 - 180 °F)
Flash point	: 2 °C (35.6 °F) - closed cup
Auto-ignition temperature	: 523 °C (973 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Vapor pressure	:73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)
Relative vapor density at 20 °C	: 1.42 - (Air = 1.0)
Relative density	: No data available
Specific gravity / density	: 0.786 g/ml
Solubility	: Water: 100 %
Log Pow	: -0.34
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 4.4 - 16 vol %
0.2 Other information	

### 9.2. Other information

No additional information available

SECT	SECTION 10: Stability and reactivity		
10.1.	10.1. Reactivity		
No addi	No additional information available		
10.2.	Chemical stability		
See sto	See storage and expiration date on CoA.		
10.3.	Possibility of hazardous reactions		
No addi	No additional information available		
10.4.	Conditions to avoid		
Open fla	Open flame. Direct sunlight.		
10.5.	Incompatible materials		
No addi	No additional information available		
10.6.	10.6. Hazardous decomposition products		
May release flammable gases.			
SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		

Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:vapour: Harmful if inhaled.
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D1	8, 98%) 100 UG/ML IN ACETONITRILE
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (vapors)	11.000 mg/l/4h
ACETONITRILE UNLABELED (75-05-8)	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg

## ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)	
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l
LC50 inhalation rat (ppm)	7551 ppm - 8h
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	2000.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D	18, 98%) (13674-84-5 (Unlabeled))
LD50 oral rat	≤ 1101 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 7 mg/l male and female - 4 h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

### **SECTION 12: Ecological information**

12.1. Toxicity		
ACETONITRILE UNLABELED (75-05-8)		
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h	
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h	
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d	
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) (13674-84-5 (Unlabeled))		
LC50 fish 1	51 mg/l - Pimephales promelas (fathead minnow) - 96 h	
EC50 Daphnia 1	33 mg/l - Pseudokirchneriella subcapitata (green algae) - 72 h	
ErC50 (algae)	784 mg/l - Sludge treatment - 3 h	
12.2. Persistence and degradability ACETONITRILE UNLABELED (75-05-8)		
Persistence and degradability	Biodegradability Result: - Readily biodegradable.	
12.3. Bioaccumulative potential		
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) 100 UG/ML IN ACETONITRILE		
Log Pow	-0.34	
ACETONITRILE UNLABELED (75-05-8)		
Log Pow	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) (13674-84-5 (Unlabeled))		
Log Pow	- 3.04	
Bioaccumulative potential	Not available.	

ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4 Mobility in cell	
12.4. Mobility in soil	
ACETONITRILE UNLABELED (75-05-8)	Net concerte d'une de concert
Ecology - soil	Not expected to absorb on soil.
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (	
Ecology - soil	Not available.
12.5. Results of PBT and vPvB assessme	int
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Loca environmental control regulations.
Product/Packaging disposal recommendations:	: Dispose of contents/container to Comply with applicable regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
JN-No.(DOT)	: 1648
DOT NA no.	UN1648
14.2. UN proper shipping name	A
Proper Shipping Name (DOT)	: Acetonitrile
Class (DOT) Hazard labels (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 : 3 - Flammable liquid
	FLAMMABLE LIQUID
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.</li> <li>T7 - 4 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
	· ···
Overland transport	
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: 55 : F1
05/06/2017	EN (English US) 7/10

ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (ADR)	: 3 - Flammable liquids
	3
Orange plates	33 1648
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	11
EAC	: •2YE
Excepted quantities (ADR)	: E2
Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
MFAG-No	: 127
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information	
15.1. US Federal regulations	
TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) 100 UG/ML IN ACETONITRILE	
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313
ACETONITRILE UNLABELED (75-05-8)	
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313

ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.2. International regulations

#### CANADA

#### TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) 100 UG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2.1. National regulations

#### TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (D18, 98%) 100 UG/ML IN ACETONITRILE

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

15.3. US State regulations				
TRIS(1-CHLORO-2-PROPY	L)PHOSPHATE (D18, 98%)	100 UG/ML IN ACETONITRI	LE()	
U.S California - Proposition	n 65 - Carcinogens List	No		
U.S California - Proposition Toxicity	n 65 - Developmental	No		
U.S California - Proposition Toxicity - Female	n 65 - Reproductive	No		
U.S California - Proposition Toxicity - Male	n 65 - Reproductive	No		
State or local regulations		U.S Massachusetts - Righ U.S New Jersey - Right to U.S Pennsylvania - RTK (I	Know Hazardous Substance List	
ACETONITRILE UNLABEL	ED (75-05-8)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
ACETONITRILE UNLABELED (75-05-8)				
State or local regulations				

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R36	Irritating to eyes
R41	Risk of serious damage to eyes

ACETONITRILE DLM-9317-S

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

F	Highly flammable
Xi	Irritant
Xn	Harmful
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	<ul> <li>3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.</li> </ul>
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard
,	

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product