

## AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN NONANE

## Safety Data Sheet

 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Date of issue: 22/04/2019
 Revision date:
 :
 Version: 1.0

 DLM-9401-N-S

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN NONANE
Product code	: DLM-9401-N-S
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe	ty data sheet
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA	
USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com	
Emergency telephone number	
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)	
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance of	r mixture
Classification according to Regulation (EC	;) No. 1272/2008 [CLP]
Flam. Liq. 3 H226	
Acute Tox. 4 (Inhalation:vapour) H332	
Skin Irrit. 2 H315	
Eye Irrit. 2H319CTOT OF 2H320	
STOT SE 3         H336           Asp. Tox. 1         H304	
Full text of hazard classes and H-statements	· soo section 16
I UN TEXT OF HAZAIN GASSES AND T-STATEMENTS	
Classification according to Directive 67/54 R10 Xn; R20 Xn; R65 Xi; R36/38 R67	8/EEC [DSD] or 1999/45/EC [DPD]
Full text of R-phrases: see section 16	

## **GHS-US** classification

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

2.2. Label elements		
Labeling according to Regulation (EC) No.	1272/2008 [CLP]	
Hazard pictograms (CLP)	$\wedge$ $\wedge$ $\wedge$	
	GHS02 GHS08 GHS07	
Signal word (CLP)	: Danger	
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapor</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>	
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> </ul>	
GHS-US labeling		
Hazard pictograms (GHS-US)	: CHS02 GHS08 GHS07	
Signal word (GHS-US)	: Danger	
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness	
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking. P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P312 - Call a doctor, a POISON CENTER if you feel unwell</li> <li>P321 - Specific treatment (see Hazardous component(s) for labeling on this label)</li> <li>P331 - Do NOT induce vomiting.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry
extinguishing powder to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. **Substances**

Not applicable

3.2. Mixture
--------------

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.986	R10 Xn; R20 Xn; R65 Xi; R36/38 R67
AZINPHOS-METHYL (D6, 98%)	(CAS-No.) 86-50-0 (Unlabeled) (EC-No.) 201-676-1 (EC Index-No.) 015-039-00-9	0.014	T+; R26/28 T; R24 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.986	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
AZINPHOS-METHYL (D6, 98%)	(CAS-No.) 86-50-0 (Unlabeled) (EC-No.) 201-676-1 (EC Index-No.) 015-039-00-9	0.014	Acute Tox. 2 (Oral), H300 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS-No.) 111-84-2	99.986	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
AZINPHOS-METHYL (D6, 98%)	(CAS-No.) 86-50-0 (Unlabeled)	0.014	Acute Tox. 2 (Oral), H300 Acute Tox. 3 (Dermal), H311 Acute Tox. 1 (Inhalation:dust,mist), H330 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
22/04/2019	EN (English US) 3/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/effects : May cause drowsiness or dizziness.	
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.
4.3. Indication of any immediate medical	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: Flammable liquid and vapor.
Reactivity	: Flammable liquid and vapor. Vapors may form flammable mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing
	apparatus. Complete protective clothing.
<b>SECTION 6: Accidental release meas</b>	sures
6.1. Personal precautions, protective equ	lipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and
	no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information
	refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Avoid	release to the environment.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	<ul> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling Additional hazards when processed	: Avoid all contact with skin, eyes, or clothing. Keep away from sources of ignition - No smoking.
Auditoria nazarus wien processeu	Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer). Take precautionary measures against static discharges.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the
	container. Use explosion-proof equipment. Wear personal protective equipment. Use only
	outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors. Avoid
Hydiana maasures	contact with skin and eyes. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includir	
Technical measures	: Store in a well-ventilated place. Keep container tightly closed. Keep dry. Ground/bond container
	and receiving equipment.
Storage conditions	: Store at room temperature away from light and moisture.
7.3. Specific end use(s)	
No additional information available	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure c	ontrols/personal protection	
.1. Control parameters		
AZINPHOS-METHYL (D6, 989	%) 100 UG/UL IN NONANE	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
N-NONANE UNLABELED (11	1-84-2)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
AZINPHOS-METHYL (D6, 989	%) (86-50-0 (Unlabeled))	
Italy - Portugal - USA ACGIH		0.2 mg/m <sup>3</sup> Skin contact does contribute to exposure. Not classifiable as a human carcinogen
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> Skin designation, Skin notation

### 8.2. **Exposure controls**

- : Ensure good ventilation of the work station.
- Appropriate engineering controls Personal protective equipment



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: protective gloves.
Eye protection	: Chemical goggles or face shield. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.
Environmental exposure controls	: Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Physical state	: Liquid
Appearance	: Liquid, Clear
Molecular mass	: 128.3 g/mol
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: <= 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

### 9.2. **Other information**

No additional information available

<b>SECTION 10: Stability and reactivity</b>			
10.1. Reactivity			
Flammable liquid and vapor. Vapors may form fla	mmable mixture with air.		
10.2. Chemical stability	10.2. Chemical stability		
See storage and expiration date on CoA.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal con	uditions of use		
5			
10.4. Conditions to avoid			
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
Carbon oxides (CO, CO2).			
SECTION 11: Toxicological informati	on		
11.1. Information on toxicological effects			
Acute toxicity	: Inhalation:vapour: Harmful if inhaled.		
AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN NONANE			
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h		
ATE CLP (vapors)	11.000 mg/l/4h		
Skin corrosion/irritation, Dermal, rat Result: Skin Irritation (Draize Test)			
Additional information : S. Typhimurium Result: negative			
N-NONANE UNLABELED (111-84-2)			
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h		
ATE CLP (vapors)	11.000 mg/l/4h		
Skin corrosion/irritation, Dermal, rat Result: Skin Irritation (Draize Test)			

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-NONANE UNLABELED (111-84-2)		
Additional information : S. Typhimurium Result: negative		
AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))		
LD50 oral rat	≥ 7 mg/kg	
LC50 inhalation rat (mg/l)	≥ 69 mg/m³ 1 h	
ATE CLP (oral)	7.000 mg/kg body weight	
ATE CLP (dermal)	300.000 mg/kg body weight	
ATE CLP (vapors)	0.069 mg/l/4h	
ATE CLP (dust, mist)	0.069 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.	
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.	
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
AZINPHOS-METHYL (D6, 98%) (	(86-50-0 (Unlabeled))	
LC50 fish 1	0.06 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h	
EC50 Daphnia 1	0.02 mg/l Daphnia magna (Water flea) - 48 h	
NOEC (chronic)	0.005 mg/l Fundulus heteroclitus - 96 h	

### Persistence and degradability 12.2.

AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))		
Persistence and degradability	Not available.	
12.3. Bioaccumulative potential		
AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN N	IONANE	
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
N-NONANE UNLABELED (111-84-2)		
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))		
Bioaccumulative potential	Not available.	
12.4. Mobility in soil		
AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))		
Ecology - soil	Not available.	
12.5. Results of PBT and vPvB assessment		

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

,	
12.6. Other adverse effects	
Other adverse effects	: Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.
<b>SECTION 13: Disposal consideratio</b>	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
<b>SECTION 14: Transport information</b>	
In accordance with ADR / RID / IMDG / IATA / A	ADN
14.1. UN number	
UN-No.(DOT)	: 1920
DOT NA no.	UN1920
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Nonanes
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242 : No
Marine pollutant	: No
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: III
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids

EN (English US)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations		
Orange plates	30 1920	
Tunnel restriction code (ADR)	. D/E	
Limited quantities (ADR)	5	
	3Y	
	: E1	
	. []	
Transport by sea		
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
MFAG-No	: 128	
Air transport		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L	
Civil Aeronautics Law	: Flammable liquids	
14.4. Environmental hazards		
Other information	: No supplementary information available.	
14.5. Special precautions for user		
14.6. Transport in bulk according to Annex	II of MARPOL 73/78 and the IBC Code	
Not applicable		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN N	NONANE	
Listed on the United States TSCA (Toxic Substan	nces Control Act) inventory	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	
N-NONANE UNLABELED (111-84-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	
AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))		
Listed on the United States SARA Section 302		
CADA Castien 244/242 Herend Classes	leave dista (aquita) has the hanned	

15.2	Internat	ional re	nulations	

SARA Section 311/312 Hazard Classes

SARA Section 313 - Emission Reporting

CANADA		
AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN NONANE		
Listed on the Canadian DSL (Domestic Substances List)		
N-NONANE UNLABELED (111-84-2)		
N-NONANE UNLABELED (111-84-2)		

Not subject to reporting requirements of the United States SARA Section 313.

Immediate (acute) health hazard

Listed on the Canadian DSL (Domestic Substances List)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))

## 15.2.1. National regulations

## AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))

15.3. US State regulations					
AZINPHOS-METHYL (D6, 98%) 100 UG/UL IN NONANE()					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Propositio Toxicity	n 65 - Developmental	No			
U.S California - Propositio Toxicity - Female	n 65 - Reproductive	No			
U.S California - Propositio Toxicity - Male	n 65 - Reproductive	No			
State or local regulations		U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances			
N-NONANE UNLABELED (	111-84-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
AZINPHOS-METHYL (D6, 9	98%) (86-50-0 (Unlabeled))				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
N-NONANE UNLABELED (	111-84-2)				
State or local regulations					
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances					
AZINPHOS-METHYL (D6, 98%) (86-50-0 (Unlabeled))					
State or local regulations					
U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List					

# SECTION 16: Other information Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
,	, , , , , , , , , , , , , , , , , , , ,

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Skin sensitization, category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H300	Fatal if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R10	Flammable
R20	Harmful by inhalation
R24	Toxic in contact with skin
R26/28	Very toxic by inhalation and if swallowed
R36/38	Irritating to eyes and skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
Ν	Dangerous for the environment
Т	Toxic
T+	Very toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

**CIL Mixture SDS** 

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product