

GLYCOURSODEOXYCHOLIC ACID (CP 97%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 30/01/2018

Revision date: 18/05/2021

Supersedes: 19/07/2018

Version: 1.2

	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: GLYCOURSODEOXYCHOLIC ACID (CP 97%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANO
Product code	: DLM-9558-C
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	afety data sheet
Cambridge Isotope Laboratories, Inc.	
50 Frontage Road Andover, MA 01810	
USA	
USA: 1-800-322-1174 Int: 1-978-749-80	00
<u>cilsales@isotope.com</u> www.isotope.com	1
Emergency telephone number	
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours)	
International: 1-703-741-5970 (24 hours)	
SECTION 2: Hazards identificati	on
2.1. Classification of the substance	e or mixture
Classification according to Regulation ((EC) No. 1272/2008 [CLP]
Flam Liq 2 H225	· · · ·

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Acute Tox. 3 (Inhalation:vapour)	H331
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 1	H370

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 T; R39/23/24/25 Xi; R36/38 Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2	H225
Acute Tox. 3 (Oral)	H301
Acute Tox. 3 (Dermal)	H311
Acute Tox. 3 (Inhalation:vapour)	H331
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 1	H370

Full text of H statements : see section 16

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Eyes, Kidney, Liver, Heart, Central nervous system. Highly flammable liquid and vapor. Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (if inhaled, if swallowed, in contact with skin). Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements			
Labeling according to Regulation (EC) N	lo. 1272/2008 [CLP]		
Hazard pictograms (CLP)			
	GHS02 GHS08 GHS06		
Signal word (CLP)	: Danger		
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapor H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (eyes, heart, kidneys, liver, central nervous system) (in contact with skin, if inhaled, if swallowed) 		
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, lighting, ventilating equipment P260 - Do not breathe dust, mist, vapors, fume, gas, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. 		
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS02 GHS08 GHS06		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation H370 - Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal, Inhalation, oral) 		
Precautionary statements (GHS-US)	 P210 - Keep away from heat, open flames, sparks No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust, fume, mist, gas, spray, vapors. P261 - Avoid breathing dust, fume, gas, spray, vapors, mist. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, protective gloves. P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P307+P311 - If exposed: Call a poison center/doctor 		
18/05/2021			
18/05/2021	EN (English US) 2/13		

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P311 Call a doctor, a POISON CENTER
- P312 Call a doctor, a POISON CENTER if you feel unwell
- P321 Specific treatment (see Hazardous component(s) for labeling on this label)
- P322 Specific treatment (see Hazard pictograms (CLP) on this label)
- P330 Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry

extinguishing powder to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

PBT: not relevant – no registration required

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.987	F; R11 T; R39/23/24/25 Xi; R36/38
GLYCOURSODEOXYCHOLIC ACID (2,2,4,4-D4, 98%) CHEMICAL PURITY 97%	(CAS-No.) 2044276-17-5	0.013	Not classified
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.987	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370
GLYCOURSODEOXYCHOLIC ACID (2,2,4,4-D4, 98%) CHEMICAL PURITY 97%	(CAS-No.) 2044276-17-5	0.013	Not classified
Name	Product identifier	%	GHS-US classification
100% METHANOL UNLABELED	(CAS-No.) 67-56-1	99.987	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370
GLYCOURSODEOXYCHOLIC ACID (2,2,4,4-D4, 98%) CHEMICAL PURITY 97%	(CAS-No.) 2044276-17-5	0.013	Not classified

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If medical advice is needed, have product container or label at hand. Call a physician immediately. Evacuate danger area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Call a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take immediately victim to hospital. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations			
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, i present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention		
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth Call a physician immediately.		
4.2. Most important symptoms and ef	fects, both acute and delayed		
Symptoms/effects after inhalation	: Toxic if inhaled.		
Symptoms/effects after skin contact	: Toxic in contact with skin.		
Symptoms/effects after eye contact	: Causes serious eye irritation.		
Symptoms/effects after ingestion	: Toxic if swallowed.		
4.3. Indication of any immediate medi Treat symptomatically.	ical attention and special treatment needed		
SECTION 5: Firefighting measures	5		
5.1. Extinguishing media			
Suitable extinguishing media	: Dry powder. Dry sand.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Highly flammable liquid and vapor.		
Reactivity	: Vapors may form flammable mixture with air. Highly flammable liquid and vapor.		
5.3. Advice for firefighters			
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing		
	apparatus. Complete protective clothing. Wear recommended personal protective equipment.		
Other information	: Use water spray to cool exposed surfaces.		
SECTION 6: Accidental release me	easures		
6.1. Personal precautions, protective	equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Wear respiratory protection. Do not breathe dust, mist, gas, spray, vapors, fume. Avoid contact with skin, eyes and clothing. Ventilate spillage area. Remove all sources of ignition. No open flames, no sparks, and no smoking. Ensure adequate air ventilation. Special attention should be given to low areas/pits where flammable vapors can accumulate.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Do	o not allow to enter drains or water courses. Avoid release to the environment.		
6.3. Methods and material for contain	ment and cleaning up		
For containment	: Dike and contain spill.		
Methods for cleaning up	 Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation. 		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapors, mist. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.		
Hygiene measures	: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

.2.	Conditions for safe s	torage, including any incompatibilities	
echni	cal measures		eceiving equipment. Store in a well-ventilated place. Keep
torag	e conditions	: Store in freezer (-20°C). Prot	ect from light.
3.	Specific end use(s)		
-	ditional information availab	ble	
FCT		ontrols/personal protection	
1.	Control parameters	ontrois/personal protection	
	· · · · · · · · · · · · · · · · · · ·		NMETUANOL
	- Portugal - USA ACGIH	Control Con	200.00000000 ppm Basis: USA. ACGIH Threshold
naly ·	- Pollugai - USA ACGIH		Limit Values (TLV)
taly ·	- Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
taly ·	- Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA	NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA	NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA	NIOSH	NIOSH REL (STEL) (mg/m ³)	325 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA	NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA	NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA	OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m ³ Basis: USA. Occupational Exposure Limit (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA	OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA	OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m ³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA	OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)

USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.
100% METHANOL UNLABEL	ED (67-56-1)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m ³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UN	ILABELED (67-56-1)		
USA NIOSH	NIOSH REL (ST	TEL) (mg/m ³) 325 mg/m ³ Basis: NIOSH Recommended Exposure Limits	
USA NIOSH	NIOSH REL (ST	EL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH	I)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TW	A) (mg/m³)	260 mg/m ³ Basis: USA. Occupational Exposure Limit (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TW	A) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (ST	EL) (mg/m³)	325 mg/m ³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (ST	EL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Ai Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Cei	ling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA))	The value in mg/m3 is approximate. Skin notation.
		(2,2,4,4-D4, 98%) 100 UG/ML IN	METHANOI
DNEL/DMEL (Workers		(_,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Acute - systemic effect	,	40 mg/kg bodyweight/day	
Acute - systemic effects, inhalation		260 mg/m ³	
Acute - local effects, de	ermal	260 mg/cm ²	
Long-term - systemic e	ffocts dormal	40 mg/kg bodywoight/dov	

Long-term - systemic effects, dermal	40 mg/kg bodyweight/day
Long-term - local effects, dermal	260 mg/cm ²
Long-term - local effects, inhalation	260 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	8 mg/kg body weight
Acute - systemic effects, inhalation	50 mg/m ³
Acute - systemic effects, oral	8 mg/kg body weight
Acute - local effects, inhalation	50 mg/m ³
Long-term - systemic effects, oral	8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	50 mg/m³
Long-term - systemic effects, dermal	8 mg/kg bodyweight/day
Long-term - local effects, inhalation	50 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	154 mg/l
PNEC aqua (marine water)	15.4 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	570.4 mg/kg dwt
PNEC (Soil)	
PNEC soil	23.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/kg
8.2. Exposure controls	
Appropriate engineering controls	: Wash hands and other exposed areas with mild soap and water before eating, drinking or

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear eye protection. Chemical goggles or face shield with safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties The properties listed below are for the solvent, the main component of this mixture.

The properties listed below are for the solvent, the main compon	
Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: 32.04 g/mol
Color	: Colorless
Odor	: Pungent
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: -98 °C (-144 °F)
Freezing point	: No data available
Boiling point	: 64.7 °C (148.5 °F)
Flash point	: 9.7 °C (49.5 °F) - closed cup
Auto-ignition temperature	: 455 °C (851 °F) at 1,013 hPa (760 mmHg)
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F)
Vapor pressure at 50 °C	: 546.6 hPa (410 mmHg) at 50 °C (122 °F)
Relative vapor density at 20 °C	: 1.11
Relative density	: No data available
Specific gravity / density	: 0.791 g/ml at 25 °C (77 °F)
Solubility	: Water: Completely miscible
Log Pow	: -0.77
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Non oxidizing material according to EC criteria.
Explosion limits	: 6 - 36 % (V)
0.0 Other information	

9.2. Other information

No additional information available

No additional information available					
SECT	ION 10: Stability and reactivity				
10.1.	Reactivity				
Vapors may form flammable mixture with air. Highly flammable liquid and vapor.					
10.2.	Chemical stability				
	Chemical stability rage and expiration date on CoA.				

No dangerous reactions known under normal conditions of use.

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Acid anhydrides. Acid chlorides. Oxidizing agent. Alkali Metal Amides. Reducing agents. Acids.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:vapour: Toxic if inhaled.

GLYCOURSODEOXYCHOLIC ACID (CP 97%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL				
LD50 oral rat	1187 - 2769 mg/kg			
LD50 dermal rabbit	17100 mg/kg			
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h			
ATE CLP (oral)	100.000 mg/kg body weight			
ATE CLP (dermal)	17.100 mg/kg body weight			
ATE CLP (vapors)	3.000 mg/l/4h			
ATE CLP (dust, mist)	128.200 mg/l/4h			
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
100% METHANOL UNLABELED (67-56-1)				
LD50 oral rat	1187 - 2769 mg/kg			
LD50 dermal rabbit	17100 mg/kg			
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h			
ATE CLP (oral)	100.000 mg/kg body weight			
ATE CLP (dermal)	300.000 mg/kg body weight			
ATE CLP (vapors)	3.000 mg/l/4h			
ATE CLP (dust, mist)	128.200 mg/l/4h			
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Skin corrosion/irritation	: Skin - Rabbit - Result: No skin irritation			
Serious eye damage/irritation	: Eyes - Rabbit - Result: No eye irritation			
Respiratory or skin sensitization	: Maximisation Test . Guinea pig. Did not cause sensitization - (OECD 406 method)			
Germ cell mutagenicity	: AMES test : S. tymphimurium. Result: negative - Fibroblast - Result: Negative - Mutation in mammalian somatic cells. Mutagenicity (in vivo mammalian bone-marrow cystogenetic test, chromosomal analysis) - Mouse - male and female - Result: negative. Mouse - Male and female. Result: Negative			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Damage to fetus not classifiable. Fertility classification not possible from current data.			
Specific target organ toxicity – single exposure	: Causes damage to organs through prolonged or repeated exposure Causes damage to organs			
Specific target organ toxicity – repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure. No data available			
Aspiration hazard	: No aspiration toxicity classification.			
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.			
Symptoms/effects after inhalation	: Toxic if inhaled.			
Symptoms/effects after skin contact	: Toxic in contact with skin.			
Symptoms/effects after eye contact	: Causes serious eye irritation.			
Symptoms/effects after ingestion	: Toxic if swallowed.			
Cympionia/eneola arter ingestion				

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6, 2012 / Rules and Regulations				
SECTION 12: Ecological informatio	n			
12.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
GLYCOURSODEOXYCHOLIC ACID (CP 97	%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL			
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h			
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h			
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h			
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h			
100% METHANOL UNLABELED (67-56-1)				
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h			
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h			
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h			
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h			
12.2. Persistence and degradability				
GLYCOURSODEOXYCHOLIC ACID (CP 97	%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL			
Biochemical oxygen demand (BOD)	600 - 1200 mg/g			
Chemical oxygen demand (COD)	1420 mg/g			
ThOD	1500 mg/g			
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d			
100% METHANOL UNLABELED (67-56-1)				
Biochemical oxygen demand (BOD)	600 - 1200 mg/g			
Chemical oxygen demand (COD)	1420 mg/g			
ThOD	1500 mg/g			
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d			
12.3. Bioaccumulative potential				
GLYCOURSODEOXYCHOLIC ACID (CP 97	%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL			
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C			
Bioconcentration factor (BCF REACH)	1			
Log Pow	-0.77			
100% METHANOL UNLABELED (67-56-1)				
BCF fish 1	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C			
Bioconcentration factor (BCF REACH)	1			
Log Pow	-0.77			
12.4. Mobility in soil				
GLYCOURSODEOXYCHOLIC ACID (CP 97	%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL			
Ecology - soil	Not degradable in the soil.			
100% METHANOL UNLABELED (67-56-1)				
Ecology - soil	Not degradable in the soil.			
12.5. Results of PBT and vPvB assessm				
GLYCOURSODEOXYCHOLIC ACID (CP 97	%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL			
PBT: not relevant - no registration required				
100% METHANOL UNLABELED (67-56-1)				
PBT: not relevant – no registration required				
12.6. Other adverse effects				
Other adverse effects	: Avoid release to the environment.			
Other information	: Stability in water: at 19 °C - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water. Hydrolyses readily.			
SECTION 13: Disposal consideration	ons			
13.1. Waste treatment methods				
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations			

 Product/Packaging disposal recommendations
 environmental control regulations.

 Product/Packaging disposal recommendations
 Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - waste materials	: Dispose of as unused product.				
SECTION 14: Transport information					
In accordance with ADR / RID / IMDG / IATA / ADN					
14.1. UN number					
UN-No.(DOT)	: 1230				
DOT NA no.	UN1230				
44.2 LIN proper chipping nome					
14.2. UN proper shipping name	Madhasaal				
Proper Shipping Name (DOT)	: Methanol				
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120				
Hazard labels (DOT)	: 3 - Flammable liquid 6.1 - Poison				
DOT Symbols	: + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Proper shipping name appropriate for international and domestic transportation				
Packing group (DOT)	: II - Medium Danger				
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal				
	cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.				
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150				
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202				
DOT Packaging Bulk (49 CFR 173.xxx)	: 242				
DOT RQ	: 5000 lbs				
Marine pollutant	: No				
14.3. Additional information					
Emergency Response Guide (ERG) Number	: 131				
Other information	: No supplementary information available.				
Overland transport					
Packing group (ADR)	: 11				
Class (ADR)	: 3 - Flammable liquid				
Hazard identification number (Kemler No.)	: 336				
Classification code (ADR)	: FT1				
Hazard labels (ADR)	: 3 - Flammable liquids 6.1 - Toxic substances				
Orange plates					

18/05/2021

336

1230

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tunnel restriction code (ADR) : D/E Limited quantities (ADR) 11 Excepted quantities (ADR) : E2 Transport by sea DOT Vessel Stowage Location DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a carg passenger vessel carrying a number of passengers limited to not more to the stower of passengers limited to not more to the	
Excepted quantities (ADR) : E2 Transport by sea DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a carg	
Transport by sea DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a carg	
DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a carg	
DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a carg	
passenger vessel carrying a number of passengers limited to not more t passengers, or one passenger per each 3 m of overall vessel length; an passenger vessels in which the number of passengers specified in parag section is exceeded.	han the larger of 25 d (ii) "On deck only" on
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"	
MFAG-No : 131	
Air transport	
DOT Quantity Limitations Passenger aircraft/rail : 1 L (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 : 60 L CFR 175.75)	
Civil Aeronautics Law : Flammable liquids	
14.4. Environmental hazards	
Other information : No supplementary information available.	
14.5. Special precautions for user	
14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
GLYCOURSODEOXYCHOLIC ACID (CP 97%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ 5000 lb	
SARA Section 302 Threshold Planning Not subject to reporting requirements of the United States SARA Section	n 302.
Quantity (TPQ)	
Quantity (TPQ) Fire hazard SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard	
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313	
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313 100% METHANOL UNLABELED (67-56-1)	
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313 100% METHANOL UNLABELED (67-56-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory	n 302.
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313 100% METHANOL UNLABELED (67-56-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory CERCLA RQ 5000 lb SARA Section 302 Threshold Planning Not subject to reporting requirements of the United States SARA Section Quantity (TPQ) SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	n 302.
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313 100% METHANOL UNLABELED (67-56-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory CERCLA RQ 5000 lb SARA Section 302 Threshold Planning Quantity (TPQ) Not subject to reporting requirements of the United States SARA Section SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard	n 302.
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313 100% METHANOL UNLABELED (67-56-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory CERCLA RQ 5000 lb SARA Section 302 Threshold Planning Not subject to reporting requirements of the United States SARA Section Quantity (TPQ) SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	n 302.
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313 100% METHANOL UNLABELED (67-56-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory CERCLA RQ 5000 lb SARA Section 302 Threshold Planning Not subject to reporting requirements of the United States SARA Section Quantity (TPQ) SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard Delayed (chronic) nealth hazard SARA Section 313 - Emission Reporting Subject to reporting requirements of United States SARA Section 313	

15.2. International regulations

CANADA

GLYCOURSODEOXYCHOLIC ACID (CP 97%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL
Listed on the Canadian DSL (Domestic Substances List)
100% METHANOL UNLABELED (67-56-1)

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2.1. National regulations

No additional information available

15.3. US State regulations						
GLYCOURSODEOXYCHOLIC ACID (CP 97%) (2,2,4,4-D4, 98%) 100 UG/ML IN METHANOL()						
U.S California - Proposition 65 - Carcinogens List		No				
U.S California - Proposition 65 - Developmental Toxicity		Y	Yes			
U.S California - Proposition 65 - Reproductive Toxicity - Female		N	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No				
State or local regulations		U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances				
100% METHANOL UNLABE	ELED (67-56-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	Yes		No	No		
GLYCOURSODEOXYCHOL	IC ACID (2,2,4,4-D4, 98%)	CH	IEMICAL PURITY 97% (20442	76-17-5)		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No		No	No		
100% METHANOL UNLABE	ELED (67-56-1)					
State or local regulations						
U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances						
GLYCOURSODEOXYCHOL	GLYCOURSODEOXYCHOLIC ACID (2,2,4,4-D4, 98%) CHEMICAL PURITY 97% (2044276-17-5)					
State or local regulations						
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List						

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1

UG/ML IN METHANOL DLM-9558-C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H370	Causes damage to organs
R11	Highly flammable
R36/38	Irritating to eyes and skin
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed
F	Highly flammable
Т	Toxic
Xi	Irritant

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product