



DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 6/29/2017 Revision date: 9/18/2023 Supersedes: 6/29/2017 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE
Product code : EC-5505-10X

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Cambridge Isotope Laboratories, Inc.
50 Frontage Rd
01810
ANDOVER, MA, 01810
USA
T 1-800-322-1174
cilsales@isotope.com - www.isotope.com

1.4. Emergency telephone number

Emergency number : 1-703-741-5970
Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3	H226	Flammable liquid and vapor
Acute toxicity (inhalation:vapor) Category 4	H332	Harmful if inhaled
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness
Aspiration hazard Category 1	H304	May be fatal if swallowed and enters airways
Hazardous to the aquatic environment – Acute Hazard Category 1	H400	Very toxic to aquatic life

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H226 - Flammable liquid and vapor
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H332 - Harmful if inhaled

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	H336 - May cause drowsiness or dizziness H400 - Very toxic to aquatic life : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment. P241 - Use explosion-proof electrical, lighting, ventilating equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing fume, mist, spray, vapors. P264 - Wash Both hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER. P302+P352 - If on skin: Wash with plenty of water. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a doctor, a POISON CENTER if you feel unwell. P321 - Specific treatment (see Hazard pictograms (CLP) on this label). P331 - Do NOT induce vomiting. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish. P391 - Collect spillage. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to Comply with applicable regulations.
-----------------------------------	---

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
N-NONANE UNLABELED	CAS-No.: 111-84-2	84.48571	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
ISOCTANE UNLABELED	CAS-No.: 540-84-1	15.51205	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3',4,4',5-PENTACB UNLABELED	CAS-No.: 31508-00-6	0.00028	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3,3',4,4'-PENTACB UNLABELED	CAS-No.: 32598-14-4	0.00028	Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3,3',4,4',5-HEXACB UNLABELED	CAS-No.: 38380-08-4	0.00028	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,4,4',5-TETRACB UNLABELED	CAS-No.: 70362-50-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,3',4,4'-TETRACB UNLABELED	CAS-No.: 32598-13-3	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2',3,4,4',5-PENTACB UNLABELED	CAS-No.: 65510-44-3	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3,4,4',5-PENTACB UNLABELED	CAS-No.: 74472-37-0	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,3',4,4',5-PENTACB UNLABELED	CAS-No.: 57465-28-8	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3',4,4',5,5'-HEXACB UNLABELED	CAS-No.: 52663-72-6	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3,3',4,4',5'-HEXACB UNLABELED	CAS-No.: 69782-90-7	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,3',4,4',5,5'-HEXACB UNLABELED	CAS-No.: 32774-16-6	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,2',3,4,4',5,5'-HEPTACB UNLABELED	CAS-No.: 35065-29-3	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,3,3',4,4',5,5'-HEPTACB UNLABELED	CAS-No.: 39635-31-9	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice. Evacuate danger area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard	: Flammable liquid and vapor.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

- For containment : Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store in a well-ventilated place. Keep container tightly closed. Keep dry. Ground/bond container and receiving equipment.
- Storage conditions : Store at room temperature away from light and moisture.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE	
No additional information available	
N-NONANE UNLABELED (111-84-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Nonane
ACGIH OEL TWA [ppm]	200 ppm USA. ACGIH Threshold Limit Values (TLV)
Remark (ACGIH)	CNS impair
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA [1]	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
OSHA PEL TWA [2]	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
OSHA PEL C	1050 California permissible exposure limits for chemical contaminants.
OSHA PEL C [ppm]	200 ppm California permissible exposure limits for chemical contaminants.
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
NIOSH REL TWA [ppm]	200 ppm USA. NIOSH Recommended Exposure Limits

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-NONANE UNLABELED (111-84-2)	
Remark (NIOSH)	Central Nervous System impairment
3,4,4',5-TETRACB UNLABELED (70362-50-4)	
No additional information available	
3,3',4,4'-TETRACB UNLABELED (32598-13-3)	
No additional information available	
2',3,4,4',5-PENTACB UNLABELED (65510-44-3)	
No additional information available	
2,3',4,4',5-PENTACB UNLABELED (31508-00-6)	
No additional information available	
2,3,4,4',5-PENTACB UNLABELED (74472-37-0)	
No additional information available	
2,3,3',4,4'-PENTACB UNLABELED (32598-14-4)	
No additional information available	
3,3',4,4',5-PENTACB UNLABELED (57465-28-8)	
No additional information available	
2,3',4,4',5,5'-HEXACB UNLABELED (52663-72-6)	
No additional information available	
2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)	
No additional information available	
2,3,3',4,4',5'-HEXACB UNLABELED (69782-90-7)	
No additional information available	
3,3',4,4',5,5'-HEXACB UNLABELED (32774-16-6)	
No additional information available	
2,2',3,4,4',5,5'-HEPTACB UNLABELED (35065-29-3)	
No additional information available	
2,3,3',4,4',5,5'-HEPTACB UNLABELED (39635-31-9)	
No additional information available	
ISOCTANE UNLABELED (540-84-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	300 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Remark (ACGIH)	Upper Respiratory Tract irritation
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.

Materials for protective clothing:
Wear suitable protective clothing and gloves
Hand protection:
protective gloves
Eye protection:
Chemical goggles or face shield. Chemical goggles or safety glasses
Skin and body protection:
Wear suitable protective clothing, gloves and eye/face protection
Respiratory protection:
Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.718 g/ml at 25 °C (77 °F)
Molecular mass	: 128.3 g/mol
Solubility	: Water: 0.0002 %
Partition coefficient n-octanol/water (Log Pow)	: 5.65
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Viscosity, kinematic	: ≤ 1.008 mm ² /s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosion limits	: 0.87 – 2.9 % (V)
Explosive properties	: No data available

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor. Vapors may form flammable mixture with air.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE	
ATE US (vapors)	13.02 mg/l/4h
N-NONANE UNLABELED (111-84-2)	
LC50 Inhalation - Rat	23760 mg/m ³ male - 4 h
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)
Additional information	: S. Typhimurium Result: negative
3,4,4',5-TETRACB UNLABELED (70362-50-4)	
Additional information	LD50 - Oral - guinea pig - 1 mg/kg
ISOCTANE UNLABELED (540-84-1)	
LD50 oral rat	> 5000 mg/kg (OECD Test Guideline 401)

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ISOCTANE UNLABELED (540-84-1)	
LD50 dermal rabbit	> 2000 mg/kg (OECD Test Guideline 402)
LC50 Inhalation - Rat	> 33.52 mg/l/4h (OECD Test Guideline 403)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
3,3',4,4',5-PENTACB UNLABELED (57465-28-8)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
N-NONANE UNLABELED (111-84-2)	
STOT-single exposure	May cause drowsiness or dizziness.
ISOCTANE UNLABELED (540-84-1)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
3,4,4',5-TETRACB UNLABELED (70362-50-4)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure (Dermal, Inhalation, oral).
3,3',4,4'-TETRACB UNLABELED (32598-13-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure (Dermal, Inhalation, oral).
2',3,4,4',5-PENTACB UNLABELED (65510-44-3)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,3',4,4',5-PENTACB UNLABELED (31508-00-6)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,3,4,4',5-PENTACB UNLABELED (74472-37-0)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,3,3',4,4'-PENTACB UNLABELED (32598-14-4)	
STOT-repeated exposure	May cause damage to organs (eyes, kidneys, liver, urinary bladder) through prolonged or repeated exposure (Dermal, Inhalation, oral).
3,3',4,4',5-PENTACB UNLABELED (57465-28-8)	
STOT-repeated exposure	May cause damage to organs (liver, kidneys, central nervous system, Skin) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,3',4,4',5,5'-HEXACB UNLABELED (52663-72-6)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,3,3',4,4',5'-HEXACB UNLABELED (69782-90-7)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).
3,3',4,4',5,5'-HEXACB UNLABELED (32774-16-6)	
STOT-repeated exposure	May cause damage to organs (liver, Skin) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,2',3,4,4',5,5'-HEPTACB UNLABELED (35065-29-3)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).
2,3,3',4,4',5,5'-HEPTACB UNLABELED (39635-31-9)	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure (Dermal, Inhalation, oral).

Aspiration hazard : May be fatal if swallowed and enters airways.

Viscosity, kinematic : $\leq 1.008 \text{ mm}^2/\text{s}$ at 20 °C (68 °F)

N-NONANE UNLABELED (111-84-2)	
Viscosity, kinematic	$\leq 1.008 \text{ mm}^2/\text{s}$ at 20 °C (68 °F)

Potential Adverse human health effects and symptoms : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : Harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation. May be harmful in contact with skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. Risk of lung edema.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life.

3,4,4',5-TETRACB UNLABELED (70362-50-4)	
LC50 - Fish [1]	Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	Daphnia magna (Water flea) - 48 h
NOEC (chronic)	0.1 mg/l Oncorhynchus mykiss (rainbow trout) - 7 d
3,3',4,4'-TETRACB UNLABELED (32598-13-3)	
LC50 - Fish [1]	> 0.002 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	> 0.002 mg/l Daphnia magna (Water flea) - 48 h
NOEC (chronic)	0.1 mg/l Oncorhynchus mykiss (rainbow trout) - 7 d
2',3,4,4',5-PENTACB UNLABELED (65510-44-3)	
LC50 - Fish [1]	> 0.16 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	> 0.16 mg/l Daphnia magna (Water flea) - 48 h

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3,3',4,4'-PENTACB UNLABELED (32598-14-4)	
LC50 - Fish [1]	> 0.16 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	> 0.16 mg/l Daphnia magna (Water flea) - 48 h
2,3',4,4',5,5'-HEXACB UNLABELED (52663-72-6)	
LC50 - Fish [1]	> 0.16 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	> 0.16 mg/l Daphnia magna (Water flea) - 48 h
2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)	
LC50 - Fish [1]	> 0.16 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	> 0.16 mg/l Daphnia magna (Water flea) - 48 h
2,3,3',4,4',5,5'-HEPTACB UNLABELED (39635-31-9)	
LC50 - Fish [1]	> 0.16 mg/l Pimephales promelas (fathead minnow) - 96 h
EC50 - Crustacea [1]	> 0.16 mg/l Daphnia magna (Water flea) - 48 h

12.2. Persistence and degradability

2,2',3,4,4',5,5'-HEPTACB UNLABELED (35065-29-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE	
Partition coefficient n-octanol/water (Log Pow)	5.65
N-NONANE UNLABELED (111-84-2)	
Partition coefficient n-octanol/water (Log Pow)	5.65
Bioaccumulative potential	Indication of bioaccumulation.
3,3',4,4'-TETRACB UNLABELED (32598-13-3)	
Bioconcentration factor (BCF REACH)	81.5
Bioaccumulative potential	Bioaccumulation: Oryzias latipes - 20 d Bioconcentration factor (BCF): 81.5.
2,3',4,4',5-PENTACB UNLABELED (31508-00-6)	
Partition coefficient n-octanol/water (Log Pow)	7.12
ISOCTANE UNLABELED (540-84-1)	
Partition coefficient n-octanol/water (Log Pow)	4.6

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : Disposal must be done according to official regulations.

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

DOT NA No	: NA1993
UN-No. (TDG)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: Combustible liquid
----------------------------------	----------------------



TDG

Transport hazard class(es) (TDG)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

14.4. Packing group

Packing group (DOT)	: III
Packing group (TDG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: Yes
-------------------------------	-------

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine pollutant : Yes



Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : NA1993
DOT Special Provisions (49 CFR 172.102) : 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).
IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 220 L
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.	Listing	Commercial status	Flags
N-NONANE UNLABELED	111-84-2	Present	Active	T
3,4,4',5-TETRACB UNLABELED	70362-50-4	Not present	-	
3,3',4,4'-TETRACB UNLABELED	32598-13-3	Not present	-	
2',3,4,4',5-PENTACB UNLABELED	65510-44-3	Not present	-	
2,3',4,4',5-PENTACB UNLABELED	31508-00-6	Not present	-	
2,3,4,4',5-PENTACB UNLABELED	74472-37-0	Not present	-	
2,3,3',4,4'-PENTACB UNLABELED	32598-14-4	Not present	-	
3,3',4,4',5-PENTACB UNLABELED	57465-28-8	Not present	-	
2,3',4,4',5,5'-HEXACB UNLABELED	52663-72-6	Not present	-	
2,3,3',4,4',5-HEXACB UNLABELED	38380-08-4	Not present	-	
2,3,3',4,4',5'-HEXACB UNLABELED	69782-90-7	Not present	-	
3,3',4,4',5,5'-HEXACB UNLABELED	32774-16-6	Not present	-	
2,2',3,4,4',5,5'-HEPTACB UNLABELED	35065-29-3	Not present	-	
2,3,3',4,4',5,5'-HEPTACB UNLABELED	39635-31-9	Not present	-	
ISOCTANE UNLABELED	540-84-1	Present	Active	

N-NONANE UNLABELED (111-84-2)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

3,4,4',5-TETRACB UNLABELED (70362-50-4)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.

3,3',4,4'-TETRACB UNLABELED (32598-13-3)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.

2',3,4,4',5-PENTACB UNLABELED (65510-44-3)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

2,3',4,4',5-PENTACB UNLABELED (31508-00-6)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3,4,4',5-PENTACB UNLABELED (74472-37-0)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

2,3,3',4,4'-PENTACB UNLABELED (32598-14-4)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

3,3',4,4',5-PENTACB UNLABELED (57465-28-8)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.

2,3',4,4',5,5'-HEXACB UNLABELED (52663-72-6)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

2,3,3',4,4',5'-HEXACB UNLABELED (69782-90-7)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

3,3',4,4',5,5'-HEXACB UNLABELED (32774-16-6)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.

2,2',3,4,4',5,5'-HEPTACB UNLABELED (35065-29-3)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

2,3,3',4,4',5,5'-HEPTACB UNLABELED (39635-31-9)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ISOCTANE UNLABELED (540-84-1)

Not subject to reporting requirements of the United States SARA Section 313
Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ

1000 lb

SARA Section 311/312 Hazard Classes

Fire hazard
Delayed (chronic) health hazard

15.2. International regulations

CANADA

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Listed on the Canadian DSL (Domestic Substances List)

N-NONANE UNLABELED (111-84-2)

Listed on the Canadian DSL (Domestic Substances List)

3,4,4',5-TETRACB UNLABELED (70362-50-4)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

3,3',4,4'-TETRACB UNLABELED (32598-13-3)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2',3,4,4',5-PENTACB UNLABELED (65510-44-3)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2,3',4,4',5-PENTACB UNLABELED (31508-00-6)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2,3,4,4',5-PENTACB UNLABELED (74472-37-0)

Listed on the Canadian DSL (Domestic Substances List)

2,3,3',4,4'-PENTACB UNLABELED (32598-14-4)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

3,3',4,4',5-PENTACB UNLABELED (57465-28-8)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2,3',4,4',5,5'-HEXACB UNLABELED (52663-72-6)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3,3',4,4',5'-HEXACB UNLABELED (69782-90-7)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

3,3',4,4',5,5'-HEXACB UNLABELED (32774-16-6)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2,2',3,4,4',5,5'-HEPTACB UNLABELED (35065-29-3)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

2,3,3',4,4',5,5'-HEPTACB UNLABELED (39635-31-9)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

ISOCTANE UNLABELED (540-84-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

3,3',4,4',5-PENTACB UNLABELED (57465-28-8)

Listed on IARC (International Agency for Research on Cancer)

ISOCTANE UNLABELED (540-84-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

State or local regulations	U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List
----------------------------	---

3,4,4',5-TETRACB UNLABELED (70362-50-4)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

3,3',4,4'-TETRACB UNLABELED (32598-13-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2',3,4,4',5-PENTACB UNLABELED (65510-44-3)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,3',4,4',5-PENTACB UNLABELED (31508-00-6)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,3,4,4',5-PENTACB UNLABELED (74472-37-0)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,3,3',4,4'-PENTACB UNLABELED (32598-14-4)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

3,3',4,4',5-PENTACB UNLABELED (57465-28-8)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,3',4,4',5,5'-HEXACB UNLABELED (52663-72-6)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3,3',4,4',5-HEXACB UNLABELED (38380-08-4)					
Yes	Yes	Yes	Yes		

2,3,3',4,4',5'-HEXACB UNLABELED (69782-90-7)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

3,3',4,4',5,5'-HEXACB UNLABELED (32774-16-6)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,2',3,4,4',5,5'-HEPTACB UNLABELED (35065-29-3)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	Yes	Yes		

2,3,3',4,4',5,5'-HEPTACB UNLABELED (39635-31-9)					
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	No	No		

Component	State or local regulations
N-NONANE UNLABELED(111-84-2)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List
ISOCTANE UNLABELED(540-84-1)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 09/18/2023

Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

DL-PCB RH12 EXTRACTION SPIKE UNLABELED IN NONANE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.