

SAFETY DATA SHEET

Version 5.0 Revision Date 08/27/2015 Print Date 08/27/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : EN-1948 Calibration Solution, CS1 - CS5

Product Number : EDF-4947 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

This is a summary MSDS for a kit, for the full MSDS for each of the components listed in section 16 please visit our website.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel

unwell.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Refer to component MSDS

4. FIRST AID MEASURES

Refer to component MSDS

5. FIREFIGHTING MEASURES

Refer to component MSDS

6. ACCIDENTAL RELEASE MEASURES

Refer to component MSDS

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

No data available

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to component MSDS

9. PHYSICAL AND CHEMICAL PROPERTIES

Refer to component MSDS

10. STABILITY AND REACTIVITY

Refer to component MSDS

11. TOXICOLOGICAL INFORMATION

Refer to component MSDS

12. ECOLOGICAL INFORMATION

Refer to component MSDS

13. DISPOSAL CONSIDERATIONS

Refer to component MSDS

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3

Proper shipping name: Nonanes

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3

Proper shipping name: NONANES

IATA

UN number: 1920 Class: 3

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

16. OTHER INFORMATION

Kit Components:

EN-1948 Calibration Solution, CS1

EN-1948 Calibration

Flam. Liq. 3; Skin Irrit. 2; STOT SE 3;

EMS-No: F-E, S-E

Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H304, H315, H336,

H410

Packing group: III

Packing group: III

Packing group: III

Flam. Liq. 3; Skin Irrit. 2; STOT SE 3;

Solution, CS2

EN-1948 Calibration Solution, CS3

EN-1948 Calibration Solution, CS4

EN-1948 Calibration Solution, CS5

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.0 Revision Date: 08/27/2015 Print Date: 08/27/2015

Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H304, H315, H336,

H410

Flam. Liq. 3; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H304, H315, H336,

H410

Flam. Liq. 3; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H304, H315, H336,

H410

Flam. Liq. 3; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H304, H315, H336,

H410



SAFETY DATA SHEET

Version 5.1 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Sampling Std. for EN-1948-2

Product Number : EF-4138 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Cerilliant - EF-4138 Page 1 of 8

P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Nonane			
CAS-No.	111-84-2	Flam. Liq. 3; Acute Tox. 4;	>= 90 - <= 100
EC-No. 203-913-4		Skin Irrit. 2; Eye Irrit. 2A;	%
		STOT SE 3; Asp. Tox. 1; Aquatic Chronic 4; H226,	
		H304, H315, H319, H332,	
		H336, H413	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Cerilliant - EF-4138 Page 2 of 8

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Componente mi	Componente with workplace control parameters					
Component	CAS-No.	Value	Control parameters	Basis		
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Central Nervous System impairment				

Cerilliant - EF-4138 Page 3 of 8

Ì	TWA	200.000000	USA. NIOSH Recommended
		ppm	Exposure Limits
		1,050.000000	
		mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-	No data available

Cerilliant - EF-4138 Page 4 of 8

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

Cerilliant - EF-4138 Page 6 of 8

IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

	J	•	CAS-No.	Revision Date
Nonane			111-84-2	1994-04-01

Pennsylvania Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Chronic
Asp. Tox.
Eye Irrit.
Flam. Liq.
Chronic aquatic toxicity
Aspiration hazard
Eye irritation
Flammable liquids

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Cerilliant - EF-4138 Page 7 of 8

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - EF-4138 Page 8 of 8



MATERIAL SAFETY DATA SHEET

IDENTITY: EN-1948 Extraction Standard Solution n-Nonane

SECTION I

Manufacturer: Cerilliant Corporation

811 Paloma, Suite A Round Rock, TX 78665 Emergency Telephone Number: (512) 238-9974

Date Prepared: September 28, 2012

SECTION II - HAZARDOUS COMPONENTS/IDENTITY INFORMATION

Hazardous Components	Synonyms	CAS Number	%
n-Nonane	Nonane	111-84-2	99.995
2,3,7,8-Tetrachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	76523-40-5	<u><</u> 0.0001
2,3,7,8-Tetrachlorodibenzofuran- ¹³ C ₁₂	N/A	89059-46-1	<u><</u> 0.0001
1,2,3,7,8-Pentachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	109719-79-1	<u><</u> 0.0001
2,3,4,7,8-Pentachlorodibenzofuran- ¹³ C ₁₂	N/A	116843-02-8	<u><</u> 0.0001
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	109719-80-4	<u><</u> 0.0001
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	109719-81-5	<u><</u> 0.0001
1,2,3,4,7,8-Hexachlorodibenzofuran- ¹³ C ₁₂	N/A	114423-98-2	<u><</u> 0.0001
1,2,3,6,7,8-Hexachlorodibenzofuran- ¹³ C ₁₂	N/A	116843-03-9	<u><</u> 0.0001
2,3,4,6,7,8-Hexachlorodibenzofuran- ¹³ C ₁₂	N/A	116843-05-1	<u><</u> 0.0001
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	109719-83-7	<u><</u> 0.0002
1,2,3,4,6,7,8-Heptachlorodibenzofuran- ¹³ C ₁₂	N/A	109719-84-8	≤0.0002
Octachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	114423-97-1	<u>≤</u> 0.0002
Octachlorodibenzofuran- ¹³ C ₁₂	N/A	109719-78-0	<u><</u> 0.0002

SECTION III – Hazard Identification

Flammable. Flammable (EU). May cause central nervous system depression. May cause eye and skin irritation. Target organs: Central Nervous System, Cardiovascular system

SECTION IV – First Aid Measures

Eye Contact: Flush eyes with copious amounts of water for a minimum of 15 minutes and transport to a medical facility.

Ingestion: Do not induce vomiting. Give victim large quantities of liquid and transport to a medical facility.

Skin Contact: Wash affected areas with copious amounts of water and transport to a medical facility.

Inhalation: Remove to fresh air. If breathing is disturbed, give artificial respiration while transporting to a medical facility.



SECTION V- Fire Fighting Measures

Flash Point: 31°C (88°F)

Method Used: Closed cup

Flammable Limits

LEL: 0.8% UEL: 2.9%

Extinguishing Media: Dry chemical, carbon dioxide or Halon extinguisher.

Special Fire Fighting Procedures: Wear SCBA and protective clothing to prevent contact with skin and eyes.

Unusual Fire and Explosion Hazards: Flashback along vapor trail may occur.

SECTION VI- Accidental Release Measures

Evacuate area. Remove all sources of ignition. Use inert absorbent to pick up all spilled material. Transfer to a suitable waste container with non-sparking tools. Wash spill site with appropriate cleaning agent to remove residual traces of spilled material.

SECTION VII- Handling and Storage

Handling: Do not breathe vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged repeated exposure. Wash thoroughly after handling.

Storage: Room temperature (Do not store cold). Protect from light. Keep container closed. Keep away from ignition sources.

SECTION VIII-Exposure Controls/Personal Protection

As appropriate to quantity handled.

Ventilation - Local Exhaust: Use with forced ventilation. **General Mechanical:** Normal laboratory air exchange.

Special: N/A

Respiratory Protection: NIOSH approved cartridge type respirator with organic vapor cartridges recommended.

Eye Protection: Safety glasses with side shields or chemical safety goggles.

Protective Gloves: Compatible chemical resistant gloves. **Other Protective Clothing or Equipment:** Lab Coat

Work/Hygienic Practices: Only experienced personnel should be allowed to handle this material.

Exposure Limits					
	OSHA PEL	ACGIH TLV	DFG MAK	Other Limits	
n-Nonane	TWA 200 ppm	TWA 200 ppm	N/A	N/A	
2,3,7,8-Tetrachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
2,3,7,8-Tetrachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,7,8-Pentachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
2,3,4,7,8-Pentachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,4,7,8-Hexachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,6,7,8-Hexachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
2,3,4,6,7,8-Hexachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
1,2,3,4,6,7,8-Heptachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
Octachlorodibenzo-p-dioxin- ¹³ C ₁₂	N/A	N/A	N/A	N/A	
Octachlorodibenzofuran- ¹³ C ₁₂	N/A	N/A	N/A	N/A	



SECTION IX-Physical/Chemical Properties

Boiling Point (degrees C): 150.8

Melting Point (degrees C): -53.7

Specific Gravity (Water=1): 0.7176

Vapor Pressure (mmHg): 3.22 @ 20°C

Vapor Density (Air=1): 4.41

Evaporation Rate (Butyl Acetate=1): <1

Solubility in Water: Insoluble

Appearance and Odor: Clear, colorless liquid, gasoline-like odor

SECTION X-Stability and Reactivity

Stability: Stable

Conditions to Avoid: Heat, sparks, or other sources of ignition.

Incompatible Materials: Oxidizing agents

Hazardous Dcmp Pdts: Acrid smoke, irritating fumes and toxic fumes of carbon monoxide, carbon dioxide, and various

hydrocarbons.

Hazardous Polymerization: Will Not Occur

Conditions to Avoid: N/A

SECTION XI-Toxicological Information

Routes of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Carcinogenicity: NTP? Carcinogen-2,3,7,8-Tetrachlorodibenzo-p-dioxin

IARC? Carcinogen-2,3,7,8-Tetrachlorodibenzo-p-dioxin

OSHA? N/A

Symptoms of Exposure: Exposure to n-Nonane may cause irritation of the skin, eyes, respiratory tract, mouth and stomach, nausea, vomiting, depression and central nervous system excitement. It may be aspirated into the lungs resulting in pulmonary edema and chemical pneumonitis.

Toxicity Data:

n-Nonane

inhalation-rat LC₅₀: 3200 ppm/4H intravenous-mouse LD₅₀: 218 mg/kg

The toxicological properties of this formulation have not been fully investigated. It should be assumed to have toxic effects and, therefore, procedures appropriate for the safe handling of hazardous chemicals should be followed.

SECTION XII-Ecological Information

No data available.

SECTION XIII-Disposal Considerations

Waste materials should be disposed of under conditions that meet Federal, State, and Local environmental control regulations. Contact a licensed waste disposal specialist to dispose of this material.



SECTION XIV- Transportation Information

DOT

Proper Shipping Name: Nonanes Proper Shipping Name: Nonanes

UN #: 1920
Class: 3
Packing Group: III
Small quantities excepted

UN #: 1920
Class: 3
Packing Group: III
Small quantities excepted

SECTION XV-Regulatory Information

EU Directives Classification

Symbol of Danger: F

Indication of Danger: Flammable.

R:10

Risk Statements: Flammable S: 9 16 23 33

Safety Statements: Keep container in a well-ventilated place. Keep away from sources of ignition-no smoking. Do not inhale gas/fumes/vapor/spray. Take precautionary measures against static discharges.

SECTION XVI-Other Information

The information contained herein is believed to be accurate and is supplied in good faith. Cerilliant Corporation makes no warranty with respect to and assumes no legal responsibility for use of or reliance upon this information. Individuals receiving this data must exercise their own judgement in determining its suitability for a particular purpose.



SAFETY DATA SHEET

Version 5.1 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : EN-1948 Syringe Standard Solution

Product Number : ED-4140 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Cerilliant - ED-4140 Page 1 of 8

P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P280	Wear protective gloves.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Nonane			
CAS-No.	111-84-2	Flam. Liq. 3; Acute Tox. 4;	>= 90 - <= 100
EC-No.	203-913-4	Skin Irrit. 2; Eye Irrit. 2A;	%
		STOT SE 3; Asp. Tox. 1;	
		Aquatic Chronic 4; H226,	
		H304, H315, H319, H332,	
		H336, H413	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Cerilliant - ED-4140 Page 2 of 8

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment		

Cerilliant - ED-4140 Page 3 of 8

Ì	TWA	200.000000	USA. NIOSH Recommended
		ppm	Exposure Limits
		1,050.000000	
		mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
l)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-	No data available

Cerilliant - ED-4140 Page 4 of 8

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

Cerilliant - ED-4140 Page 5 of 8

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

Cerilliant - ED-4140 Page 6 of 8

IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

Pennsylvania Right To Know Components

CAS-No. Revision Date Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. Revision Date State of California to cause cancer. 114423-99-3 2007-09-28

1,2,3,4-Tetrachlorodibenzodioxin-13C12

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Chronic
Asp. Tox.
Eye Irrit.
Flam. Liq.
Chronic aquatic toxicity
Aspiration hazard
Eye irritation
Flammable liquids

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard: Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Cerilliant - ED-4140 Page 7 of 8

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - ED-4140 Page 8 of 8



SAFETY DATA SHEET

Version 5.1 Revision Date 03/19/2015 Print Date 04/24/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Native Stock Response Factor Solution

Product Number : EDF-4175 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Cerilliant - EDF-4175 Page 1 of 8

P273 P280	Avoid release to the environment. Wear eye protection/ face protection.
P280	Wear protective gloves.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration	
Nonane				
CAS-No. 111-84-2 EC-No. 203-913-4		Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 4; H226, H304, H315, H319, H332, H336, H413	>= 90 - <= 100 %	
2,3,7,8-Tetrachlorodibenzo-p-dioxin				
CAS-No. EC-No.	1746-01-6 217-122-7	Acute Tox. 1; Eye Irrit. 2A; Carc. 1A; Aquatic Acute 1; Aquatic Chronic 1; H300, H319, H350, H410	< 0.1 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Cerilliant - EDF-4175

Page 2 of 8

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Nonane	111-84-2	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment		

Cerilliant - EDF-4175 Page 3 of 8

TWA	200.000000	USA. NIOSH Recommended
	ppm	Exposure Limits
	1,050.000000	
	mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-	No data available

Cerilliant - EDF-4175 Page 4 of 8

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 **Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Packing group: III

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3

Proper shipping name: Nonanes

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

Cerilliant - EDF-4175 Page 6 of 8 IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Nonane	111-84-2	1994-04-01
2,3,7,8-Tetrachlorodibenzo-p-dioxin	1746-01-6	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Nonane	111-84-2	1994-04-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Nonane	111-84-2	1994-04-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	1746-01-6	2007-09-28
2,3,7,8-Tetrachlorodibenzo-p-dioxin		
•		

Revision Date WARNING: This product contains a chemical known to the CAS-No. State of California to cause birth defects or other reproductive 1746-01-6 2007-09-28

2,3,7,8-Tetrachlorodibenzo-p-dioxin

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity **Aquatic Acute** Acute aquatic toxicity **Aquatic Chronic** Chronic aquatic toxicity Asp. Tox. Aspiration hazard Carcinogenicity Carc. Eve irritation Eye Irrit. Flammable liquids Flam. Liq. Flammable liquid and vapour. H226 Fatal if swallowed. H300 H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

May cause cancer. H350

Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects.

Cerilliant - EDF-4175 Page 7 of 8 H413 May cause long lasting harmful effects to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.1 Revision Date: 03/19/2015 Print Date: 04/24/2015

Cerilliant - EDF-4175 Page 8 of 8