

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/12/2016

Version: 1.0

EDF-5554-CS	3
-------------	---

SECTI			stance/mixture and of the company/undertaking
1.1.	Product identi	fier	
Product	form		: Mixture
Product	name		: DIOXIN & FURAN FOOD/FEED/QQQ CAL. STANDARD (CS3) (UNLABELED/13C12, 99%) I NONANE
Product	code		: EDF-5554-CS3
1.2.	Relevant ident	tified uses of the subs	stance or mixture and uses advised against
1.2.1.	Relevant ident	tified uses	
Main use	e category		: Professional use
Industria	l/Professional us	e spec	: For professional use only
1.2.2.	Uses advised	against	
	ional information	•	
1.3.	Details of the	supplier of the safety	data sheet
50 Front Andover USA USA: 1-		nt: 1-978-749-8000 www.isotope.com	
011001000		lephone number	
Emerger	ncy numbers:		
Chemtre	ec: 1-800-424-93	00 (24 hours) 5970 (24 hours)	
SECTI	ON 2: Hazaro	ds identification	
2.1.	Classification	of the substance or m	nixture
Classific	cation according	g to Regulation (EC) N	lo. 1272/2008 [CLP]
Flam. Lic	q. 3	H226	
Acute To	ox. 4 (Inhalation)	H332	
Skin Irrit.	. 2	H315	
Eye Irrit.	2	H319	
STOT SI		H336	

Full text of H-statements: see section 16

H304

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xn; R65 Xi; R38 R67

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 3 H226 Acute Tox. 4 (Inhalation:vapour) H332 Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H336 Asp. Tox. 1 H304

Asp. Tox. 1

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Central Nervous System.

Labelling according to Regulation (EC) N	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS08 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P261 - Avoid breathing fume, mist, spray, vapours P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves
GHS-US labelling	
Hazard pictograms (GHS-US)	
	GHS02 GHS08 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing fume, mist, spray, vapours P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician P302+P352 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see Hazard pictograms (CLP) on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If skin irritation persists: Get medical advice/attention

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide., Dry chemical, Water spray for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations

2.3. **Other hazards**

Mixture

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Not applicable

3.2.

Product identifier % Name Classification according to Directive 67/548/EEC N-NONANE UNLABELED (CAS No) 111-84-2 99.984962746 R10 (EC no) 203-913-4 Xn; R20 Xn; R65 R67 Xi; R38 TOLUENE UNLABELED (CAS No) 108-88-3 0.014977715 F; R11 (EC no) 203-625-9 Xi; R38 (EC index no) 601-021-00-3 Xn; R65 Repr.Cat.3; R62 (REACH-no) 01-2119471310-51 Repr.Cat.3; R63 R67 N; R51/53 Xn; R48/20 OCTACHLORODIBENZOFURAN (13C12, 99%) 0 000006964 (CAS No) 39001-02-0 (Unlabeled) Xn: R22 Xi; R36 R53 OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%) (CAS No) 3268-87-9 (Unlabeled) 0.00006964 Xn; R22 Xn; R65 R53 1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) 0.000002785 Xn; R22 Xn; R65 (CAS No) 39227-28-6 (Unlabeled) R53 1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (CAS No) 19408-74-3 (Unlabeled) 0.000002785 Xn; R22 Xn; R65 R53 1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) 0.000002785 (CAS No) 70648-26-9 (Unlabeled) Xn; R22 Xi; R36 R53 1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%) 0.000002785 (CAS No) 72918-21-9 (Unlabeled) Xn: R22 Xi: R36 R53 2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (CAS No) 60851-34-5 (Unlabeled) 0.00002785 Xn; R22 Xi; R36 R53 1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN (13C12, (CAS No) 67562-39-4 (Unlabeled) 0.000002785 Xn; R22 Xi; R36 99%) R53 (CAS No) 57117-44-9 (Unlabeled) Xn: R22 1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) 0 000002785 Xi: R36 R53 Xn; R22 1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (CAS No) 57652-85-7 (Unlabeled) 0.000002785 Xn; R65 R53 1,2,3,4,6,8,9-HEPTACHLORODIBENZOFURAN (13C12, (CAS No) 69698-58-4 (Unlabeled) 0.000002785 Xn; R22 Xi; R36 99%) R53 18/01/2017 EN (English) 3/20

Safety Data Sheet

Name	Product identifier	%	Classification according to Directive 67/548/EEC
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 55673-89-7 (Unlabeled)	0.000002785	Xn; R22 Xi; R36 R53
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.000002785	Xn; R22 Xn; R65 R53
1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) NA	0.000002785	Xn; R22 Xn; R65 R53
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-46-6 (Unlabeled)	0.000001393	Xn; R22 Xi; R36 R53
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-31-4 (Unlabeled)	0.000001393	Xn; R22 Xi; R36 R53
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.000001393	Xn; R22 Xn; R65 R53
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 51207-31-9 (Unlabeled)	0.000001393	Xn; R22 Xi; R36 R53
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 50585-41-6 (Unlabeled)	0.000001393	Xn; R22 Xn; R65 R53
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 116865-58-8	0.000001393	Muta.Cat.3; R68 T+; R27 Xn; R65 R53
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C6, 99%)	(CAS No) 30746-58-8 (Unlabeled)	0.000001393	T+; R26/27/28 Carc.Cat.1; R45
OCTACHLORODIBENZOFURAN UNLABELED	(CAS No) 39001-02-0	0.000000348	Xn; R22 Xi; R36 R53
OCTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 3268-87-9	0.000000348	T+; R28 Xi; R36 Carc.Cat.3; R40
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 39227-28-6	0.000000139	Xn; R22 Xn; R65 R53
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 57652-85-7	0.000000139	Xn; R22 Xn; R65 R53
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 70648-26-9	0.000000139	Xn; R22 Xi; R36 R53
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN UNLABELED	(CAS No) 67562-39-4	0.000000139	Xn; R22 Xi; R36 R53
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 57117-44-9	0.000000139	Xn; R22 Xi; R36 R53
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 72918-21-9	0.000000139	Xn; R22 Xi; R36 R53
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 60851-34-5	0.000000139	Xn; R22 Xi; R36 R53

Safety Data Sheet

Name	Product identifier	%	Classification according to Directive 67/548/EEC
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 19408-74-3	0.000000139	Xn; R20/21/22 Carc.Cat.1; R45
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 35822-46-9	0.000000139	Xn; R22 Xn; R65 R53
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN UNLABELED	(CAS No) 55673-89-7	0.000000139	Xn; R22 Xi; R36 R53
2,3,7,8-TETRACHLORODIBENZOFURAN UNLABELED	(CAS No) 51207-31-9	0.0000007	Xn; R22 Xi; R36 R53
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 40321-76-4	0.0000007	Xn; R22 Xn; R65 R53
1,2,3,7,8-PENTACHLORODIBENZOFURAN UNLABELED	(CAS No) 57117-41-6	0.0000007	Xn; R22 Xi; R36 R53
2,3,4,7,8-PENTACHLORODIBENZOFURAN UNLABELED	(CAS No) 57117-31-4	0.0000007	Xn; R22 Xi; R36 R53
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 1746-01-6	0.0000007	Xn; R22 Xn; R65 R53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.984962746	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC no) 203-625-9 (EC index no) 601-021-00-3 (REACH-no) 01-2119471310-51	0.014977715	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
OCTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 39001-02-0 (Unlabeled)	0.000006964	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 3268-87-9 (Unlabeled)	0.000006964	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 39227-28-6 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 19408-74-3 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 70648-26-9 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 72918-21-9 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 60851-34-5 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 67562-39-4 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-44-9 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 57652-85-7 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,6,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 69698-58-4 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 55673-89-7 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) NA	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-46-6 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-31-4 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 51207-31-9 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 50585-41-6 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 116865-58-8	0.000001393	Acute Tox. 1 (Dermal), H310 Muta. 2, H341 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C6, 99%)	(CAS No) 30746-58-8 (Unlabeled)	0.000001393	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist) H330 Carc. 1A, H350	
OCTACHLORODIBENZOFURAN UNLABELED	(CAS No) 39001-02-0	0.00000348	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
OCTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 3268-87-9	0.00000348	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 39227-28-6	0.000000139	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 57652-85-7	0.000000139	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 70648-26-9	0.000000139	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN UNLABELED	(CAS No) 67562-39-4	0.000000139	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 57117-44-9	0.000000139	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 72918-21-9	0.000000139	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN UNLABELED	(CAS No) 60851-34-5	0.000000139	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 19408-74-3	0.000000139	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist) H332 Carc. 1A, H350	

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 35822-46-9	0.000000139	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN UNLABELED	(CAS No) 55673-89-7	0.000000139	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
2,3,7,8-TETRACHLORODIBENZOFURAN UNLABELED	(CAS No) 51207-31-9	0.0000007	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 40321-76-4	0.0000007	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,7,8-PENTACHLORODIBENZOFURAN UNLABELED	(CAS No) 57117-41-6	0.0000007	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
2,3,4,7,8-PENTACHLORODIBENZOFURAN UNLABELED	(CAS No) 57117-31-4	0.0000007	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 1746-01-6	0.0000007	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
Name	Product identifier	%	GHS-US classification	
N-NONANE UNLABELED	(CAS No) 111-84-2	99.984962746	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304	
TOLUENE UNLABELED	(CAS No) 108-88-3	0.014977715	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401	
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 3268-87-9 (Unlabeled)	0.000006964	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 39227-28-6 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 19408-74-3 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 57652-85-7 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) NA	0.000002785	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 50585-41-6 (Unlabeled)	0.000001393	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 116865-58-8	0.000001393	Acute Tox. 1 (Dermal), H310 Muta. 2, H341 STOT SE 2, H371 Asp. Tox. 1, H304	
OCTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 3268-87-9	0.000000348	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 39227-28-6	0.000000139	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 57652-85-7	0.000000139	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 35822-46-9	0.000000139	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 40321-76-4	0.0000007	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN UNLABELED	(CAS No) 1746-01-6	0.0000007	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413

Full text of R- and H-statements: see section 16

4.1. Description of first aid measures First-aid measures general : Move out of dangerous area. Consult a physician and show this safety data sheet. First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. First-aid measures after skin contact : Remove Take of Immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of scap and water. Wash contaminated clothing before reuse. First-aid measures after eye contact : Immediately ubit hyse with plenty of water for at least 15 minutes. Get immediately must atterion. First-aid measures after inspection : Immediately ubit hyse with plenty of water for at least 15 minutes. Get immediately must atterion. Symptoms/injuries after rigestion : Causes skin irritation. Symptoms/injuries after skin contact : Causes eye irritation. Symptoms/injuries after skin contact : Causes eye irritation. Symptoms/injuries after skin contact : Causes eye irritation. Symptoms/injuries after skin deticate attention and special treatment needed No additional information available Status information symptoms : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fries, apply water from as far as possible. Use vey large quantities (looding) of water applied as a nisi or sprs; solid streams of water may be ineffective. Cool all af	SECTION 4: First aid measures	
First-aid measures general : Move out of dangerous area. Consult a physician and show this safety data sheat. First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position confortable for breathing. Call a POISON CENTER or doctor/physician in you leel unwell. First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing before reuse. First-aid measures after eye contact : Immediately relie on the service of the service reuse. First-aid measures after eye contact : Immediately call a POISON CENTER or doctor/physician. 42. Most important symptoms and effects, both acute and delayed Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness. Symptoms/injuries after eye contact : Causes skin irritation. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far es possible. Use very large quantities (flooding) of water applied at a rule in soir systy; solid streatemes of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : May form fl		
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. First-aid measures after skin contact : Remove Take of immediately all contaminated clothing before reuse. First-aid measures after eye contact : Immediately fush eyes with plenty of water for at least 15 minutes. Get immediate medical attention. First-aid measures after inpestion : Immediately call a POISON CENTER or doctor/physician. 42. Most important symptoms and effects. both acute and delayed Symptoms/injuries after inhalation : Causes skin irritation. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes skin irritation. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 43. Indication of any immediate medical attention and special treatment needed No additional information available : For small fires, use media such as "alcohol" foarn, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a artist ray prize, solid streatment with air. 5.2. Special hazards arising from the substance or mixture Fire hazard : Fammable liquid and vapour. Explosion hazard : Wear self contained breathing ap		. Move out of dependencies area. Consult a physician and show this safety data sheet
First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing Brine skin with water/shower. Wash with plenty of scap and water. Wash contaminated clothing before reuse. First-aid measures after eye contact : Immediately fulls heyes with plenty of water for at least 15 minutes. Get immediate attention. First-aid measures after ingestion : Immediately fulls heyes with plenty of water for at least 15 minutes. Get immediate medical attention. 4.2. Most important symptoms and effects, both acute and delayed	First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a
First-aid measures after eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention. First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries after inhalation :: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness. Symptoms/injuries after ingestion :: Causes eye initiation. Symptoms/injuries after ingestion :: Causes eye initiation. Symptoms/injuries after ingestion :: May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray: soild streams of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Explosion hazard : Way form flammable/explosive wapour-air mixture. 5.3. Advice for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection. <td>First-aid measures after skin contact</td> <td>: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash</td>	First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash
First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after ingestion : Causes eye irritation. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray: soil streams of vater may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Flammable liquid and vapour. Explosion hazard : Flammable liquid and vapour. 5.3. Advice for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection. Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper p	First-aid measures after eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical
Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation. Symptoms/injuries after eye contact : Causes eye irritation. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray; solid streams of water. 5.2. Special hazards arising from the substance or mixture Explosion hazard : Hammable liquid and vapour. Explosion hazard : Way form flammable/explosive wapour-air mixture. 8.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Chier information : Us	First-aid measures after ingestion	
Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a d maint or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Explosion hazard : May form flammable/explosive wapour-air mixture. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory pr	4.2. Most important symptoms and effe	ects, both acute and delaved
Symptoms/injuries after eye contact : Causes eye irritation. Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting media Suitable extinguishing media <td< td=""><td>Symptoms/injuries after inhalation</td><td>: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if</td></td<>	Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if
Symptoms/Injuries after eye contact : Causes eye irritation. Symptoms/Injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting media Status : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spars; soil streams of water may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Explosion hazard : Way form flammable/explosive vapour-air mixture. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1 For non-emergency personnel Emergency procedures : Use pe	Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. 4.3. Indication of any immediate medical attention and special treatment needed No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Explosion hazard : May form flammable/explosive vapour-air mixture. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidential release measures : Remove ignition sources. Use special care to avoid static electric charges. No smoking. 6.1. Personal precautions, protective equipment and emergency procedures : Use personal protective equi	Symptoms/injuries after eye contact	: Causes eye irritation.
No additional information available SECTION 5: Firefighting media Suitable extinguishing media	Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Suitable extinguishing media Section and the extinguishing media Suitable extinguishing media	4.3. Indication of any immediate medic	al attention and special treatment needed
5.1. Extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray, solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Flammable liquid and vapour. Fire hazard : Flammable liquid and vapour. Explosion hazard : Way form flammable/explosive vapour-air mixture. Fire fighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulation to form explosive concentrations. Vapours can accumulate in low areas.	No additional information available	
Suitable extinguishing media : For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Explosion hazard : May form flammable/explosive vapour-air mixture. S.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Cher information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	SECTION 5: Firefighting measures	
a fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water. 5.2. Special hazards arising from the substance or mixture Fire hazard : Flammable liquid and vapour. Explosion hazard : May form flammable/explosive vapour-air mixture. Reactivity : Vapors may form explosive mixture with air. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	5.1. Extinguishing media	
Fire hazard : Flammable liquid and vapour. Explosion hazard : May form flammable/explosive vapour-air mixture. Reactivity : Vapors may form explosive mixture with air. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Suitable extinguishing media	fires, apply water from as far as possible. Use very large quantities (flooding) of water applied a a mist or spray; solid streams of water may be ineffective. Cool all affected containers with
Explosion hazard : May form flammable/explosive vapour-air mixture. Reactivity : Vapors may form explosive mixture with air. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures 6.1. 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulating to form explosive concentrations. Vapours can accumulate in low areas.	5.2. Special hazards arising from the s	ubstance or mixture
Reactivity : Vapors may form explosive mixture with air. 5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures 6.1. 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Fire hazard	: Flammable liquid and vapour.
5.3. Advice for firefighters Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Explosion hazard	: May form flammable/explosive vapour-air mixture.
Firefighting instructions : Wear self contained breathing apparatus for fire fighting if necessary. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Reactivity	: Vapors may form explosive mixture with air.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	5.3. Advice for firefighters	
Other information : Use water spray to cool unopened containers. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1. Personal precautions, protective equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
6.1. Personal precautions, protective equipment and emergency procedures General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulating to form explosive concentrations. Vapours can accumulate in low areas.	Other information	: Use water spray to cool unopened containers.
General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. 6.1.1. For non-emergency personnel : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulating to form explosive concentrations. Vapours can accumulate in low areas.	SECTION 6: Accidental release mea	asures
6.1.1. For non-emergency personnel Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulating to form explosive concentrations. Vapours can accumulate in low areas.	6.1. Personal precautions, protective e	quipment and emergency procedures
Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou accumulating to form explosive concentrations. Vapours can accumulate in low areas.	General measures	
ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapour accumulating to form explosive concentrations. Vapours can accumulate in low areas.	6.1.1. For non-emergency personnel	
	Emergency procedures	ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapou
6.1.2. For emergency responders	6.1.2. For emergency responders	
	No additional information available	
6.2. Environmental precautions	6.2. Environmental precautions	

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	.3. Methods and material for containment and cleaning up				
For conta	ainment	:	Contain spillage, then collect with non-combustible absorbent material. Disposal should be in accordance with applicable Federal, State and local regulations.		
6.4.	Reference to other sections				
No addit	ional information available				
SECTI	ON 7: Handling and storage				
7.1.	Precautions for safe handling				
Additiona	al hazards when processed	:	Handle empty containers with care because residual vapours are flammable.		
Precauti	ons for safe handling	:	No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.		
Hygiene	measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
7.2.	Conditions for safe storage, includin	g	any incompatibilities		
Technica	al measures	:	Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.		
Storage conditions		:	Store at room temperature away from light and moisture.		
Incompa	tible materials	:	Heat sources.		
7.3.	Specific end use(s)				
No addit	No additional information available				

SECTION 8: Exposure controls/personal protection

8.1. Control parameters						
DIOXIN & FURAN FOOD/FEED/QQQ CAL. STANDARD (CS3) (UNLABELED/13C12, 99%) IN NONANE						
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.				
N-NONANE UNLABELED (11	1-84-2)					
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.0000000000 ppm Central Nervous System impairment.				
TOLUENE UNLABELED (108	00.2)					
	,					
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.000000000 ppm Visual impairment, Female reproductive, Pregnancy loss				
USA OSHA	OSHA PEL (TWA) (ppm)	100.0000000000 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000				
USA OSHA	OSHA PEL (STEL) (ppm)	150.000000000 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000				

8.2. Exposure controls

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Hand protection	: protective gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: When appropriate, use NIOSH/CEN approved respirator.
Environmental exposure controls	: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
SECTION 0: Physical and chan	nical properties

SECT	SECTION 9: Physical and chemical properties	
9.1.	Information on basic physical and chemical properties	
The prope	The properties listed below are for the solvent, the main component of this mixture.	
Physica	state	: Liquid
Appeara	nce	: Liquid.
Molecul	ar mass	: 128.3 g/mol

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	· · · · · · · · · · · · · · · · · · ·
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31.0 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour
Vapour pressure	: 12.4 hPa (9.3 mmHg) at 37.7 °C (99.9 °F)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0 %
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.87 - 2.9 % (V)

9.2. **Other information**

No additional information available

CECT	CTION 40. Ctobility and reactivity	
SECI	CTION 10: Stability and reactivity	
10.1.	. Reactivity	
Vapors	ors may form explosive mixture with air.	
10.2.	. Chemical stability	
See sto	storage and expiration date on CoA.	
10.3.	. Possibility of hazardous reactions	
No add	dditional information available	
10.4.	. Conditions to avoid	
Open fl	n flame. Overheating. Direct sunlight. Heat. Sparks.	
10.5.	Incompatible materials	
Strong	ng oxidizing agents.	
10.6.	. Hazardous decomposition products	
Mav rel	release flammable gases.	

May release flammable gases.

LC50 inhalation rat (ppm)

ATE CLP (gases)

ATE CLP (vapours)

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	Harmful if inhaled.	
DIOXIN & FURAN FOOD/FEED/QQQ CAL. STANDARD (CS3) (UNLABELED/13C12, 99%) IN NONANE		
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h	
LC50 inhalation rat (ppm)	3200 ppm/4h	
ATE CLP (gases)	3200.000 ppmv/4h	
ATE CLP (vapours)	11.000 mg/l/4h	
ATE CLP (dust,mist)	1.500 mg/l/4h	
N-NONANE UNLABELED (111-84-2)		
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h	

3200 ppm/4h

3200.000 ppmv/4h

Safety Data Sheet

N-NONANE UNLABELED (111-84-2)	
ATE CLP (dust,mist)	23.760 mg/l/4h
	23.700 119/1/411
TOLUENE UNLABELED (108-88-3)	
LD50 oral rat	> 5580 mg/kg
LD50 dermal rabbit	12196 mg/kg
LC50 inhalation rat (mg/l)	12500 - 28800 mg/m³ 4 h
ATE CLP (dermal)	12196.000 mg/kg bodyweight
ATE CLP (vapours)	12.500 mg/l/4h
ATE CLP (dust,mist)	12.500 mg/l/4h
2,3,7,8-TETRACHLORODIBENZOFURAN UNL	ABELED (51207-31-9)
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13	C12 99%) (57117-46-6 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (40321-76-4 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (39227-28-6 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN	UNLABELED (39227-28-6)
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8-PENTACHLORODIBENZOFURAN UN	
ATE CLP (oral)	500.000 mg/kg bodyweight
2,3,4,7,8-PENTACHLORODIBENZOFURAN UN	LABELED (57117-31-4)
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (72918-21-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (60851-34-5 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (57117-44-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
2,3,7,8-TETRACHLORODIBENZOFURAN (13C	12 99%) (51207-31-9 (Liniabalad))
ATE CLP (oral)	500.000 mg/kg bodyweight
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (1	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (57652-85-7 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN UI	
	500.000 mg/kg bodyweight
ATE CLP (oral)	
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN	UNLABELED (57652-85-7)
	UNLABELED (57652-85-7) 500.000 mg/kg bodyweight

Safety Data Sheet

1,2,3,4,7,8-HEXACHLORODIBENZOFURAN UN	NLABELED (70648-26-9)
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	LINI ABELED (67562-39-4)
ATE CLP (oral)	500.000 mg/kg bodyweight
	Soc.ood hig/kg bodyweight
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN UN	NLABELED (57117-44-9)
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN U	NI ABELED (72918-21-9)
ATE CLP (oral)	500.000 mg/kg bodyweight
	Soc.ood hig/kg bodyweight
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN UN	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN	UNI ABELED (19408-74-3)
ATE CLP (oral)	500.000 mg/kg bodyweight
ATE CLP (dermal)	1100.000 mg/kg bodyweight
ATE CLP (dust,mist)	1.500 mg/l/4h
1,2,3,4,6,8,9-HEPTACHLORODIBENZOFURAN	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12. 99%) (55673-89-7 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
OCTACHLORODIBENZOFURAN (13C12, 99%)	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO	XIN (13C12. 99%) (35822-46-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg bodyweight
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO	XIN UNLABELED (35822-46-9)
ATE CLP (oral)	500.000 mg/kg bodyweight
OCTACHLORODIBENZOFURAN UNLABELED	
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	UNLABELED (55673-89-7)
ATE CLP (oral)	500.000 mg/kg bodyweight
OCTACHLORODIBENZO-P-DIOXIN UNLABEL	· · · ·
ATE CLP (oral)	500.000 mg/kg bodyweight
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1	3C12_90%) (116865-58-8)
	JOIZ, JJ /0) (11000J-J0-0)
LD50 oral	0.013 mg/kg
LD50 oral LD50 dermal	0.013 mg/kg
LD50 dermal	0.013 mg/kg 0.275 mg/kg
LD50 dermal ATE CLP (dermal)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled))
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/l/4h
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dust,mist)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/l/4h
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral)	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation.
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/k/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation. Skin - rat - Skin irritation - Draize test
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/k/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight causes skin irritation. Skin - rat - Skin irritation - Draize test : Causes serious eye irritation.
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation. Skin - rat - Skin irritation - Draize test : Causes serious eye irritation. No data available
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation. Skin - rat - Skin irritation - Draize test : Causes serious eye irritation. No data available : Not available
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation. Skin - rat - Skin irritation - Draize test : Causes serious eye irritation. No data available
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation. Skin - rat - Skin irritation - Draize test : Causes serious eye irritation. No data available : Not available
LD50 dermal ATE CLP (dermal) 1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (1 ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) 1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN ATE CLP (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity	0.013 mg/kg 0.275 mg/kg 5.000 mg/kg bodyweight 3C6, 99%) (30746-58-8 (Unlabeled)) 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 5.000 mg/kg bodyweight 0.050 mg/l/4h (13C12, 99%) (NA) 500.000 mg/kg bodyweight : Causes skin irritation. Skin - rat - Skin irritation - Draize test : Causes serious eye irritation. No data available : Not available No data available

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not available
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
	May cause drowsiness or dizziness.
Specific target organ toxicity (repeated	: Not classified
exposure)	No data available
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential adverse human health effects and symptoms	: Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

SECTION 12:	Eggladiag	intermetion
	Looiogiou	momunon

12.1. Toxicity

TOLUENE UNLABELED (108-88-3)	
LC50 fish 1	74 - 340 mg/l Lepomis macrochirus (Bluegill) - 96h
LC50 other aquatic organisms 1	10 mg/l Pseudokirchneriella subcapitata (Green algae) - 24 h
EC50 Daphnia 1	8 mg/l Daphnia magna (Water flea) - 24h
LC50 fish 2	7.63 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h
EC50 Daphnia 2	6 mg/l Daphnia magna (Water flea) - Immobilization - 48 h
ErC50 (algae)	245 mg/l Chlorella vulgaris (Fresh water algae) - 24 h
LOEC (chronic)	8.04 mg/l Pimephales promelas (Fathead minnow) - 7 d
NOEC (chronic)	5.44 mg/l Pimephales promelas (fathead minnow) - 7 d

12.2. Persistence and degradability

1,2,3,7,8-PENTACHLORODIBENZOFURAN (I3C12, 99%) (57117-46-6 (Unlabeled))	
Persistence and degradability	Not available.	
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-31-4 (Unlabeled))		
Persistence and degradability	Not available.	
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (70648-26-9 (Unlabeled))		
Persistence and degradability	Not available.	
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%) (72918-21-9 (Unlabeled))	
Persistence and degradability	Not available.	
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (60851-34-5 (Unlabeled))	
Persistence and degradability	Not available.	
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURA	N (13C12, 99%) (67562-39-4 (Unlabeled))	
Persistence and degradability	Not available.	
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (57117-44-9 (Unlabeled))	
Persistence and degradability	Not available.	
2,3,7,8-TETRACHLORODIBENZOFURAN (13	C12, 99%) (51207-31-9 (Unlabeled))	
Persistence and degradability	Not available.	
1,2,3,4,6,8,9-HEPTACHLORODIBENZOFURA	N (13C12, 99%) (69698-58-4 (Unlabeled))	
Persistence and degradability	Not available.	
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%) (55673-89-7 (Unlabeled))		
Persistence and degradability	Not available.	
OCTACHLORODIBENZOFURAN (13C12, 99%) (39001-02-0 (Unlabeled))		
Persistence and degradability	Not available.	
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (116865-58-8)	
Persistence and degradability	May cause long-term adverse effects in the environment.	

Safety Data Sheet

12.3. Bioaccumulative potential			
•	DIOXIN & FURAN FOOD/FEED/QQQ CAL. STANDARD (CS3) (UNLABELED/13C12, 99%) IN NONANE		
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
N-NONANE UNLABELED (111-84-2)			
Log Pow	5.65		
Bioaccumulative potential	Indication of bioaccumulation.		
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13	3C12, 99%) (57117-46-6 (Unlabeled))		
Bioaccumulative potential	Not available.		
2,3,4,7,8-PENTACHLORODIBENZOFURAN (1	3C12, 99%) (57117-31-4 (Unlabeled))		
Bioaccumulative potential	Not available.		
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (70648-26-9 (Unlabeled))		
Bioaccumulative potential	Not available.		
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (72918-21-9 (Unlabeled))		
Bioaccumulative potential	Not available.		
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (60851-34-5 (Unlabeled))		
Bioaccumulative potential	Not available.		
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	V (13C12, 99%) (67562-39-4 (Unlabeled))		
Bioaccumulative potential	Not available.		
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (57117-44-9 (Unlabeled))		
Bioaccumulative potential	Not available.		
2,3,7,8-TETRACHLORODIBENZOFURAN (130	:12, 99%) (51207-31-9 (Unlabeled))		
Bioaccumulative potential	Not available.		
1,2,3,4,6,8,9-HEPTACHLORODIBENZOFURA	l (13C12, 99%) (69698-58-4 (Unlabeled))		
Bioaccumulative potential	Not available.		
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	l (13C12, 99%) (55673-89-7 (Unlabeled))		
Bioaccumulative potential	Not available.		
OCTACHLORODIBENZOFURAN (13C12, 99%) (39001-02-0 (Unlabeled))		
Bioaccumulative potential	Not available.		
12.4. Mobility in soil			
1,2,3,7,8-PENTACHLORODIBENZOFURAN (1: Ecology - soil	Not available.		
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13 Ecology - soil	Not available.		
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (1 Ecology - soil	3C12, 99%) (70648-26-9 (Unlabeled)) Not available.		
	1		
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (1 Ecology - soil	3C12, 99%) (72918-21-9 (Unlabeled)) Not available.		
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (1 Ecology - soil	3C12, 99%) (60851-34-5 (Unlabeled)) Not available.		
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	I (13C12, 99%) (67562-39-4 (Unlabeled)) Not available.		
Ecology - soil	1		
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (1			
Ecology - soil	Not available.		
2,3,7,8-TETRACHLORODIBENZOFURAN (130			
Ecology - soil	Not available.		
	(13C12 99%) (69698-58-4 (Unlabeled))		
1,2,3,4,6,8,9-HEPTACHLORODIBENZOFURAN Ecology - soil	Not available.		

Safety Data Sheet

1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURA	
Ecology - soil	Not available.
OCTACHLORODIBENZOFURAN (13C12, 999	
Ecology - soil	Not available.
12.5. Results of PBT and vPvB assessme	ent
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposa
	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local
rogional logionation (tracto)	environmental control regulations.
Waste disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed
	professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No.(DOT)	: 1920
DOT NA no.	UN1920
14.2. UN proper shipping name	
14.2. UN proper shipping name Proper Shipping Name (DOT)	: Nonanes
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	· No supplementary information available
Other information	: No supplementary information available.
Overland french c=t	
Overland transport	
Packing group (ADR)	
Class (ADR)	: 3 - Flammable liquids
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
18/01/2017	EN (English) 15/20

Safety Data Sheet

Danger labels (ADR)	: 3 - Flammable liquids
Orange plates	30 1920
Tunnel restriction code	: D/E
Limited quantities (ADR)	51
EAC code	: 3Y
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids(Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Anne	x II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	

SECTION 15: Regulatory information	
5.1. US Federal regulations	
DIOXIN & FURAN FOOD/FEED/QQQ CAL. ST.	ANDARD (CS3) (UNLABELED/13C12, 99%) IN NONANE
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
N-NONANE UNLABELED (111-84-2)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
TOLUENE UNLABELED (108-88-3)	
Subject to reporting requirements of United State	es SARA Section 313
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (40321-76-4 (Unlabeled))
Not listed on the United States TSCA (Toxic Sub	ostances Control Act) inventory
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN	I (13C12, 99%) (39227-28-6 (Unlabeled))
Not listed on the United States TSCA (Toxic Sub	ostances Control Act) inventory
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN	l (13C12, 99%) (19408-74-3 (Unlabeled))
Not listed on the United States TSCA (Toxic Sub	ostances Control Act) inventory
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN	I UNLABELED (39227-28-6)
Not listed on the United States TSCA (Toxic Sub	ostances Control Act) inventory

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN UNLABELED (40321-76-4)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (50585-41-6 (Unlabeled))		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (57652-85-7 (Unlabeled))		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN UNLABELED (1746-01-6)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED (57652-85-7)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%) (35822-46-9 (Unlabeled))		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%) (3268-87-9 (Unlabeled))		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN UNLABELED (35822-46-9)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
OCTACHLORODIBENZO-P-DIOXIN UNLABELED (3268-87-9)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (116865-58-8)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (NA)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations

CANADA

DIOXIN & FURAN FOOD/FEED/QQQ CAL. STANDARD (CS3) (UNLABELED/13C12, 99%) IN NONANE

Listed on the Canadian DSL (Domestic Substances List)

TOLUENE UNLABELED (108-88-3)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations		
DIOXIN & FURAN FOOD/FEED/QQQ CAL. STANDARD (CS3) (UNLABELED/13C12, 99%) IN NONANE()		
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-NONANE UNLABELED (111-84-2)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TOLUENE UNLABELED (108-88-3)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

WARNING! This product contains a chemical known by the state of California to cause birth defects or other reproductive harm.

1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%) (40321-76-4 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (39227-28-6 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (19408-74-3 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED (39227-28-6)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN UNLABELED (40321-76-4)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (50585-41-6 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (57652-85-7 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN UNLABELED (1746-01-6)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN UNLABELED (57652-85-7)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%) (35822-46-9 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%) (3268-87-9 (Unlabeled))

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN UNLABELED (35822-46-9)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

OCTACHLORODIBENZO-P-DIOXIN UNLABELED (3268-87-9)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

1,2,3,4-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%) (116865-58-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

WARNING! This product contains a chemical known by the state of California to cause birth defects or other reproductive harm.

1,2,3,4,6,7-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%) (NA)

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-statements:

lext of R-, H- and EUH-statements.	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H300	Fatal if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H310	Fatal in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H373	May cause damage to organs through prolonged or repeated exposure
H413	May cause long lasting harmful effects to aquatic life
R10	Flammable
R11	Highly flammable
R20	Harmful by inhalation
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R27	Very toxic in contact with skin
R28	Very toxic if swallowed
R36	Irritating to eyes
R38	Irritating to skin
R40	Limited evidence of a carcinogenic effect
R45	May cause cancer
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R53	May cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
R68	Possible risk of irreversible effects
F	Highly flammable
Ν	Dangerous for the environment
T+	Very toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard

: 0 Minimal Hazard

CIL Mixture SDS

Physical

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product