

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/01/2017 EDF-5581 Revision date: 05/06/2017

Supersedes: 11/01/2017

Version: 1.1

SECTION 1: Identification of t	the substance/mixture and of the company/undertaking
1.1. Product identifier	the substance/mixture and of the company/undertaking
Product form	: Mixtures
Product name	: PCDD/F & NO PCB MIXTURE (13C12, 99%) IN NONANE
Product code	: EDF-5581
1.2. Relevant identified uses of	the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
<b>.......</b>	
No additional information available	
1.3. Details of the supplier of th	e safety data sheet
Cambridge Isotope Laboratories, Inc. 50 Frontage Road	
Andover, MA 01810	
USA	
USA: 1-800-322-1174 Int: 1-978-749	
cilsales@isotope.com www.isotope.c	
Emergency telephone num	ber
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours)	
International: 1-703-741-5970 (24 hou	
SECTION 2: Hazards identific	ation
2.1. Classification of the substa	ance or mixture
<b>Classification according to Regulation</b>	on (EC) No. 1272/2008 [CLP]
Flam. Liq. 3 H226	
Acute Tox. 4 (Inhalation) H332	
Skin Irrit. 2 H315	
Eye Irrit. 2 H319	
STOT SE 3 H336	
Asp. Tox. 1 H304	
Full text of hazard classes and H-stater	ments : see section 16
Classification according to Directive	67/548/EEC [DSD] or 1999/45/EC [DPD]
F: R11	
Xn; R65	
Xi; R38	
N; R51/53	

GHS-US classification

R67

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of R-phrases: see section 16

Full text of H statements : see section 16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

2.2. Label elements	
Labeling according to Regulation (EC) No	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	$ \land \land$
	GHS02 GHS08 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapor</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P240 - Ground/bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P261 - Avoid breathing fume, mist, spray, vapors</li> <li>P264 - Wash Both hands thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves</li> </ul>
GHS-US labeling	
Hazard pictograms (GHS-US)	HS02 GHS08 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and vapor</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing fume, mist, spray, vapors P264 - Wash Both hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - If swallowed: Immediately call a poison center/doctor/ P302+P352 - If on skin: Wash with plenty of water/ P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a poison center/doctor/ if you feel unwell P331 - Do NOT induce vomiting P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash it before reuse</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to Comply with applicable regulations

### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/Information on ingredients**

3.1. Substances

## Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.3014	R10 Xn; R20 Xn; R65 Xi; R36/37/38
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC No) 203-625-9 (EC Index No) 601-021-00-3 (REACH-no) 01-2119471310-51	0.69568	F; R11 Xi; R38 Xn; R65 Repr.Cat.3; R62 Repr.Cat.3; R63 R67 N; R51/53 Xn; R48/20
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 60851-34-5 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 39227-28-6 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53
3,3',4,4'-TETRACB (PCB-77) (13C12, 99%)	(CAS No) 105600-23-5 (EC Index No) 602-039-00-4 (Unlabeled)	0.00014	Xn; R48/20 N; R50/53
3,3',4,4',5-PENTACB (PCB-126) (13C12, 99%)	(CAS No) 208263-65-4 (EC Index No) 602-039-00-4	0.00014	Xn; R48/20 N; R50/53 R33
3,3',4,4',5,5'-HEXACB (PCB-169) (13C12, 99%)	(CAS No) 32774-16-6 (Unlabeled) (EC Index No) 602-039-00-4	0.00014	N; R50/53 Xn; R48/20/21/22
3,4,4',5-TETRACB (PCB-81) (13C12, 99%)	(CAS No) 208461-24-9 (EC Index No) 602-039-00-4	0.00014	Xn; R48/20/21/22 N; R50/53 R33
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 72918-21-9 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 55673-89-7 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-46-6 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 67562-39-4 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 1746-01-6 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53

Name	Product identifier	%	Classification according to Directive 67/548/EEC
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 19408-74-3 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-31-4 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 70648-26-9 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
OCTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 39001-02-0 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-44-9 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 51207-31-9 (Unlabeled)	0.00014	Xn; R22 Xi; R36 R53
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 3268-87-9 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 57652-85-7 (Unlabeled)	0.00014	Xn; R22 Xn; R65 R53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.3014	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3 (EC No) 203-625-9 (EC Index No) 601-021-00-3 (REACH-no) 01-2119471310-51	0.69568	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 35822-46-9 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 60851-34-5 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 39227-28-6 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
3,3',4,4'-TETRACB (PCB-77) (13C12, 99%)	(CAS No) 105600-23-5 (EC Index No) 602-039-00-4 (Unlabeled)	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,3',4,4',5-PENTACB (PCB-126) (13C12, 99%)	(CAS No) 208263-65-4 (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,3',4,4',5,5'-HEXACB (PCB-169) (13C12, 99%)	(CAS No) 32774-16-6 (Unlabeled) (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3,4,4',5-TETRACB (PCB-81) (13C12, 99%)	(CAS No) 208461-24-9 (EC Index No) 602-039-00-4	0.00014	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 72918-21-9 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 55673-89-7 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-46-6 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 67562-39-4 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 1746-01-6 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 19408-74-3 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-31-4 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 70648-26-9 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
OCTACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 39001-02-0 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 57117-44-9 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%)	(CAS No) 51207-31-9 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,2,3,7,8-PENTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 40321-76-4 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 3268-87-9 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN (13C12, 99%)	(CAS No) 57652-85-7 (Unlabeled)	0.00014	Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS No) 111-84-2	99.3014	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304
TOLUENE UNLABELED	(CAS No) 108-88-3	0.69568	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.</li> </ul>
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries	: May cause drowsiness or dizziness.

Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate media	cal attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
5.2. Special hazards arising from the s	
Fire hazard	: Flammable liquid and vapor.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
Reactivity	: Flammable liquid and vapor. vapors may form flammable mixture with air.
5.3. Advice for firefighters	
Firefighting instructions	: Wear self contained breathing apparatus for fire fighting if necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Use water spray to cool unopened containers.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Av	oid release to the environment.
6.3. Methods and material for contain	ment and cleaning up
For containment	: Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal
For containment Methods for cleaning up	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public</li> </ul>
For containment Methods for cleaning up Other information	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposa</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> </ul>
For containment Methods for cleaning up Other information <b>5.4.</b> Reference to other sections For further information refer to section 13.	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposa</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposa</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul> I Handle empty containers with care because residual vapors are flammable. <ul> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, inclu	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.</li> </ul>
For containment Methods for cleaning up Other information 5.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, inclu Fechnical measures	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.</li> <li>ding any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Keep container tightly closed in a dry and well-ventilated</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, inclu Technical measures Storage conditions	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.</li> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Keep container tightly closed in a dry and well-ventilated place.</li> </ul>
For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal.</li> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.</li> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Keep container tightly closed in a dry and well-ventilated place.</li> <li>Store at room temperature away from light and moisture.</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1. Control parameters		
PCDD/F & NO PCB MIXTURE	E (13C12, 99%) IN NONANE	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
N-NONANE UNLABELED (11	1-84-2)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
TOLUENE UNLABELED (108	-88-3)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.00000000 ppm Visual impairment, Female reproductive, Pregnancy loss
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000
USA OSHA	OSHA PEL (STEL) (ppm)	150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus. :



Materials for protective clothing	: Wear suitable protective clothing and gloves.
Hand protection	: protective gloves.
Eye protection	: Chemical goggles or face shield. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.
Environmental exposure controls	: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties	
	SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties The properties listed below are for the solvent, the main component of this mixture. Dhysical state Liquid

Physical state	: Liquid
Appearance	: Liquid.
Molecular mass	: 128.3 g/mol
Color	: Colorless.
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
05/06/2017	EN (English LIS)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

### 9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Flammable liquid and vapor. vapors may form flam	nmable mixture with air.	
10.2. Chemical stability		
See storage and expiration date on CoA.		
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Open flame. Overheating. Direct sunlight. Heat. Sparks.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
May release flammable gases.		
SECTION 11: Toxicological information	on	
11.1. Information on toxicological effects		
	: Inhalation: Harmful if inhaled.	
PCDD/F & NO PCB MIXTURE (13C12, 99%) IN	NONANE	
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h	
	3200.000 ppmV/4h	
ATE CLP (gases)	3200.000 ppinv/4ii	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (vapors) ATE CLP (dust, mist)	11.000 mg/l/4h 1.500 mg/l/4h	
ATE CLP (vapors) ATE CLP (dust, mist) Skin corrosion/irritation, Dermal, rat	11.000 mg/l/4h 1.500 mg/l/4h Result: Skin Irritation (Draize Test)	
ATE CLP (vapors) ATE CLP (dust, mist) Skin corrosion/irritation, Dermal, rat Additional information	11.000 mg/l/4h 1.500 mg/l/4h Result: Skin Irritation (Draize Test)	
ATE CLP (vapors) ATE CLP (dust, mist) Skin corrosion/irritation, Dermal, rat Additional information N-NONANE UNLABELED (111-84-2)	11.000 mg/l/4h 1.500 mg/l/4h Result: Skin Irritation (Draize Test) : S. Typhimurium Result: negative	
ATE CLP (vapors) ATE CLP (dust, mist) Skin corrosion/irritation, Dermal, rat Additional information <b>N-NONANE UNLABELED (111-84-2)</b> LC50 inhalation rat (mg/l)	11.000 mg/l/4h 1.500 mg/l/4h Result: Skin Irritation (Draize Test) : S. Typhimurium Result: negative 23760 mg/m <sup>3</sup> male - 4 h	
ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat         Additional information         N-NONANE UNLABELED (111-84-2)         LC50 inhalation rat (mg/l)         ATE CLP (gases)	11.000 mg/l/4h 1.500 mg/l/4h Result: Skin Irritation (Draize Test) : S. Typhimurium Result: negative 23760 mg/m <sup>3</sup> male - 4 h 3200.000 ppmV/4h	
ATE CLP (vapors) ATE CLP (dust, mist) Skin corrosion/irritation, Dermal, rat Additional information N-NONANE UNLABELED (111-84-2) LC50 inhalation rat (mg/l) ATE CLP (gases) ATE CLP (vapors)	11.000 mg/l/4h         1.500 mg/l/4h         Result: Skin Irritation (Draize Test)         : S. Typhimurium Result: negative         23760 mg/m³ male - 4 h         3200.000 ppmV/4h         11.000 mg/l/4h	
ATE CLP (vapors) ATE CLP (dust, mist) Skin corrosion/irritation, Dermal, rat Additional information <b>N-NONANE UNLABELED (111-84-2)</b> LC50 inhalation rat (mg/l) ATE CLP (gases) ATE CLP (vapors) ATE CLP (dust, mist)	11.000 mg/l/4h         1.500 mg/l/4h         Result: Skin Irritation (Draize Test)         : S. Typhimurium Result: negative         23760 mg/m³ male - 4 h         3200.000 ppmV/4h         11.000 mg/l/4h         23.760 mg/l/4h	
ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat         Additional information         N-NONANE UNLABELED (111-84-2)         LC50 inhalation rat (mg/l)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat	11.000 mg/l/4h         1.500 mg/l/4h         Result: Skin Irritation (Draize Test)         : S. Typhimurium Result: negative         23760 mg/m³ male - 4 h         3200.000 ppmV/4h         11.000 mg/l/4h         23.760 mg/l/4h         Result: Skin Irritation (Draize Test)	
ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat         Additional information         N-NONANE UNLABELED (111-84-2)         LC50 inhalation rat (mg/l)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat         Additional information	11.000 mg/l/4h         1.500 mg/l/4h         Result: Skin Irritation (Draize Test)         : S. Typhimurium Result: negative         23760 mg/m³ male - 4 h         3200.000 ppmV/4h         11.000 mg/l/4h         23.760 mg/l/4h         Result: Skin Irritation (Draize Test)	
ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat         Additional information         N-NONANE UNLABELED (111-84-2)         LC50 inhalation rat (mg/l)         ATE CLP (gases)         ATE CLP (vapors)         ATE CLP (dust, mist)         Skin corrosion/irritation, Dermal, rat         Additional information         TOLUENE UNLABELED (108-88-3)	11.000 mg/l/4h         1.500 mg/l/4h         Result: Skin Irritation (Draize Test)         : S. Typhimurium Result: negative         23760 mg/m³ male - 4 h         3200.000 ppmV/4h         11.000 mg/l/4h         23.760 mg/l/4h         Result: Skin Irritation (Draize Test)         : S. Typhimurium Result: negative	

TOLUENE UNLABELED (108-88-3)	
ATE CLP (dermal)	12196.000 mg/kg body weight
ATE CLP (vapors)	12.500 mg/l/4h
ATE CLP (dust, mist)	12.500 mg/l/4h
1,2,3,4,6,7,8-HEPTACHLORODIBENZO-P-DIO	(IN (13C12, 99%) (35822-46-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (60851-34-5 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (39227-28-6 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13	
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13	
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	
ATE CLP (oral)	500.000 mg/kg body weight
2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN (1	
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIOXIN	(13C12, 99%) (19408-74-3 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13	C12, 99%) (57117-31-4 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (1	3C12, 99%) (70648-26-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
OCTACHLORODIBENZOFURAN (13C12, 99%)	(39001-02-0 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13	
ATE CLP (oral)	500.000 mg/kg body weight
2,3,7,8-TETRACHLORODIBENZOFURAN (13C	
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (oral)	500.000 mg/kg body weight
OCTACHLORODIBENZO-P-DIOXIN (13C12, 99	
ATE CLP (oral)	500.000 mg/kg body weight
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIOXIN	
ATE CLP (oral)	500.000 mg/kg body weight
	: Causes skin irritation.
	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
	Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.
	May cause drowsiness or dizziness
Specific target organ toxicity – repeated	: Not classified
exposure	No data available
PCDD/F & NO PCB MIXTURE (13C12, 99%) IN	
NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
(,,,,,,,,,,,,	
N-NONANE LINI ABELED (111-84-2)	
NOAFL (oral rat 90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408) May be fatal if swallowed and enters airways.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms	: Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

SECT	ION 12: Ecological information	
12.1.	Toxicity	
Ecology	/ - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

PCDD/F & NO PCB MIXTURE (13C12, 99%) IN NONANE		
0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h		
N-NONANE UNLABELED (111-84-2)		
0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h		
TOLUENE UNLABELED (108-88-3)		
74 - 340 mg/l Lepomis macrochirus (Bluegill) - 96h		
10 mg/l Pseudokirchneriella subcapitata (Green algae) - 24 h		
8 mg/l Daphnia magna (Water flea) - 24h		
7.63 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h		
6 mg/l Daphnia magna (Water flea) - Immobilization - 48 h		
245 mg/l Chlorella vulgaris (Fresh water algae) - 24 h		
8.04 mg/l Pimephales promelas (Fathead minnow) - 7 d		
5.44 mg/l Pimephales promelas (fathead minnow) - 7 d		
3,3',4,4'-TETRACB (PCB-77) (13C12, 99%) (105600-23-5)		
> 0.002 mg/l Pimephales promelas (fathead minnow) - 96 h		
> 0.002 mg/l Daphnia magna (Water flea) - 48 h		
0.5 mg/l mortality: Pimephales promelas (fathead minnow) - 7 d		
0.1 mg/l mortality: Oncorhynchus mykiss (rainbow trout) - 7 d		

## 12.2. Persistence and degradability

2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13	3C12, 99%) (60851-34-5 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13C12, 99%) (72918-21-9 (Unlabeled))			
Persistence and degradability	Not available.		
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (55673-89-7 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,7,8-PENTACHLORODIBENZOFURAN (13	1,2,3,7,8-PENTACHLORODIBENZOFURAN (13C12, 99%) (57117-46-6 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (67562-39-4 (Unlabeled))		
Persistence and degradability	Not available.		
2,3,4,7,8-PENTACHLORODIBENZOFURAN (13	C12, 99%) (57117-31-4 (Unlabeled))		
Persistence and degradability	Not available.		
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (70648-26-9 (Unlabeled))			
Persistence and degradability	Not available.		
OCTACHLORODIBENZOFURAN (13C12, 99%) (39001-02-0 (Unlabeled))			
Persistence and degradability	Not available.		
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13C12, 99%) (57117-44-9 (Unlabeled))			
Persistence and degradability	Not available.		
2,3,7,8-TETRACHLORODIBENZOFURAN (13C12, 99%) (51207-31-9 (Unlabeled))			
Persistence and degradability	Not available.		
2.3. Bioaccumulative potential			
PCDD/F & NO PCB MIXTURE (13C12, 99%) IN NONANE			
Log Pow	5.65		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PCDD/F & NO PCB MIXTURE (13C12, 99%) IN N	
Bioaccumulative potential	Indication of bioaccumulation.
N-NONANE UNLABELED (111-84-2)	
Log Pow	5.65
Bioaccumulative potential	Indication of bioaccumulation.
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13)	C12, 99%) (60851-34-5 (Unlabeled))
Bioaccumulative potential	Not available.
3,3',4,4'-TETRACB (PCB-77) (13C12, 99%) (105	600-23-5)
Log Pow	6.63
Bioaccumulative potential	Bioaccumulation: Oryzias latipes - 20 d Bioconcentration factor (BCF): 81.5.
3,3',4,4',5,5'-HEXACB (PCB-169) (13C12, 99%)	(32774-16-6 (Unlabeled))
Log Pow	6.7
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (13	C12, 99%) (72918-21-9 (Unlabeled))
Bioaccumulative potential	Not available.
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12_99%) (55673-89-7 (Unlabeled))
Bioaccumulative potential	Not available.
1,2,3,7,8-PENTACHLORODIBENZOFURAN (130	
•	Not available.
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN Bioaccumulative potential	(13C12, 99%) (67562-39-4 (Unlabeled)) Not available.
2,3,4,7,8-PENTACHLORODIBENZOFURAN (130	
Bioaccumulative potential	Not available.
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (130	
Bioaccumulative potential	Not available.
OCTACHLORODIBENZOFURAN (13C12, 99%)	
Bioaccumulative potential	Not available.
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13)	C12, 99%) (57117-44-9 (Unlabeled))
Bioaccumulative potential	Not available.
2,3,7,8-TETRACHLORODIBENZOFURAN (13C1	2, 99%) (51207-31-9 (Unlabeled))
Bioaccumulative potential	Not available.
12.4. Mobility in soil	
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN (13	C12, 99%) (60851-34-5 (Unlabeled))
Ecology - soil	Not available.
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN (130	
Ecology - soil	Not available.
6,	
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFURAN	(13C12, 99%) (55673-89-7 (Unlabeled)) Not available.
1,2,3,7,8-PENTACHLORODIBENZOFURAN (130	
Ecology - soil	Not available.
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFURAN	
Ecology - soil	Not available.
2,3,4,7,8-PENTACHLORODIBENZOFURAN (130	
Ecology - soil	Not available.
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN (13)	C12, 99%) (70648-26-9 (Unlabeled))
Ecology - soil	Not available.
OCTACHLORODIBENZOFURAN (13C12, 99%)	(39001-02-0 (Unlabeled))
Ecology - soil	Not available.
1,2,3,6,7,8-HEXACHLORODIBENZOFURAN (13	C12, 99%) (57117-44-9 (Unlabeled))
Ecology - soil	Not available.
2,3,7,8-TETRACHLORODIBENZOFURAN (13C1	2. 99%) (51207-31-9 (Unlabeled))
Ecology - soil	Not available.
12.5. Results of PBT and vPvB assessment	
No additional information available	

No additional information available

12.6. Other adverse effects	
Other adverse effects	: Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.
Product/Packaging disposal recommendations:	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Ecology - waste materials	: Dispose of as unused product.
<b>SECTION 14: Transport information</b>	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No.(DOT)	: 1920
DOT NA no.	UN1920
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Nonanes
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: III
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
Orange plates	30
	1920
Tunnel restriction code (ADR)	
Limited quantities (ADR)	51
	3Y
Excepted quantities (ADR)	E1
Transport by sea	
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No :	128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail : (49 CFR 173.27)	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	220 L
	Flammable liquids
14.4. Environmental hazards	
Dangerous for the environment	$\wedge$
Dangeroue for the environment	NV.
	$\langle \mathbf{Y}_{2} \rangle$
Other information	No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Annex	II of MARPOL 73/78 and the IBC Code
Not applicable	
<b>SECTION 15: Regulatory information</b>	
15.1. US Federal regulations	
PCDD/F & NO PCB MIXTURE (13C12, 99%) IN	NONANE
SARA Section 302 Threshold Planning	Not subject to reporting requirements of the United States SARA Section 302.
Quantity (TPQ)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.
N-NONANE UNLABELED	
Listed on the United States TSCA (Toxic Substan	
EPA TSCA Regulatory Flag SARA Section 302 Threshold Planning	<ul> <li>T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.</li> <li>Not subject to reporting requirements of the United States SARA Section 302.</li> </ul>
Quantity (TPQ)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.
TOLUENE UNLABELED (108-88-3)	
Listed on the United States TSCA (Toxic Substar	
CERCLA RQ	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302
SARA Section 311/312 Hazard Classes	Fire hazard

SARA Section 313 - Emission Reporting

Immediate (acute) health hazard Delayed (chronic) health hazard

Subject to reporting requirements of United States SARA Section 313

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

ANADA
PCDD/F & NO PCB MIXTURE (13C12, 99%) IN NONANE
Listed on the Canadian DSL (Domestic Substances List)
N-NONANE UNLABELED
Listed on the Canadian DSL (Domestic Substances List)
TOLUENE UNLABELED (108-88-3)
Listed on the Canadian DSL (Domestic Substances List)

## 15.2.1. National regulations

## N-NONANE UNLABELED

## 15.3. US State regulations

Totol de otato regulationo	
PCDD/F & NO PCB MIXTURE (13C12, 99%) IN NONANE()	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## N-NONANE UNLABELED

IN-INOINAINE UNLAB					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
TOLUENE UNLABELE	D (108-88-3)			-	
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	Yes	No	No		
N-NONANE UNLAB					
State or local regulations					
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances					
TOLUENE UNLABELED (108-88-3)					
State or local regulations					
U.S New Jersey - Rigl	ant Discharge Requirements - Re ht to Know Hazardous Substance	List			

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances


U.S. - Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

Other information	: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.
Full text of R-, H- and EUH-phrases:	

Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4	Acute toxicity (inhalation:vapour) Category 4	
(Inhalation:vapour)		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1	
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4	
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
Repr. 2	Reproductive toxicity Category 2	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H225	Highly flammable liquid and vapor	
H226	Flammable liquid and vapor	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H336	May cause drowsiness or dizziness	
H361	Suspected of damaging fertility or the unborn child	
H373	May cause damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H413	May cause long lasting harmful effects to aquatic life	
R10	Flammable	
R11	Highly flammable	
R20	Harmful by inhalation	
R22	Harmful if swallowed	
R33	Danger of cumulative effects	
R36	Irritating to eyes	
R36/37/38	Irritating to eyes, respiratory system and skin	
R38	Irritating to skin	
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation	
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed	
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
R53	May cause long-term adverse effects in the aquatic environment	
R62	Possible risk of impaired fertility	
R63	Possible risk of harm to the unborn child	
R65	Harmful: may cause lung damage if swallowed	
R67	Vapors may cause drowsiness and dizziness	
F	Highly flammable	
Ν	Dangerous for the environment	
	Irritant	
Xi	lindin	

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	<ul> <li>3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.</li> </ul>
NFPA reactivity	<ul> <li>0 - Material that in themselves are normally stable, even under fire conditions.</li> </ul>



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# HMIS III Rating : 2 Moderate Hazard - Temporary or minor injury may occur Flammability : 3 Serious Hazard Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product