

SAFETY DATA SHEET

Version 5.0 Revision Date 03/20/2015 Print Date 03/20/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Method 1613 Calibration Solution (CS 1/10th)

Product Number : EDF-9999-0.1 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Cerilliant - EDF-9999-0.1 Page 1 of 9

Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/
	physician.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Call a POISON CENTER or doctor/ physician if you feel
	unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
	extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
	·

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration	
Nonane				
CAS-No. EC-No.	111-84-2 203-913-4	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 4; H226, H304, H315, H319, H332, H336, H413	% h Irrit. 2; Eye Irrit. 2A; % TSE 3; Asp. Tox. 1; atic Chronic 4; H226, 04, H315, H319, H332,	
Hexachloro-dibenzo	-p-dioxin			
CAS-No.	39227-28-6	Acute Tox. 3; Eye Irrit. 2A; Muta. 2; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H301, H319, H335, H341, H410	< 0.1 %	
1,2,3,7,8,9-Hexachlo	rodibenzofuran			
CAS-No.	72918-21-9	Acute Tox. 3; Eye Irrit. 2A; Muta. 2; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H301, H319, H335, H341, H410	< 0.1 %	

Cerilliant - EDF-9999-0.1 Page 2 of 9

2 ,3,7,8-Pentachlor CAS-No.	57117-41-6	Acute Tox. 3; Eye Irrit. 2A; Muta. 2; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H301, H319, H335, H341, H410	< 0.1 %
,3,4,7,8-Pentachlor	o-dibenzofuran		
CAS-No.	57117-31-4	Acute Tox. 1; Eye Irrit. 2A; Carc. 1A; STOT SE 3; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H300, H319, H335, H350, H373, H410	< 0.1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

Cerilliant - EDF-9999-0.1 Page 3 of 9

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eves. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components with	i Workplace ool	iti oi paraiii		
Component	CAS-No.	Value	Control	Basis
			parameters	
Nonane	111-84-2	TWA	200.000000	USA. ACGIH Threshold Limit Values
			ppm	(TLV)
	Remarks	Central N	ervous System impa	airment
		TWA	200.000000	USA. NIOSH Recommended
			ppm	Exposure Limits
			1,050.000000	·
			mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

Cerilliant - EDF-9999-0.1 Page 4 of 9

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: liquid **Appearance**

b) Odour No data available Odour Threshold No data available C) Hq No data available No data available

Melting point/freezing e) point

Initial boiling point and boiling range

No data available

Flash point

31 °C (88 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available i)

Upper/lower flammability or explosive limits

Upper explosion limit: 2.9 %(V) Lower explosion limit: 0.8 %(V)

Vapour pressure No data available Vapour density No data available I) m) Relative density No data available n) Water solubility No data available No data available

o) Partition coefficient: noctanol/water

Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity No data available r) s) Explosive properties No data available Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions 10.3

Vapours may form explosive mixture with air.

Conditions to avoid 10.4

Heat, flames and sparks.

Cerilliant - EDF-9999-0.1 Page 5 of 9

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Central nervous system -

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Cerilliant - EDF-9999-0.1 Page 6 of 9

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Packing group: III

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1920 Class: 3

Proper shipping name: Nonanes Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1920 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: NONANES

IATA

UN number: 1920 Class: 3 Packing group: III

Proper shipping name: Nonanes

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date Nonane 111-84-2 1994-04-01

Pennsylvania Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

New Jersey Right To Know Components

CAS-No. Revision Date
Nonane 111-84-2 1994-04-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

CAS-No. Revision Date 2007-09-28

1.2.3.7.8-Pentachlorodibenzo-p-dioxin-`1C12

Cerilliant - EDF-9999-0.1 Page 7 of 9

2,3,4,7,8-Pentachloro-dibenzofuran 57117-31-4 1,2,3,7,8-Pentachloro-dibenzofuran 57117-41-6 1,2,3,7,8,9-Hexachlorodibenzofuran 72918-21-6 Hexachloro-dibenzo-p-dioxin 39227-28-6 2,3,7,8-Tetrachlorodibenzofuran 51207-31-6 2,3,4,6,7,8-Hexachloro-dibenzofuran 60851-34-6 1,2,3,6,7,8-Hexachloro-dibenzo-p-dioxin 35822-46-6 1,2,3,4,6,7,8,9-Heptachloro-dibenzo-p-dioxin 35673-89-7 1,2,3,4,6,7,8,9-Octachloro-dibenzo-p-dioxin 19408-74-6 1,2,3,7,8-Pentachloro-dibenzo-p-dioxin 3268-87-9 1,2,3,6,7,8-Hexachloro-dibenzo-p-dioxin 40321-76-2 1,2,3,4,7,8-Hexachloro-dibenzo-p-dioxin 57653-85-7 1,2,3,4,6,7,8-Hexachloro-dibenzo-p-dioxin 70648-26-8 1,2,3,4,6,7,8-Hexachloro-dibenzo-p-dioxin 67562-39-4 2,3,7,8-Tetrachlorodibenzo-p-dioxin 1746-01-6

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive 1746-01-6 2007-09-28 harm.

2,3,7,8-Tetrachlorodibenzo-p-dioxin

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.
Aquatic Acute
Aquatic Acute
Aquatic Chronic
Asp. Tox.
Carc.
Carc.
Eye Irrit.
Flam. Liq.
Acute toxicity
Acute aquatic toxicity
Chronic aquatic toxicity
Aspiration hazard
Carcinogenicity
Eye irritation
Flammable liquids

H226 Flammable liquid and vapour.

H300 Fatal if swallowed. H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 May cause damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or

repeated exposure if swallowed.

H402 Harmful to aquatic life.

Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

Muta. Germ cell mutagenicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Cerilliant - EDF-9999-0.1 Page 8 of 9

HMIS Rating

Health hazard: 2
Chronic Health Hazard: Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.0 Revision Date: 03/20/2015 Print Date: 03/20/2015

Cerilliant - EDF-9999-0.1 Page 9 of 9