

## PBDE ALT SURROGATE STANDARD MIXTURE (13C12, 99%) 5 UG/ML IN NONANE

### Safety Data Sheet

 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Date of issue: 29/03/2019
 Revision date:
 :
 Version: 1.0

 EO-5624

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Product name	: PBDE ALT SURROGATE STANDARD MIXTURE (13C12, 99%) 5 UG/ML IN NONANE
Product code	: EO-5624
	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe	ety data sheet
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA_01810	
USA	
USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com	
Emergency telephone number	
Emergency numbers:	
Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)	
<b>SECTION 2: Hazards identification</b>	h
2.1. Classification of the substance of	r mixture
Classification according to Regulation (EC	C) No. 1272/2008 [CLP]
Flam. Liq. 3 H226	
Acute Tox. 4 (Inhalation) H332	
Skin Irrit. 2 H315	
Eye Irrit. 2 H319	
STOT SE 3 H336	
Asp. Tox. 1 H304	
Full text of hazard classes and H-statements	: see section 16
Classification according to Directive 67/54	18/EEC [DSD] or 1999/45/EC [DPD]
R10	
Xn; R20 Xn; R65	
Xi; R36/38	
R67	
Full text of R-phrases: see section 16	
GHS-US classification	
Flam. Liq. 3 H226	
Acute Tox. 4 (Inhalation) H332	

	11220
Acute Tox. 4 (Inhalation)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

## UG/ML IN NONANE EO-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

Hazard pictograms (CLP)	
	GHS02 GHS08 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: N-NONANE UNLABELED
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapor</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Net smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> </ul>
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS08 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and vapor</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H332 - Harmful if inhaled</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a doctor, a POISON CENTER if you feel unwell</li> <li>P321 - Specific treatment (see Hazardous component(s) for labeling on this label)</li> </ul>

## UG/ML IN NONANE EO-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.995829	R10 Xn; R20 Xn; R65 Xi; R36/38 R67
2,4,4'-TRIBDE (BDE-28) (13C12, 99%)	(CAS-No.) 41318-75-6 (Unlabeled)	0.0006952	Xn; R20/21/22 Carc.Cat.2; R45 Carc.Cat.2; R49
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%)	(CAS-No.) 5436-43-1 (Unlabeled)	0.0006952	Xn; R20/21/22
2,2',4,4',6-PENTABDE (BDE-100) (13C12, 99%)	(CAS-No.) 189084-64-8 (Unlabeled)	0.0006952	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,2',4,4',5,5'-HEXABDE (BDE-153) (13C12, 99%)	(CAS-No.) 68631-49-2 (Unlabeled)	0.0006952	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
2,2',3,4,4',5',6-HEPTABDE (BDE-183) (13C12, 99%)	(CAS-No.) 207122-16-5 (Unlabeled)	0.0006952	Carc.Cat.1; R45 Carc.Cat.1; R49 Xn; R22 Xi; R41 Xi; R37 Xi; R38 N; R51/53
DECABDE (BDE-209) (13C12, 99%)	(CAS-No.) 1163-19-5 (Unlabeled) (EC-No.) 214-604-9 (Unlabeled)	0.0006952	T; R25 Xn; R20 Xn; R22
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS-No.) 111-84-2 (EC-No.) 203-913-4	99.995829	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304

## UG/ML IN NONANE E0-5624

### Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,4,4'-TRIBDE (BDE-28) (13C12, 99%)	(CAS-No.) 41318-75-6 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%)	(CAS-No.) 5436-43-1 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',4,4',6-PENTABDE (BDE-100) (13C12, 99%)	(CAS-No.) 189084-64-8 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',4,4',5,5'-HEXABDE (BDE-153) (13C12, 99%)	(CAS-No.) 68631-49-2 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
2,2',3,4,4',5',6-HEPTABDE (BDE-183) (13C12, 99%)	(CAS-No.) 207122-16-5 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Chronic 2, H411
DECABDE (BDE-209) (13C12, 99%)	(CAS-No.) 1163-19-5 (Unlabeled) (EC-No.) 214-604-9 (Unlabeled)	0.0006952	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS-No.) 111-84-2	99.995829	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
2,4,4'-TRIBDE (BDE-28) (13C12, 99%)	(CAS-No.) 41318-75-6 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%)	(CAS-No.) 5436-43-1 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2,2',4,4',6-PENTABDE (BDE-100) (13C12, 99%)	(CAS-No.) 189084-64-8 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2,2',4,4',5,5'-HEXABDE (BDE-153) (13C12, 99%)	(CAS-No.) 68631-49-2 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2,2',3,4,4',5',6-HEPTABDE (BDE-183) (13C12, 99%)	(CAS-No.) 207122-16-5 (Unlabeled)	0.0006952	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H336 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

## UG/ML IN NONANE E0-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
DECABDE (BDE-209) (13C12, 99%)	(CAS-No.) 1163-19-5 (Unlabeled)	0.0006952	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332

#### Full text of R- and H- phrases: see section 16

CECTION 4. First aid massures	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.
4.3. Indication of any immediate med	lical attention and special treatment needed
Treat symptomatically.	
<b>SECTION 5: Firefighting measure</b>	s
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Alcohol resistant foam.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Flammable liquid and vapor.
Reactivity	: Flammable liquid and vapor. Vapors may form flammable mixture with air.
	a and from the offer the second second second
	. Do not optor fire area without proper protective aquipment including reapiratory protection
Firefighting instructions Protection during firefighting	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>
SECTION 6: Accidental release m	easures
	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. A	void release to the environment.
6.3. Methods and material for contain	iment and cleaning up
For containment	: Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal
Methods for cleaning up	<ul> <li>Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.</li> </ul>
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

## UG/ML IN NONANE EO-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Avoid all contact with skin, eyes, or clothing. Keep away from sources of ignition - No smoking. Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer). Take precautionary measures against static discharges.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ng any incompatibilities
Technical measures	: Store in a well-ventilated place. Keep container tightly closed. Keep dry. Ground/bond container and receiving equipment.
Storage conditions	: Store at room temperature away from light and moisture.
7.3. Specific end use(s)	

No additional information available

### **SECTION 8: Exposure controls/personal protection**

1. Control parameters		
PBDE ALT SURROGATE ST	ANDARD MIXTURE (13C12, 99%) 5 UG/ML IN NON	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
DECABDE (BDE-209) (13C12	2, 99%) (1163-19-5 (Unlabeled))	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
N-NONANE UNLABELED (11	1-84-2)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m <sup>3</sup> USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m <sup>3</sup> )	1050 California permissible exposure limits for chemical contaminants.

## UG/ML IN NONANE EO-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Exposure controls

: Ensure good ventilation of the work station.
: Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.
: Wear suitable protective clothing and gloves.
: protective gloves.
: Chemical goggles or face shield. Chemical goggles or safety glasses.
: Wear suitable protective clothing, gloves and eye/face protection.
: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Approved respirator.

Environmental exposure controls

: Avoid release to the environment.

## SECTION 9: Physical and chemical properties

**9.1.** Information on basic physical and chemical properties The properties listed below are for the solvent, the main component of this mixture.

The properties listed below are for the solvent, the main compo	
Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: 128.3 g/mol
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: <= 1.008 mm <sup>2</sup> /s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapor. Vapors may form flammable mixture with air.

### 10.2. Chemical stability

See storage and expiration date on CoA.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## UG/ML IN NONANE EO-5624

### Safety Data Sheet

10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.		
10.5. Incompatible materials No additional information available		
10.6. Hazardous decomposition products		
Carbon oxides (CO, CO2).		
<b>SECTION 11: Toxicological informati</b>	on	
11.1. Information on toxicological effects		
Acute toxicity	: Inhalation: Harmful if inhaled.	
PBDE ALT SURROGATE STANDARD MIXTU	RE (13C12, 99%) 5 UG/ML IN NONANE	
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h	
ATE CLP (vapors)	11.000 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
DECABDE (BDE-209) (13C12, 99%) (1163-19	-5 (Unlabeled))	
ATE CLP (oral)	500.000 mg/kg body weight	
ATE CLP (dermal)	1100.000 mg/kg body weight	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
N-NONANE UNLABELED (111-84-2)		
LC50 inhalation rat (mg/l)	23760 mg/m <sup>3</sup> male - 4 h	
ATE CLP (vapors)	11.000 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.	
Symptoms/effects after inhalation	: Harmful if inhaled. May cause respiratory irritation.	
Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.	

SECTION	ON 12: Ecological information	
12.1.	Toxicity	
Ecology ·	- general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2.	2.2. Persistence and degradability		
No additional information available			
12.3.	12.3. Bioaccumulative potential		
PBDE ALT SURROGATE STANDARD MIXTURE (13C12, 99%) 5 UG/ML IN NONANE			
Log Pow		5.65	
Logio			

#### UG/ML IN NONANE EO-5624

### Safety Data Sheet

IRE (13C12, 99%) 5 UG/ML IN NONANE
Indication of bioaccumulation.
5.65
Indication of bioaccumulation.
nt
: Disposal must be done according to official regulations. Very toxic to aquatic life with long lasting effects.
IS
: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
: Dispose of as unused product.
DN
: 1920
UN1920
: Nonanes
: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
: 3 - Flammable liquid
: III - Minor Danger
<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 50 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Tabl 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
: 150
203 242
: 203
: 203

## UG/ML IN NONANE E0-5624

### Safety Data Sheet

Overland transport			
Hazard identification number (Kemler No.)	: 30		
Orange plates	<u>30</u> 1920		
Tunnel restriction code (ADR)	: D/E		
Limited quantities (ADR)	5		
EAC	: 3Y		
Excepted quantities (ADR)	: E1		
Transport by sea			
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.		
MFAG-No	: 128		
Air transport			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L		
Civil Aeronautics Law	Flammable liquids		
14.4. Environmental hazards			
Other information	: No supplementary information available.		
14.5. Special precautions for user			
14.6. Transport in bulk according to Annex	I of MARPOL 73/78 and the IBC Code		
Not applicable			
SECTION 15: Regulatory information			
15.1. US Federal regulations			
PBDE ALT SURROGATE STANDARD MIXTU	RE (13C12, 99%) 5 UG/ML IN NONANE		
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
2,4,4'-TRIBDE (BDE-28) (13C12, 99%) (41318-	2,4,4'-TRIBDE (BDE-28) (13C12, 99%) (41318-75-6 (Unlabeled))		

SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%) (5436-43-1 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313		
2,2',4,4',6-PENTABDE (BDE-100) (13C12, 99%) (189084-64-8 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313		
2,2',4,4',5,5'-HEXABDE (BDE-153) (13C12, 99%) (68631-49-2 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313		

## UG/ML IN NONANE E0-5624

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,2',3,4,4',5',6-HEPTABDE (BDE-183) (13C12, 99%) (207122-16-5 (Unlabeled))		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313	
DECABDE (BDE-209) (13C12, 99%) (1163-19-5 (Unlabeled))		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	
N-NONANE UNLABELED (111-84-2)		
Listed on the United States TSCA (Toxic Substar	ces Control Act) inventory	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	

#### 15.2. International regulations

#### CANADA

PBDE ALT SURROGATE STANDARD MIXTURE (13C12, 99%) 5 UG/ML IN NONANE	
Listed on the Canadian DSL (Domestic Substances List)	
N-NONANE UNLABELED (111-84-2)	
Listed on the Canadian DSL (Domestic Substances List)	

#### 15.2.1. National regulations

No additional information available

#### 15.3. US State regulations

PBDE ALT SURROGATE STANDARD MIXTURE (13C12, 99%) 5 UG/ML IN NONANE				
U.S California - Proposition 65 - Carcinogens List		No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Propositio Toxicity - Female	n 65 - Reproductive	No		
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
State or local regulations		U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances		
2,4,4'-TRIBDE (BDE-28) (13	3C12, 99%) (41318-75-6 (Un	labeled))		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	
2,2',4,4'-TETRABDE (BDE-47) (13C12, 99%) (5436-43-1 (Unlabeled))				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	

# UG/ML IN NONANE E0-5624

### Safety Data Sheet

26, 2012 / Rules and Regulations				
	DE-100) (13C12, 99%) (18908			
U.S California - Proposition 65 -	U.S California - Proposition 65 -	U.S California - Proposition 65 -	U.S California - Proposition 65 -	No significant risk level
				(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
2,2',4,4',5,5'-HEXABDE (B	DE-153) (13C12, 99%) (6863	1-49-2 (Unlabeled))		
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
2,2',3,4,4',5',6-HEPTABDE	(BDE-183) (13C12, 99%) (20	)7122-16-5 (Unlabeled))		
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
DECABDE (BDE-209) (130	C12, 99%) (1163-19-5 (Unlab	eled))		
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
Vec		Female	Male	
Yes	Yes	Yes	Yes	
N-NONANE UNLABELED		-		
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
2.4.4'-TRIBDE (BDE-28) (1)	3C12, 99%) (41318-75-6 (Un	abeled))		•
State or local regulations				
U.S Pennsylvania - RTK (	Right to Know) List Know Hazardous Substance	List		
2.2' 4.4'-TETRABDE (BDE-	47) (13C12, 99%) (5436-43-1	(Unlabeled))		
State or local regulations	, (,, (	(		
U.S Massachusetts - Righ				
U.S Pennsylvania - RTK ( U.S New Jersey - Right to	Know Hazardous Substance	List		
	DE-100) (13C12, 99%) (18908	4-64-8 (Unlabeled))		
State or local regulations				
U.S Massachusetts - Righ U.S Pennsylvania - RTK (				
U.S New Jersey - Right to Know Hazardous Substance List				
2,2',4,4',5,5'-HEXABDE (B State or local regulations	DE-153) (13C12, 99%) (6863	1-49-2 (Unlabeled))		
<b>U</b>	nt To Know List			
U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List				
	(BDE-183) (13C12, 99%) (20	07122-16-5 (Unlabeled))		
State or local regulations				
U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List				

## UG/ML IN NONANE EO-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DECABDE (BDE-209) (13C12, 99%) (1163-19-5 (Unlabeled))
State or local regulations
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List
N-NONANE UNLABELED (111-84-2)
State or local regulations
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

#### **SECTION 16: Other information**

#### Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
Asp. Tox. 1	Aspiration hazard Category 1	
Carc. 1A	Carcinogenicity Category 1A	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H226	Flammable liquid and vapor	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H336	May cause drowsiness or dizziness	
H350	May cause cancer	
H411	Toxic to aquatic life with long lasting effects	
R10	Flammable	
R20	Harmful by inhalation	
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed	
R22	Harmful if swallowed	
R25	Toxic if swallowed	
R36/38	Irritating to eyes and skin	
R37	Irritating to respiratory system	
R38	Irritating to skin	
R41	Risk of serious damage to eyes	
R45	May cause cancer	
R49	May cause cancer by inhalation	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	
R65	Harmful: may cause lung damage if swallowed	
R67	Vapors may cause drowsiness and dizziness	
N	Dangerous for the environment	
Т	Toxic	
Xi	Irritant	
Xn	Harmful	
4/0040		

# UG/ML IN NONANE E0-5624

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product