

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 14/12/2017 Revision date: 19/07/2018 Supersedes: 22/05/2018 Version: 1.2

ES-5600

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL

Product code : ES-5600

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225

Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
Acute Tox. 3 (Inhalation) H331
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 1 H370

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

T; R39/23/24/25 Xi; R36/38

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225
Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
Acute Tox. 3 (Inhalation:vapour) H331
Skin Irrit. 2 H315
Eye Irrit. 2A H319
STOT SE 1 H370
Full text of H statements : see section 16

19/07/2018 EN (English US) 1/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Eyes, Kidney, Liver, Heart, Central nervous system. Highly flammable liquid and vapour. Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (if inhaled, if swallowed, in contact with skin). Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.

22 Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP)







: Danger

: 100% METHANOL UNLABELED

Hazardous ingredients H225 - Highly flammable liquid and vapour Hazard statements (CLP)

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation H319 - Causes serious eye irritation

H370 - Causes damage to organs (eyes, heart, kidneys, liver, central nervous system) (in

contact with skin, if inhaled, if swallowed)

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment P260 - Do not breathe dust, mist, vapors, fume, gas, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

GHS-US labeling

Hazard pictograms (GHS-US)







GHS02

GHS06

Signal word (GHS-US) : Danger

: H225 - Highly flammable liquid and vapour Hazard statements (GHS-US)

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H370 - Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal,

Inhalation, oral)

Precautionary statements (GHS-US) P210 - Keep away from heat, open flames, sparks. - No smoking.

P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust, fume, mist, gas, spray, vapors. P261 - Avoid breathing dust, fume, gas, spray, vapors, mist. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, protective gloves

P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

19/07/2018 EN (English US) 2/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P307+P311 - If exposed: Call a poison center/doctor

P311 - Call a doctor, a POISON CENTER

P312 - Call a doctor, a POISON CENTER if you feel unwell

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

P322 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry

extinguishing powder to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

PBT: not relevant - no registration required

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
|--|--|-----------|---|
| 100% METHANOL UNLABELED | (CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44 | 99.970938 | F; R11 T; R39/23/24/25 Xi; R36/38 |
| 4-NITROPHENOL (13C6, 99%) | (CAS-No.) 100-02-7 (Unlabeled) (EC-No.) 202-811-7 (Unlabeled) (EC Index-No.) 609-015-00-2 (Unlabeled) | 0.001264 | N; R51/53 T; R25 Xn; R48/20/21 |
| ISOPROPYL PARABEN (ISOPROPYL 4- HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 4191-73-5 (Unlabeled) (EC-No.) 224-069-3 (Unlabeled) | 0.001264 | Not classified |
| BENZYL PARABEN (BENZYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 94-18-8 (Unlabeled) (EC-No.) 202-311-9 (Unlabeled) | 0.001264 | Xi; R36/37/38 |
| BISPHENOL F (RING-13C12, 99%) | (CAS-No.) 620-92-8 (Unlabeled) (EC-No.) 210-658-2 (Unlabeled) | 0.001264 | Xi; R36/37/38 |
| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORO-2- HYDROXYDIPHENYL ETHER) | (CAS-No.) 3380-34-5 (Unlabeled) (EC-No.) 222-182-2 (Unlabeled) (EC Index-No.) 604-070-00-9 (Unlabeled) | 0.001264 | Xi; R36/38 N; R50/53 |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 89-83-8 (Unlabeled) (EC-No.) 201-944-8 (Unlabeled) (EC Index-No.) 604-032-00-1 (Unlabeled) | 0.001264 | Xn; R22 C; R35 Xi; R41 N; R51/53 |
| 3-METHYL-4-NITROPHENOL (13C6, 99%) | (CAS-No.) 2581-34-2 (Unlabeled) (EC-No.) 219-952-5 (Unlabeled) (EC Index-No.) | 0.001264 | Xi; R36/37/38 Xn; R20/21/22 |
| N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 94-13-3 (Unlabeled) | 0.001264 | Not classified |
| N-PENTYL PARABEN (N-PENTYL 4-HYDROXYBENZOATE) (13C6, 99%) | (CAS-No.) 6521-29-5 (Unlabeled) | 0.001264 | Xi; R36/37/38 |
| BISPHENOL A (RING-13C12, 99%) | (CAS-No.) 80-05-7 (Unlabeled) (EC-No.) 201-245-8 (Unlabeled) (EC Index-No.) 604-030-00-0 (Unlabeled) | 0.001264 | Xn; R21/22 Xi; R37 R43 Xi; R41 Repr.Cat.3; R62 Repr.Cat.3; R63 |
| 3,4,4'-TRICHLOROCARBANILIDE (4'-CHLOROPHENYL- 13C6, 99%) (TRICLOCARBAN) | (CAS-No.) 101-20-2 (Unlabeled) (EC-No.) 204-825-9 (Unlabeled) (EC Index-No.) 602-028-00-4 | 0.001264 | N; R50/53 |
| 4-ISOPROPYL-3-METHYLPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 3228-02-2 (Unlabeled) (EC-No.) 221-761-7 (Unlabeled) (EC Index-No.) | 0.001264 | Xi; R36/37/38 |
| METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 99-76-3 (unlabeled) (EC-No.) 202-785-7 | 0.001264 | R52/53 |
| ISOBUTYL PARABEN (ISOBUTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 4247-02-3 (Unlabeled) (EC-No.) 224-208-8 (Unlabeled) | 0.001264 | N; R51/53 |

19/07/2018 EN (English US) 3/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
|---|--|-----------|--|
| N-HEPTYL PARABEN (N-HEPTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 1085-12-7 (Unlabeled) (EC-No.) 214-115-0 (Unlabeled) | 0.001264 | Xi; R36/37/38 |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) | (CAS-No.) 1173020-24-0 (EC-No.) 205-426-2 (Unlabeled) (EC Index-No.) 604-075-00-6 (Unlabeled) | 0.001264 | N; R50/53 Xi; R38 Xi; R41 |
| BISPHENOL AF (RING-13C12, 99%) | (CAS-No.) 1478-61-1 (Unlabeled) (EC-No.) 216-036-7 (Unlabeled) | 0.001264 | Xi; R36/37/38 |
| 5-ISOPROPYL-2-METHYLPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 499-75-2 (Unlabeled) (EC-No.) 207-889-6 (Unlabeled) | 0.001264 | Xn; R22 Xi; R41 Xi; R38 |
| ETHYL PARABEN (ETHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 120-47-8 (Unlabeled) | 0.001264 | Not classified |
| N-BUTYL PARABEN (RING-13C6, 99%) | (CAS-No.) 94-26-8 (Unlabeled) (EC-No.) 202-318-7 | 0.001264 | Not classified |
| BISPHENOL S (13C12, 98%) | (CAS-No.) 80-09-1 (Unlabeled) (EC-No.) 201-250-5 (Unlabeled) | 0.001264 | Xn; R22 Xi; R36 Xi; R37 |
| OXYBENZONE (PHENYL-13C6, 99%) | (CAS-No.) 131-57-7 (unlabeled) (EC-No.) 205-031-5 | 0.001264 | Xi; R36/37/38 |
| P-N-NONYLPHENOL (RING-13C6, 99%) substance listed as REACH Candidate (4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]) | (CAS-No.) 104-40-5 (Unlabeled) (EC-No.) 203-199-4 | 0.001264 | Repr.Cat.3; R62 Repr.Cat.3; R63 Xn; R22 C; R34 N; R50/53 |
| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
| 100% METHANOL UNLABELED | (CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44 | 99.970938 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370 |
| 4-NITROPHENOL (13C6, 99%) | (CAS-No.) 100-02-7 (Unlabeled) (EC-No.) 202-811-7 (Unlabeled) (EC Index-No.) 609-015-00-2 (Unlabeled) | 0.001264 | Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373 Aquatic Chronic 2, H411 |
| ISOPROPYL PARABEN (ISOPROPYL 4- HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 4191-73-5 (Unlabeled) (EC-No.) 224-069-3 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| BENZYL PARABEN (BENZYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 94-18-8 (Unlabeled) (EC-No.) 202-311-9 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| BISPHENOL F (RING-13C12, 99%) | (CAS-No.) 620-92-8 (Unlabeled) (EC-No.) 210-658-2 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORO-2- HYDROXYDIPHENYL ETHER) | (CAS-No.) 3380-34-5 (Unlabeled) (EC-No.) 222-182-2 (Unlabeled) (EC Index-No.) 604-070-00-9 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 89-83-8 (Unlabeled) (EC-No.) 201-944-8 (Unlabeled) (EC Index-No.) 604-032-00-1 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| 3-METHYL-4-NITROPHENOL (13C6, 99%) | (CAS-No.) 2581-34-2 (Unlabeled) (EC-No.) 219-952-5 (Unlabeled) (EC Index-No.) | 0.001264 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 94-13-3 (Unlabeled) | 0.001264 | Not classified |
| N-PENTYL PARABEN (N-PENTYL 4-HYDROXYBENZOATE) (13C6, 99%) | (CAS-No.) 6521-29-5 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |

19/07/2018 EN (English US) 4/27

Safety Data Sheet

BISPHENOL F (RING-13C12, 99%)

TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORO-2-HYDROXYDIPHENYL ETHER)

Name

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

%

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Product identifier

| | | | 1272/2008 [CLP] |
|---|--|-----------|---|
| BISPHENOL A (RING-13C12, 99%) | (CAS-No.) 80-05-7 (Unlabeled) (EC-No.) 201-245-8 (Unlabeled) (EC Index-No.) 604-030-00-0 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 |
| 3,4,4'-TRICHLOROCARBANILIDE (4'-CHLOROPHENYL- 13C6, 99%) (TRICLOCARBAN) | (CAS-No.) 101-20-2 (Unlabeled) (EC-No.) 204-825-9 (Unlabeled) (EC Index-No.) 602-028-00-4 | 0.001264 | Aquatic Chronic 1, H410 |
| 4-ISOPROPYL-3-METHYLPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 3228-02-2 (Unlabeled) (EC-No.) 221-761-7 (Unlabeled) (EC Index-No.) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 99-76-3 (unlabeled) (EC-No.) 202-785-7 | 0.001264 | Aquatic Chronic 3, H412 |
| ISOBUTYL PARABEN (ISOBUTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 4247-02-3 (Unlabeled) (EC-No.) 224-208-8 (Unlabeled) | 0.001264 | Aquatic Chronic 2, H411 |
| N-HEPTYL PARABEN (N-HEPTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 1085-12-7 (Unlabeled) (EC-No.) 214-115-0 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) | (CAS-No.) 1173020-24-0 (EC-No.) 205-426-2 (Unlabeled) (EC Index-No.) 604-075-00-6 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| BISPHENOL AF (RING-13C12, 99%) | (CAS-No.) 1478-61-1 (Unlabeled) (EC-No.) 216-036-7 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| 5-ISOPROPYL-2-METHYLPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 499-75-2 (Unlabeled) (EC-No.) 207-889-6 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| ETHYL PARABEN (ETHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 120-47-8 (Unlabeled) | 0.001264 | Not classified |
| N-BUTYL PARABEN (RING-13C6, 99%) | (CAS-No.) 94-26-8 (Unlabeled) (EC-No.) 202-318-7 | 0.001264 | Not classified |
| BISPHENOL S (13C12, 98%) | (CAS-No.) 80-09-1 (Unlabeled) (EC-No.) 201-250-5 (Unlabeled) | 0.001264 | Eye Irrit. 2, H319 STOT SE 3, H335 |
| OXYBENZONE (PHENYL-13C6, 99%) | (CAS-No.) 131-57-7 (unlabeled) (EC-No.) 205-031-5 | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 |
| P-N-NONYLPHENOL (RING-13C6, 99%) substance listed as REACH Candidate (4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]) | (CAS-No.) 104-40-5 (Unlabeled) (EC-No.) 203-199-4 | 0.001264 | Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 |
| Name | Product identifier | % | GHS-US classification |
| 100% METHANOL UNLABELED | (CAS-No.) 67-56-1 | 99.970938 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370 |
| 4-NITROPHENOL (13C6, 99%) | (CAS-No.) 100-02-7 (Unlabeled) | 0.001264 | Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| ISOPROPYL PARABEN (ISOPROPYL 4- HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 4191-73-5 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| BENZYL PARABEN (BENZYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 94-18-8 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |

19/07/2018 EN (English US) 5/27

(CAS-No.) 620-92-8 (Unlabeled)

(CAS-No.) 3380-34-5 (Unlabeled)

0.001264

0.001264

Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 1, H400

Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | GHS-US classification |
|--|---------------------------------|----------|---|
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 89-83-8 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| 3-METHYL-4-NITROPHENOL (13C6, 99%) | (CAS-No.) 2581-34-2 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 94-13-3 (Unlabeled) | 0.001264 | Aquatic Acute 2, H401 |
| N-PENTYL PARABEN (N-PENTYL 4-HYDROXYBENZOATE) (13C6, 99%) | (CAS-No.) 6521-29-5 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| BISPHENOL A (RING-13C12, 99%) | (CAS-No.) 80-05-7 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 Aquatic Acute 2, H401 |
| 3,4,4'-TRICHLOROCARBANILIDE (4'-CHLOROPHENYL- 13C6, 99%) (TRICLOCARBAN) | (CAS-No.) 101-20-2 (Unlabeled) | 0.001264 | Aquatic Chronic 1, H410 |
| 4-ISOPROPYL-3-METHYLPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 3228-02-2 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 99-76-3 (unlabeled) | 0.001264 | Aquatic Acute 3, H402 Aquatic Chronic 3, H412 |
| ISOBUTYL PARABEN (ISOBUTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 4247-02-3 (Unlabeled) | 0.001264 | Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |
| N-HEPTYL PARABEN (N-HEPTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) | (CAS-No.) 1085-12-7 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) | (CAS-No.) 1173020-24-0 | 0.001264 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| BISPHENOL AF (RING-13C12, 99%) | (CAS-No.) 1478-61-1 (Unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| 5-ISOPROPYL-2-METHYLPHENOL (ISOPROPYL-13C3, 99%) | (CAS-No.) 499-75-2 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| ETHYL PARABEN (ETHYL 4-HYDROXYBENZOATE) (RING- 13C6, 99%) | (CAS-No.) 120-47-8 (Unlabeled) | 0.001264 | Aquatic Acute 2, H401 |
| N-BUTYL PARABEN (RING-13C6, 99%) | (CAS-No.) 94-26-8 (Unlabeled) | 0.001264 | Not classified |
| BISPHENOL S (13C12, 98%) | (CAS-No.) 80-09-1 (Unlabeled) | 0.001264 | Eye Irrit. 2A, H319 STOT SE 3, H335 |
| OXYBENZONE (PHENYL-13C6, 99%) | (CAS-No.) 131-57-7 (unlabeled) | 0.001264 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 |
| P-N-NONYLPHENOL (RING-13C6, 99%) | (CAS-No.) 104-40-5 (Unlabeled) | 0.001264 | Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 |

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: If medical advice is needed, have product container or label at hand. Call a physician immediately. Evacuate danger area.

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact

: Rinse skin with water/shower. Take immediately victim to hospital. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

First-aid measures after ingestion

: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Call a physician immediately.

19/07/2018 EN (English US) 6/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation.

Repeated exposure to this material can result in absorption through skin causing significant Symptoms/effects after skin contact

health hazard. Toxic in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact Causes serious eye irritation.

Symptoms/effects after ingestion Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Dry powder. Dry sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. Fire hazard

: May form flammable/explosive vapor-air mixture. Explosion hazard

Reactivity : Highly flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

Advice for firefighters

Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing. Wear recommended personal protective equipment.

Other information Use water spray to cool exposed surfaces.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Wear respiratory protection. Do not breathe dust, mist, gas, spray, vapors, fume. Avoid contact

with skin, eyes and clothing. Ventilate spillage area. Remove all sources of ignition. No open flames, no sparks, and no smoking. Ensure adequate air ventilation. Special attention should be given to low areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection"."

Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

Methods and material for containment and cleaning up

For containment : Dike and contain spill.

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public Methods for cleaning up

waters. This material and its container must be disposed of in a safe way, and as per local legislation.

: Dispose of materials or solid residues at an authorized site. Other information

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapors, mist. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.

EN (English US) 19/07/2018 7/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep

container tightly closed. Store locked up.

Storage conditions : Store at room temperature away from light and moisture.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| JECS PHENOL/PARABEN C | LEAN-UP STANDARD (13C, 99%) 10 UG/ML | IN METHANOL |
|--|---------------------------------------|--|
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) |
| Italy - Portugal - USA ACGIH | ACGIH STEL (ppm) | 250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) |
| Italy - Portugal - USA ACGIH | Remark (ACGIH) | Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption. |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 260 mg/m³ Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (mg/m³) | 325 mg/m³ Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 250 ppm Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | Remark (NIOSH) | Potential for dermal absorption. |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 260 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (TWA) (ppm) | 200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (STEL) (mg/m³) | 325 mg/m³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (STEL) (ppm) | 250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | Remark (OSHA) | The value in mg/m3 is approximate. Skin notation. |
| 3.4.4'-TRICHLOROCARBANI | LIDE (4'-CHLOROPHENYL-13C6, 99%) (TRI | CLOCARBAN) (101-20-2 (Unlabeled)) |
| A CONTRACTOR OF THE CONTRACTOR | | |

3,4,4'-TRICHLOROCARBANILIDE (4'-CHLOROPHENYL-13C6, 99%) (TRICLOCARBAN) (101-20-2 (Unlabeled)) Italy - Portugal - USA ACGIH ACGIH TWA (ppm) 25.00000000 ppm Central Nervous System impairment. Confirmed animal carcinogen. Italy - Portugal - USA ACGIH ACGIH STEL (ppm) 100 ppm Central Nervous System impairment. Confirmed animal carcinogen.

| 100% METHANOL UNLABELED (67-56-1) | | |
|-----------------------------------|------------------|---|
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) |
| Italy - Portugal - USA ACGIH | ACGIH STEL (ppm) | 250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV) |

19/07/2018 EN (English US) 8/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 100% METHANOL UNLABELED (67-56-1) | | |
|-----------------------------------|--------------------------|--|
| Italy - Portugal - USA ACGIH | Remark (ACGIH) | Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption. |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 260 mg/m³ Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (mg/m³) | 325 mg/m³ Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 250 ppm Basis: NIOSH Recommended Exposure Limits |
| USA NIOSH | Remark (NIOSH) | Potential for dermal absorption. |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 260 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (TWA) (ppm) | 200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (STEL) (mg/m³) | 325 mg/m³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (STEL) (ppm) | 250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| USA OSHA | Remark (OSHA) | The value in mg/m3 is approximate. Skin notation. |

| JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL | |
|---|-------------------------|
| DNEL/DMEL (Workers) | |
| Acute - systemic effects, dermal | 40 mg/kg bodyweight/day |
| Acute - systemic effects, inhalation | 260 mg/m³ |
| Acute - local effects, dermal | 260 mg/cm ² |
| Long-term - systemic effects, dermal | 40 mg/kg bodyweight/day |
| Long-term - local effects, dermal | 260 mg/cm ² |
| Long-term - local effects, inhalation | 260 mg/m³ |
| DNEL/DMEL (General population) | |
| Acute - systemic effects, dermal | 8 mg/kg body weight |
| Acute - systemic effects, inhalation | 50 mg/m³ |
| Acute - systemic effects, oral | 8 mg/kg body weight |
| Acute - local effects, inhalation | 50 mg/m³ |
| Long-term - systemic effects,oral | 8 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 50 mg/m³ |
| Long-term - systemic effects, dermal | 8 mg/kg bodyweight/day |
| Long-term - local effects, inhalation | 50 mg/m³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 154 mg/l |
| PNEC aqua (marine water) | 15.4 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 570.4 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 23.5 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 100 mg/kg |

19/07/2018 EN (English US) 9/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls

Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear eye protection. Chemical goggles or face shield with safety glasses.

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: LiquidMolecular mass: 32.04 g/molColor: ColorlessOdor: Pungent

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : -98 °C (-144 °F) Freezing point : No data available Boiling point : 64.7 °C (148.5 °F)

Flash point : 9.7 °C (49.5 °F) - closed cup

Auto-ignition temperature : 455 °C (851 °F) at 1,013 hPa (760 mmHg)

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour

Vapor pressure : 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F)

Vapor pressure at 50 °C : 546.6 hPa (410 mmHg) at 50 °C (122 °F)

Relative vapor density at 20 °C : 1.11

Relative density : No data available

Specific gravity / density : 0.791 g/ml at 25 °C (77 °F)
Solubility : Water: Completely miscible

Log Pow : -0.77

Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : Product is not explosive.

Oxidizing properties : Non oxidizing material according to EC criteria.

Explosion limits : 6 - 36 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

19/07/2018 EN (English US) 10/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Acid anhydrides. Acid chlorides. Oxidizing agent. Alkali Metal Amides. Reducing agents. Acids.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

| JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL | |
|---|--|
| LD50 oral rat | 1187 - 2769 mg/kg |
| LD50 dermal rabbit | 17100 mg/kg |
| LC50 inhalation rat (mg/l) | 128.2 mg/l/4h ; 87.6 mg/l - 6 h |
| ATE CLP (oral) | 100.029 mg/kg body weight |
| ATE CLP (dermal) | 300.000 mg/kg body weight |
| ATE CLP (gases) | 700.000 ppmV/4h |
| ATE CLP (vapors) | 3.000 mg/l/4h |
| ATE CLP (dust, mist) | 0.500 mg/l/4h |
| LDLO, oral, human | 143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

| 4-NITROPHENOL (13C6, 99%) (100-02-7 (Unlabeled)) | |
|--|--|
| LD50 oral rat | 202 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral: Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration: Dyspnea. |
| LD50 dermal rat | 1024 mg/kg |
| ATE CLP (oral) | 202.000 mg/kg body weight |
| ATE CLP (dermal) | 1100.000 mg/kg body weight |
| ATE CLP (dust, mist) | 1.500 mg/l/4h |

| ISOPROPYL PARABEN (ISOPROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (4191-73-5 (Unlabeled)) | | |
|--|----------------|---------------------------|
| | ATE CLP (oral) | 500.000 mg/kg body weight |

| BISPHENOL F (RING-13C12, 99%) (620-92-8 (Unlabeled)) | |
|--|----------------------------|
| LD50 oral rat | 4950 mg/kg |
| ATE CLP (oral) | 4950 000 mg/kg body weight |

| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORO-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled)) | |
|--|----------------------------|
| LD50 oral rat | 3700 mg/kg |
| LD50 dermal rabbit | 9300 mg/kg |
| ATE CLP (oral) | 3700.000 mg/kg body weight |

| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROPYL-13C3, 99%) (89-83-8 (Unlabeled)) | |
|--|--------------------------------|
| LD50 oral rat | 980 mg/kg - male and female |
| LD50 dermal rat | > 2000 mg/kg - male and female |
| ATE CLP (oral) | 500.000 mg/kg body weight |

| 3-METHYL-4-NITROPHENOL (13C6, 99%) (2581-34-2 (Unlabeled)) | |
|--|----------------------------|
| LD50 oral rat | 1200 mg/kg |
| ATE CLP (oral) | 500.000 mg/kg body weight |
| ATE CLP (dermal) | 1100.000 mg/kg body weight |
| ATE CLP (gases) | 4500.000 ppmV/4h |
| ATE CLP (vapors) | 11.000 mg/l/4h |
| ATE CLP (dust, mist) | 1.500 mg/l/4h |

N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (94-13-3 (Unlabeled)) LD50 oral rat > 5000 mg/kg (OECD Test Guideline 401)

| BISPHENOL A (RING-13C12, 99%) (80-05-7 (Unlabeled)) | |
|---|----------------------------|
| LD50 oral rat > 2,000 - 5,000 mg/kg - male and female - (OECD Test Guideline 401) | |
| LD50 dermal rabbit | 3000 mg/kg |
| ATE CLP (oral) | 500.000 mg/kg body weight |
| ATE CLP (dermal) | 1100.000 mg/kg body weight |

19/07/2018 EN (English US) 11/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 4-ISOPROPYL-3-METHYLPHENOL (ISOPROPYL-13C3, 99%) (3228-02-2 (Unlabeled)) | | |
|--|---|--|
| LD50 oral rat | 6280 mg/kg - Mouse ; Remarks : Peripheral Nerve and Sensation: Spastic paralysis with or | |
| | without sensory change. Lungs, Thorax, or Respiration: Respiratory stimulation. | |
| METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled)) | | |
| LD50 oral rat | 2100 mg/kg (OCED Test Guideline 401) | |
| ATE CLP (oral) | 2100.000 mg/kg body weight | |
| ` | (YBENZOATE) (RING-13C6, 99%) (4247-02-3 (Unlabeled)) | |
| LD50 oral rat | 2600 mg/kg | |
| N-HEPTYL PARABEN (N-HEPTYL 4-HYDROX | (YBENZOATE) (RING-13C6, 99%) (1085-12-7 (Unlabeled)) | |
| LD50 | mg/kg | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (1 | 173020-24-0) | |
| LD50 oral rat | > 2000 mg/kg male and female (OECD Test Guideline 401) | |
| BISPHENOL AF (RING-13C12, 99%) (1478-61 | -1 (Unlabeled)) | |
| LD50 oral rat | 3400 mg/kg Gestrointestinal:Other changes. Liver: Other Changes. Kidney, Ureter, Bladder: Other changes. | |
| ATE CLP (oral) | 3400.000 mg/kg body weight | |
| 5-ISOPROPYL-2-METHYLPHENOL (ISOPROF | PYL-13C3, 99%) (499-75-2 (Unlabeled)) | |
| LD50 oral rat | 810 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). | |
| .== 2.2 () | Behavioral:Convulsions or effect on seizure threshold. | |
| ATE CLP (oral) | 500.000 mg/kg body weight | |
| | OATE) (RING-13C6, 99%) (120-47-8 (Unlabeled)) | |
| LD50 oral rat | > 3100 mg/kg (OECD Test Guideline 401) | |
| BISPHENOL S (13C12, 98%) (80-09-1 (Unlabe | eled)) | |
| LD50 oral rat | 4556 mg/kg | |
| LD50 dermal rabbit | > 10250 mg/kg | |
| ATE CLP (oral) | 4556.000 mg/kg body weight | |
| OXYBENZONE (PHENYL-13C6, 99%) (131-57 | -7 (unlabeled)) | |
| LD50 oral rat | 7400 mg/kg | |
| ATE CLP (oral) | 7400.000 mg/kg body weight | |
| P-N-NONYLPHENOL (RING-13C6, 99%) (104- | 40-5 (Unlabeled)) | |
| LD50 oral rat | 1620 mg/kg | |
| ATE CLP (oral) | 1620.000 mg/kg body weight | |
| 100% METHANOL UNLABELED (67-56-1) | | |
| LD50 oral rat | 1187 - 2769 mg/kg | |
| LD50 dermal rabbit | 17100 mg/kg | |
| LC50 inhalation rat (mg/l) | 128.2 mg/l/4h ; 87.6 mg/l - 6 h | |
| ATE CLP (oral) | 100.000 mg/kg body weight | |
| ATE CLP (dermal) | 300.000 mg/kg body weight | |
| ATE CLP (vapors) | 3.000 mg/l/4h | |
| ATE CLP (dust, mist) | 128.200 mg/l/4h | |
| LDLO, oral, human | 143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. | |
| Skin corrosion/irritation | : Skin. Rabbit. Result: No skin irritation | |
| Serious eye damage/irritation | : Eyes. Rabbit. Result: No eye irritation | |
| Respiratory or skin sensitization | : Maximisation Test . Guinea pig. Did not cause sensitization. (OECD 406 method) | |
| Germ cell mutagenicity | : AMES test: S. tymphimurium. Result: negative. fibroblast. Result: Negative. Mutation in mammalian somatic cells. Mutagenicity (in vivo mammalian bone-marrow cystogenetic test, chromosomal analysis) - Mouse - male and female Result: negative. Mouse - male and female. Result: Negative | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Damage to fetus not classifiable. Fertility classification not possible from current data. | |
| Specific target organ toxicity – single exposure | : Causes damage to organs through prolonged or repeated exposure | |
| | Causes damage to organs | |
| Specific target organ toxicity – repeated exposure | : The substance or mixture is not classified as specific target organ toxicant, repeated exposure. No data available | |
| 10/07/2019 | EN (English LIC) | |

19/07/2018 EN (English US) 12/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORO-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled)) | | |
|--|---|--|
| LOAEL (oral,rat,90 days) | 75 mg/kg bodyweight/day Rat - male and female - No observed adverse effect level. LOAEL 200 mg/kg | |
| LOAEL (dermal,rat/rabbit,90 days) | > 80 mg/kg bodyweight/day Rat - male and female - No observed adverse effect level. | |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROP | YL-13C3, 99%) (89-83-8 (Unlabeled)) | |
| Additional information | Repeated dose toxicity Rat - male and female - Oral - NOAEL : 8 mg/kg | |
| BISPHENOL A (RING-13C12, 99%) (80-05-7 (U | nlabeled)) | |
| LOAEL (oral,rat,90 days) | 600 mg/kg bodyweight/day male and female - OECD Test Guideline 407 | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (1 | 173020-24-0) | |
| LOAEL (oral,rat,90 days) | 150 mg/kg bodyweight/day male and female - No observed adverse effect level | |
| Aspiration hazard : No aspiration toxicity classification. | | |
| Potential Adverse human health effects and symptoms | : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach. | |
| Symptoms/effects after inhalation | : Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation. | |
| Symptoms/effects after skin contact | : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin. Causes skin irritation. | |
| Symptoms/effects after eye contact | : Causes serious eye irritation. | |
| Symptoms/effects after ingestion | : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard. | |

SECTION 12: Ecological information

| d | 2.1 | T | oxic | :4 |
|---|-----|------|------|-----|
| ı | Ζ. | - 10 | JXIC | Iτν |

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| | one of a man of the office of | |
|--|---|--|
| JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL | | |
| LC50 fish 1 | 15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h | |
| EC50 Daphnia 1 | > 10000 mg/l Daphnia magna (Water flea) - 48 h | |
| EC50 Daphnia 2 | 22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h | |
| NOEC (acute) | 7900 mg/l Oryzias latipes - 200 h | |
| 4-NITROPHENOL (13C6, 99%) (100-02-7 (Unla | beled)) | |
| LC50 fish 1 | 26.7 - 31.3 mg/l Cyprinodon variegatus (sheepshead minnow) - 96 h | |
| LC50 other aquatic organisms 1 | 30.4 - 67 mg/l Pimephales promelas (fathead minnow) - 96 h | |
| EC50 Daphnia 1 | 3.1 - 24 mg/l Daphnia magna (Water flea) - 48 h | |
| EC50 other aquatic organisms 1 | 11 mg/l - 48 h | |
| LC50 fish 2 | 3.8 - 18 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h | |
| NOEC (chronic) | 5.31 mg/l Oncorhynchus mykiss (rainbow trout) - 14 d | |
| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLOR | O-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled)) | |
| LC50 fish 1 | 0.288 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h | |
| EC50 Daphnia 1 | 0.39 mg/l Daphnia magna (Water flea) - 48 h | |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROPYL-13C3, 99%) (89-83-8 (Unlabeled)) | | |
| LC50 fish 1 | 4.7 mg/l - Oryzias latipes - 96.0 h (OECD Test Guideline 203) | |
| LC50 other aquatic organisms 1 | 4.5 mg/l Immobilization LC50 - Daphnia magna (Water flea) - 48 h (OECD Test Guideline 202) | |
| ErC50 (algae) | 14 mg/l Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - 72 h (OECD Test Guideline 201) | |
| 3-METHYL-4-NITROPHENOL (13C6, 99%) (2581-34-2 (Unlabeled)) | | |
| LC50 fish 1 | 8.4 mg/l Oryzias latipes - 48 h | |
| EC50 Daphnia 1 | 33 mg/l Daphnia magna (Water flea) - 24 h | |
| N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (94-13-3 (Unlabeled)) | | |
| LC50 fish 1 | 6.4 mg/l Danio rerio - 96 h (OECD Test Guideline 203) | |
| EC50 Daphnia 1 | 15.4 mg/l Daphnia magna - 48 h (ISO 6341) | |
| EC50 other aquatic organisms 1 | 7.6 mg/l Pseudokirchneriella subcapitata - 72 h (OECD Test Guideline 201) | |
| | | |

19/07/2018 EN (English US) 13/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| BISPHENOL A (RING-13C12, 99%) (80-05-7 (Unlabeled)) | | | |
|--|--|--|--|
| LC50 fish 1 | 4.6 mg/l Pimephales promelas (fathead minnow) - 96 h | | |
| EC50 Daphnia 1 | 3.9 mg/l Daphnia magna (Water Flea) - 48 h | | |
| METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled)) | | | |
| LC50 fish 1 | 59.5 mg/l Oryzias latipes - 96 h | | |
| EC50 Daphnia 1 | 41.1 mg/l Daphnia magna (water flea) - 48 h | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 | | | |
| LC50 fish 1 | 0.293 mg/l static test - Fundulus heteroclitus - 96 h | | |
| ErC50 (algae) | 1.9 mg/l static test - Selenastrum capricornutum (green algae) - 96 h | | |
| , , | | | |
| LC50 fish 1 | DATE) (RING-13C6, 99%) (120-47-8 (Unlabeled)) 15 mg/l Danio rerio (Zebra fish) - 96 h | | |
| EC50 Daphnia 1 | 10 - 20 mg/l Daphnia magna (Water flea) - 48 h | | |
| EC50 other aquatic organisms 1 | 37 mg/l Pseudokirchneriella subcapitata (green algae) - 72 h | | |
| | 1 10 0 7 | | |
| P-N-NONYLPHENOL (RING-13C6, 99%) (104-4 | | | |
| LC50 fish 1 | 1.4 mg/l Pimephales promels (fathead minnow) - 96 h 0.18 mg/l Daphnia magna (Water flea) - 24 h | | |
| EC50 Daphnia 1 ErC50 (algae) | 0.243 mg/l Algae - 4 Months | | |
| | 0.243 High Algae - 4 Months | | |
| 100% METHANOL UNLABELED (67-56-1) | 45400 mm/l manufality I OSO I amanufa manakanaki mm/ (Disamili) OO k | | |
| LC50 fish 1 | 15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h | | |
| EC50 Daphnia 1 | > 10000 mg/l Daphnia magna (Water flea) - 48 h | | |
| EC50 Daphnia 2 | 22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h 7900 mg/l Oryzias latipes - 200 h | | |
| NOEC (acute) | 7900 mg/i Oryzias latipes - 200 fi | | |
| 12.2. Persistence and degradability | | | |
| JECS PHENOL/PARABEN CLEAN-UP STAND | ARD (13C. 99%) 10 UG/ML IN METHANOL | | |
| Biochemical oxygen demand (BOD) | 600 - 1200 mg/g | | |
| Chemical oxygen demand (COD) | 1420 mg/g | | |
| ThOD | 1500 mg/g | | |
| Biodegradation | 72 % - rapidly biodegradable aerobic - Exposure time 5 d | | |
| 4-NITROPHENOL (13C6, 99%) (100-02-7 (Unlabeled)) | | | |
| Persistence and degradability | Aerobic - exposure time: 28 d. | | |
| Biodegradation | Result: 90 % - Readily biodegradable | | |
| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORG | D-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled)) | | |
| Persistence and degradability | Aerobic - exposure time: 28 d. May cause long-term adverse effects in the environment. | | |
| Biodegradation | 37 % Not readily biodegradable. | | |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROPY | YI -13C3 99%) (89-83-8 (Unlabeled)) | | |
| Persistence and degradability | May cause long-term adverse effects in the environment. | | |
| Biodegradation | 83 % - Readily biodegradable. aerobic - Exposure time 28 d (OECD Test Guideline 302B) | | |
| | YBENZOATE) (RING-13C6, 99%) (94-13-3 (Unlabeled)) | | |
| Biodegradation | Result: - Readily biodegradable | | |
| <u> </u> | | | |
| BISPHENOL A (RING-13C12, 99%) (80-05-7 (U | 89 % aerobic - Exposure time 28 d Readily biodegradable - (OECD Test Guideline 301F) | | |
| <u> </u> | | | |
| | PHENYL-13C6, 99%) (TRICLOCARBAN) (101-20-2 (Unlabeled)) | | |
| Persistence and degradability | Not available. | | |
| | NZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled)) | | |
| Persistence and degradability Biodegradability: Result: 89 % - Readily biodegradable. Aerobic - exposure time: 28 d. | | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 | | | |
| Persistence and degradability | Aerobic - exposure time: 28 d. Biodegradability Result: 0 % - According to the results of tests of biodegradability this product is not readily biodegradable. | | |
| ETHYL PARABEN (ETHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (120-47-8 (Unlabeled)) | | | |
| Biodegradation | 88.4 % Readily biodegradable. | | |
| N-BUTYL PARABEN (RING-13C6, 99%) (94-26 | -8 (Unlabeled)) | | |
| Persistence and degradability | Not available. | | |
| <u> </u> | | | |

19/07/2018 EN (English US) 14/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 26, 2012 / Rules and Regulations | |
|---|--|
| OXYBENZONE (PHENYL-13C6, 99%) (131-57- | |
| Persistence and degradability | Not available. |
| 100% METHANOL UNLABELED (67-56-1) | |
| Biochemical oxygen demand (BOD) | 600 - 1200 mg/g |
| Chemical oxygen demand (COD) | 1420 mg/g |
| ThOD | 1500 mg/g |
| Biodegradation | 72 % - rapidly biodegradable aerobic - Exposure time 5 d |
| 12.3. Bioaccumulative potential | |
| JECS PHENOL/PARABEN CLEAN-UP STAND | ARD (13C. 99%) 10 UG/ML IN METHANOL |
| BCF fish 1 | 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C |
| Bioconcentration factor (BCF REACH) | 1 |
| Log Pow | -0.77 |
| 4-NITROPHENOL (13C6, 99%) (100-02-7 (Unia | heled)) |
| BCF fish 1 | 0.0441 mg/l Pimephales promelas (fathead minnow) - 28 d |
| Bioconcentration factor (BCF REACH) | 280 |
| Log Pow | 1.91 |
| | |
| | OXYBENZOATE) (RING-13C6, 99%) (4191-73-5 (Unlabeled)) |
| Log Pow | |
| | O-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled)) |
| Log Pow | 4.7 |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPROP | YL-13C3, 99%) (89-83-8 (Unlabeled)) |
| BCF fish 1 | 1 μg/l - Oryzias latipes |
| Bioconcentration factor (BCF REACH) | 48 (OECD Test Guideline 305C) |
| Log Pow | 3.3 |
| N-PROPYL PARABEN (N-PROPYL 4-HYDROX | YBENZOATE) (RING-13C6, 99%) (94-13-3 (Unlabeled)) |
| Log Pow | 2.5 - 3 |
| BISPHENOL A (RING-13C12, 99%) (80-05-7 (U | nlabeled)) |
| BCF fish 1 | 0.015 mg/l Cyprinus carpio (Carp) - 42 d |
| Bioconcentration factor (BCF REACH) | 0 20 - 67 |
| Log Pow | 3.4 at 21.5 °C (70.7 °F) |
| 3.4.4'-TRICHLOROCARBANILIDE (4'-CHLORO | PHENYL-13C6, 99%) (TRICLOCARBAN) (101-20-2 (Unlabeled)) |
| Log Pow | 5.786 |
| Bioaccumulative potential | Not available. |
| <u>'</u> | NZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled)) |
| Log Pow | 1.98 |
| Bioaccumulative potential | No data available. |
| • | |
| • | YBENZOATE) (RING-13C6, 99%) (4247-02-3 (Unlabeled)) |
| Log Pow | 3.113 |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (1 | , |
| BCF fish 1 | 0.0047 mg/l Oryzias latipes - 48 h |
| Bioconcentration factor (BCF REACH) | 261 (OECD Test Guideline 305) |
| Log Pow | 4.8 at 22 °C (72 °F) |
| • | DATE) (RING-13C6, 99%) (120-47-8 (Unlabeled)) |
| Log Pow | 2.47 |
| N-BUTYL PARABEN (RING-13C6, 99%) (94-26 | -8 (Unlabeled)) |
| Bioaccumulative potential | Not available. |
| OXYBENZONE (PHENYL-13C6, 99%) (131-57- | 7 (unlabeled)) |
| Bioaccumulative potential | Not available. |
| P-N-NONYLPHENOL (RING-13C6, 99%) (104-4 | |
| Bioconcentration factor (BCF REACH) | 1300 |
| Log Pow | 5.76 |
| Bioaccumulative potential | Gasterosteus aculeatus - 16 d. |
| <u>'</u> | 1 |
| 100% METHANOL UNLABELED (67-56-1) | 5 mg/l Cyprinus carpio (Carp) 72 d at 20 °C |
| BCF fish 1 | 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C |

19/07/2018 EN (English US) 15/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 100% METHANOL UNLABELED (67-56-1) | |
|-------------------------------------|-------|
| Bioconcentration factor (BCF REACH) | 1 |
| Log Pow | -0.77 |

Mobility in soil

Ecology - soil

JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL

Ecology - soil Not degradable in the soil.

4-NITROPHENOL (13C6, 99%) (100-02-7 (Unlabeled))

No data available Ecology - soil

BISPHENOL A (RING-13C12, 99%) (80-05-7 (Unlabeled))

Not available.

3,4,4'-TRICHLOROCARBANILIDE (4'-CHLOROPHENYL-13C6, 99%) (TRICLOCARBAN) (101-20-2 (Unlabeled))

Not available.

Not available. Ecology - soil

METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled))

No data available. Ecology - soil

N-BUTYL PARABEN (RING-13C6, 99%) (94-26-8 (Unlabeled))

OXYBENZONE (PHENYL-13C6, 99%) (131-57-7 (unlabeled))

Not available. Ecology - soil

100% METHANOL UNLABELED (67-56-1)

Not degradable in the soil. Ecology - soil

Results of PBT and vPvB assessment

JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL

PBT: not relevant - no registration required

5-ISOPROPYL-2-METHYLPHENOL (ISOPROPYL-13C3, 99%) (499-75-2 (Unlabeled))

PBT: not relevant - no registration required

P-N-NONYLPHENOL (RING-13C6, 99%) (104-40-5 (Unlabeled))

This substance/mixture does not meet the PBT criteria of REACH, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

100% METHANOL UNLABELED (67-56-1)

PBT: not relevant - no registration required

Other adverse effects

Other adverse effects : Avoid release to the environment.

Other information Stability in water: at 19 °C - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water.

Hydrolyses readily.

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Product/Packaging disposal recommendations Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed

professional waste disposal service to dispose of this material.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

UN number

UN-No.(DOT) : 1230 DOT NA no. UN1230

14.2. **UN** proper shipping name

Proper Shipping Name (DOT) : Methanol

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

19/07/2018 EN (English US) 16/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 3 - Flammable liquid

6.1 - Poison





DOT Symbols : + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Proper

shipping name appropriate for international and domestic transportation

Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C

(59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Emergency Response Guide (ERG) Number : 131

Other information : No supplementary information available.

Overland transport

Packing group (ADR) : II

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 336 Classification code (ADR) : FT1

Hazard labels (ADR) : 3 - Flammable liquids

6.1 - Toxic substances



Orange plates :

336 1230

Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) 11
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

MFAG-No : 131

19/07/2018 EN (English US) 17/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

| 15.1. US Federal regulations | |
|---|--|
| | NDARD (420, 000) AO HOMA IN METHANOL |
| Listed on the United States TSCA (Toxic Sub | NDARD (13C, 99%) 10 UG/ML IN METHANOL |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Subject to reporting requirements of United States SARA Section 313 |
| 4-NITROPHENOL (13C6, 99%) (100-02-7 (U | nlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Subject to reporting requirements of United States SARA Section 313 |
| ISOPROPYL PARABEN (ISOPROPYL 4-HY | DROXYBENZOATE) (RING-13C6, 99%) (4191-73-5 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| BENZYL PARABEN (BENZYL 4-HYDROXY | BENZOATE) (RING-13C6, 99%) (94-18-8 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| BISPHENOL F (RING-13C12, 99%) (620-92- | 8 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| TRICLOSAN (13C12, 99%) (2',4,4'-TRICHL | ORO-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| 2-ISOPROPYL-5-METHLYPHENOL (ISOPR | OPYL-13C3, 99%) (89-83-8 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313. |
| 3-METHYL-4-NITROPHENOL (13C6, 99%) (| 2581-34-2 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |

19/07/2018 EN (English US) 18/27

Delayed (chronic) health hazard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 3-METHYL-4-NITROPHENOL (13C6, 99%) (258 | | | |
|---|---|--|--|
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313. | | |
| N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (94-13-3 (Unlabeled)) | | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| N-PENTYL PARABEN (N-PENTYL 4-HYDROX) | BENZOATE) (13C6, 99%) (6521-29-5 (Unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313. | | |
| BISPHENOL A (RING-13C12, 99%) (80-05-7 (U | nlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Subject to reporting requirements of United States SARA Section 302 | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Subject to reporting requirements of United States SARA Section 313 | | |
| 3,4,4'-TRICHLOROCARBANILIDE (4'-CHLORO | PHENYL-13C6, 99%) (TRICLOCARBAN) (101-20-2 (Unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 313 | | |
| SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| 4-ISOPROPYL-3-METHYLPHENOL (ISOPROPY | (L-13C3, 99%) (3228-02-2 (Unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313. | | |
| METHYL PARABEN (METHYL 4-HYDROXYBE | NZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| ISOBUTYL PARABEN (ISOBUTYL 4-HYDROX) | (BENZOATE) (RING-13C6, 99%) (4247-02-3 (Unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| N-HEPTYL PARABEN (N-HEPTYL 4-HYDROX) | (BENZOATE) (RING-13C6, 99%) (1085-12-7 (Unlabeled)) | | |
| Listed on the United States TSCA (Toxic Substar | | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | | |
| | | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313. | | |
| SARA Section 313 - Emission Reporting 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 | | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning | | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 | 73020-24-0) | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-61-61) SARA Section 302 Threshold Planning | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-7 | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. (Unlabeled)) | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-1) SARA Section 302 Threshold Planning Quantity (TPQ) | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. (Unlabeled)) Not subject to reporting requirements of the United States SARA Section 302 | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-1 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. (Unlabeled)) Not subject to reporting requirements of the United States SARA Section 302 Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313 | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-7 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. (Unlabeled)) Not subject to reporting requirements of the United States SARA Section 302 Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313 | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-74 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting 5-ISOPROPYL-2-METHYLPHENOL (ISOPROPY) SARA Section 302 Threshold Planning | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. (Unlabeled)) Not subject to reporting requirements of the United States SARA Section 302 Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313 (L-13C3, 99%) (499-75-2 (Unlabeled)) | | |
| 4-TERT-OCTYLPHENOL (RING-13C6, 99%) (11 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting BISPHENOL AF (RING-13C12, 99%) (1478-61-1 SARA Section 302 Threshold Planning Quantity (TPQ) SARA Section 311/312 Hazard Classes SARA Section 313 - Emission Reporting 5-ISOPROPYL-2-METHYLPHENOL (ISOPROPY SARA Section 302 Threshold Planning Quantity (TPQ) | 73020-24-0) Not subject to reporting requirements of the United States SARA Section 302. Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313. (Unlabeled)) Not subject to reporting requirements of the United States SARA Section 302 Immediate (acute) health hazard Not subject to reporting requirements of the United States SARA Section 313 (L-13C3, 99%) (499-75-2 (Unlabeled)) Not subject to reporting requirements of the United States SARA Section 302. | | |

19/07/2018 EN (English US) 19/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ETHYL PARABEN (ETHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (120-47-8 (Unlabeled)) | | | |
|---|--|--|--|
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| N-BUTYL PARABEN (RING-13C6, 99%) (94-26 | -8 (Unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| BISPHENOL S (13C12, 98%) (80-09-1 (Unlabel | ed)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| OXYBENZONE (PHENYL-13C6, 99%) (131-57- | 7 (unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| P-N-NONYLPHENOL (RING-13C6, 99%) (104-4 | 0-5 (Unlabeled)) | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 | | |
| 100% METHANOL UNLABELED (67-56-1) | | | |
| Listed on the United States TSCA (Toxic Substant | nces Control Act) inventory | | |
| CERCLA RQ | 5000 lb | | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. | | |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard | | |
| SARA Section 313 - Emission Reporting | Subject to reporting requirements of United States SARA Section 313 | | |

15.2. International regulations

CANADA

JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL

Listed on the Canadian DSL (Domestic Substances List)

100% METHANOL UNLABELED (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

N-HEPTYL PARABEN (N-HEPTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (1085-12-7 (Unlabeled))

Listed on the Canadian NDSL (Non-Domestic Substances List)

100% METHANOL UNLABELED (67-56-1)

15.3. US State regulations

| JECS PHENOL/PARABEN CLEAN-UP STANDARD (13C, 99%) 10 UG/ML IN METHANOL | |
|---|-----|
| U.S California - Proposition 65 - Carcinogens List | No |
| U.S California - Proposition 65 - Developmental Toxicity | Yes |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | No |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | No |

19/07/2018 EN (English US) 20/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| JECS PHENOL/PARABEN | CLEAN-UP STANDARD (13 | C, 99%) 10 UG/ML IN METHA | NOL | |
|--------------------------------------|--|--|---|---------------------------|
| State or local regulations | 1022/11/01/01/11/2/11/2/11/2/11/2/11/2/ | U.S Delaware - Pollutant Dis | | table Quantities |
| - | | U.S Idaho - Non-Carcinogen | ic Toxic Air Pollutants - Accept | |
| | | U.S Massachusetts - Right T U.S Pennsylvania - RTK (Rig | O Know List | |
| | | U.S New Jersey - Right to K | now Hazardous Substance Lis | t |
| | | U.S New York - Reporting of | | |
| 4-NITROPHENOL (13C6, 9 | 9%) (100-02-7 (Unlabeled)) | | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| ISOPROPYL PARABEN (IS | SOPROPYL 4-HYDROXYBE | NZOATE) (RING-13C6, 99%) (| 4191-73-5 (Unlabeled)) | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| | ZYL 4-HYDROXYBENZOATE | E) (RING-13C6, 99%) (94-18-8 | (Unlabeled)) | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| BISPHENOL F (RING-13C | 12, 99%) (620-92-8 (Unlabele | ed)) | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| TRICLOSAN (13C12, 99% |) (2',4,4'-TRICHLORO-2-HYD | ROXYDIPHENYL ETHER) (33 | 880-34-5 (Unlabeled)) | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| 2-ISOPROPYL-5-METHLY | PHENOL (ISOPROPYL-13C3 | 3, 99%) (89-83-8 (Unlabeled)) | | |
| | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| 3-METHYL-4-NITROPHEN | OL (13C6, 99%) (2581-34-2 (| Unlabeled)) | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| | | OATE) (RING-13C6, 99%) (94- | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - Carcinogens List | Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRL) |
| No | No | No | No | |
| | | | | |
| U.S California - | U.S California - | DATE) (13C6, 99%) (6521-29-5 U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - | Reproductive Toxicity - | |

19/07/2018 EN (English US) 21/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| N-PENTYL PARABEN (N- | PENTYL 4-HYDROXYBENZO | ATF) (13C6 99%) (6521-29-5 | (Unlabeled)) | |
|--|---|--|---|---|
| ZERTTET AKADER (N. | . LATTE TATIONON IDENZO | Female | Male | |
| | | | | |
| | | | | |
| No | No | No | No | |
| BISPHENOL A (RING-130 | C12, 99%) (80-05-7 (Unlabeled | 1)) | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| | | | | |
| No | No | Yes | No | |
| | ANILIDE (4'-CHLOROPHENY) | | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| | | | | |
| No | No | No | No | |
| | PHENOL (ISOPROPYL-13C3 | | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| | | | | |
| No | No | No | No | |
| METHYL PARABEN (MET | THYL 4-HYDROXYBENZOATE | | (unlabeled)) | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | | | |
| No | INO | No | No | |
| | OBUTYL 4-HYDROXYBENZO | | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - Carcinogens List | Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - | Proposition 65 - Reproductive Toxicity - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Female | Male | |
| NI- | NI- | | | |
| No | No | No | No | |
| | HEPTYL 4-HYDROXYBENZO | | | |
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - Female | Reproductive Toxicity - Male | |
| No | No | No | No | |
| | | | INU | |
| | (RING-13C6, 99%) (1173020-2 | | 110 0 % | Nie eter W |
| U.S California - | | U.S California - | U.S California - | No significant risk level |
| | U.S California - | | | (NICDL) |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| | | | | (NSRL) |
| Proposition 65 - Carcinogens List | Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRL) |
| Proposition 65 - Carcinogens List | Proposition 65 - Developmental Toxicity No | Proposition 65 - Reproductive Toxicity - Female No | Proposition 65 - Reproductive Toxicity - | (NSRL) |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab | Proposition 65 - Reproductive Toxicity - Female No | Proposition 65 - Reproductive Toxicity - Male No | |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - | Proposition 65 - Reproductive Toxicity - Male No U.S California - | No significant risk level |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab | Proposition 65 - Reproductive Toxicity - Female No | Proposition 65 - Reproductive Toxicity - Male No | |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - Proposition 65 - | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - Proposition 65 - | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - Proposition 65 - | Proposition 65 - Reproductive Toxicity - Male No U.S California - Proposition 65 - | No significant risk level |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - Proposition 65 - | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - Proposition 65 - | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - Proposition 65 - Reproductive Toxicity - | Proposition 65 - Reproductive Toxicity - Male No U.S California - Proposition 65 - Reproductive Toxicity - | No significant risk level |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - Proposition 65 - Carcinogens List No | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - Proposition 65 - Developmental Toxicity No | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - Proposition 65 - Reproductive Toxicity - Female No | Proposition 65 - Reproductive Toxicity - Male No U.S California - Proposition 65 - Reproductive Toxicity - Male No | No significant risk level |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - Proposition 65 - Carcinogens List No | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - Proposition 65 - Reproductive Toxicity - Female No | Proposition 65 - Reproductive Toxicity - Male No U.S California - Proposition 65 - Reproductive Toxicity - Male No | No significant risk level |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - Proposition 65 - Carcinogens List No 5-ISOPROPYL-2-METHYL | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - Proposition 65 - Developmental Toxicity No PHENOL (ISOPROPYL-13C3 | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - Proposition 65 - Reproductive Toxicity - Female No ,99%) (499-75-2 (Unlabeled)) U.S California - Proposition 65 - | Proposition 65 - Reproductive Toxicity - Male No U.S California - Proposition 65 - Reproductive Toxicity - Male No | No significant risk level (NSRL) |
| Proposition 65 - Carcinogens List No BISPHENOL AF (RING-13 U.S California - Proposition 65 - Carcinogens List No 5-ISOPROPYL-2-METHYL U.S California - | Proposition 65 - Developmental Toxicity No 8C12, 99%) (1478-61-1 (Unlab U.S California - Proposition 65 - Developmental Toxicity No PHENOL (ISOPROPYL-13C3 U.S California - | Proposition 65 - Reproductive Toxicity - Female No eled)) U.S California - Proposition 65 - Reproductive Toxicity - Female No , 99%) (499-75-2 (Unlabeled)) U.S California - | Proposition 65 - Reproductive Toxicity - Male No U.S California - Proposition 65 - Reproductive Toxicity - Male No U.S California - | No significant risk level (NSRL) No significant risk level |

19/07/2018 EN (English US) 22/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 5-ISOPROPYL-2-METH | YLPHENOL (ISOPROPYL-13C3 | 3, 99%) (499-75-2 (Unlabeled) |) | |
|--|--|---|---|----------------------------------|
| No | No | No | No | |
| ETHYL PARABEN (ETH | HYL 4-HYDROXYBENZOATE) (F | | Jnlabeled)) | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | No | No | No | |
| N-BUTYL PARABEN (R | RING-13C6, 99%) (94-26-8 (Unla | beled)) | · | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | No | No | No | |
| BISPHENOL S (13C12, | 98%) (80-09-1 (Unlabeled)) | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | No | No | No | |
| OXYBENZONE (PHENY | YL-13C6, 99%) (131-57-7 (unlab | eled)) | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | No | No | No | |
| P-N-NONYLPHENOL (F | RING-13C6, 99%) (104-40-5 (Uni | abeled)) | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | No | No | No | |
| 100% METHANOL UNL | ABELED (67-56-1) | | • | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | Yes | No | No | |

4-NITROPHENOL (13C6, 99%) (100-02-7 (Unlabeled))

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

ISOPROPYL PARABEN (ISOPROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (4191-73-5 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

BENZYL PARABEN (BENZYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (94-18-8 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

BISPHENOL F (RING-13C12, 99%) (620-92-8 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

19/07/2018 EN (English US) 23/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TRICLOSAN (13C12, 99%) (2',4,4'-TRICHLORO-2-HYDROXYDIPHENYL ETHER) (3380-34-5 (Unlabeled))

State or local regulations

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

2-ISOPROPYL-5-METHLYPHENOL (ISOPROPYL-13C3, 99%) (89-83-8 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

3-METHYL-4-NITROPHENOL (13C6, 99%) (2581-34-2 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

N-PROPYL PARABEN (N-PROPYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (94-13-3 (Unlabeled))

State or local regulations

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

N-PENTYL PARABEN (N-PENTYL 4-HYDROXYBENZOATE) (13C6, 99%) (6521-29-5 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

BISPHENOL A (RING-13C12, 99%) (80-05-7 (Unlabeled))

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

3,4,4'-TRICHLOROCARBANILIDE (4'-CHLOROPHENYL-13C6, 99%) (TRICLOCARBAN) (101-20-2 (Unlabeled))

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances

4-ISOPROPYL-3-METHYLPHENOL (ISOPROPYL-13C3, 99%) (3228-02-2 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

METHYL PARABEN (METHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (99-76-3 (unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

ISOBUTYL PARABEN (ISOBUTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (4247-02-3 (Unlabeled))

State or local regulations

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

N-HEPTYL PARABEN (N-HEPTYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (1085-12-7 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

4-TERT-OCTYLPHENOL (RING-13C6, 99%) (1173020-24-0)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

19/07/2018 EN (English US) 24/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BISPHENOL AF (RING-13C12, 99%) (1478-61-1 (Unlabeled))

State or local regulations

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

5-ISOPROPYL-2-METHYLPHENOL (ISOPROPYL-13C3, 99%) (499-75-2 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

ETHYL PARABEN (ETHYL 4-HYDROXYBENZOATE) (RING-13C6, 99%) (120-47-8 (Unlabeled))

State or local regulations

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

N-BUTYL PARABEN (RING-13C6, 99%) (94-26-8 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

BISPHENOL S (13C12, 98%) (80-09-1 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

OXYBENZONE (PHENYL-13C6, 99%) (131-57-7 (unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

P-N-NONYLPHENOL (RING-13C6, 99%) (104-40-5 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

100% METHANOL UNLABELED (67-56-1)

State or local regulations

- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances

SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
|----------------------------------|--|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhalation) Category 3 |
| Acute Tox. 3 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal) Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhalation) Category 4 |
| Acute Tox. 4 | Acute toxicity (inhalation:dust,mist) Category 4 |
| (Inhalation:dust,mist) | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |

19/07/2018 EN (English US) 25/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Agustia Chronia 2 | Ligardous to the equation or viscoment. Chronic Harney Cotegon 2 |
|-------------------|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation Category 2 |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Repr. 2 | Reproductive toxicity Category 2 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization, Category 1 |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| STOT SE 1 | Specific target organ toxicity (single exposure) Category 1 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H225 | Highly flammable liquid and vapour |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| | |
| H311 | Toxic in contact with skin |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H361 | Suspected of damaging fertility or the unborn child |
| H370 | Causes damage to organs |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| | |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| R11 | Highly flammable |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed |
| R21/22 | Harmful in contact with skin and if swallowed |
| R22 | Harmful if swallowed |
| R25 | Toxic if swallowed |
| R34 | Causes burns |
| R35 | Causes severe burns |
| R36 | Irritating to eyes |
| R36/37/38 | Irritating to eyes, respiratory system and skin |
| R36/38 | Irritating to eyes and skin |
| R37 | Irritating to espiratory system |
| R38 | Irritating to respiratory system Irritating to skin |
| R39/23/24/25 | Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed |
| | o , |
| R41 | Risk of serious damage to eyes |
| R43 R48/20/21 | May cause sensitization by skin contact Harmful: danger of serious damage to health by prolonged exposure through inhalation and in contact |
| | with skin |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| R62 | Possible risk of impaired fertility |
| R63 | Possible risk of harm to the unborn child |
| C | Corrosive |
| F | Highly flammable |
| N | Dangerous for the environment |
| T | |
| | Toxic |
| Xi | Irritant |
| Xn | Harmful |

19/07/2018 EN (English US) 26/27

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient

temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

NFPA fire hazard

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

19/07/2018 EN (English US) 27/27