

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/01/2018 Revision date: Version: 1.0 :

ES-5604

| | substance/mixture and of the company/undertaking | | | |
|---|--|--|--|--|
| 1.1. Product identifier | . National and a second s | | | |
| Product form Product name | : Mixtures : DECHLORANES AND BFR INTERNAL STANDARD MIXTURE 10 UG/ML IN | | | |
| Product code | NONANE/TOLUENE : ES-5604 | | | |
| | substance or mixture and uses advised against | | | |
| | substance of mixture and uses advised against | | | |
| 1.2.1. Relevant identified uses | Des (see) see 1 | | | |
| Main use category | : Professional use | | | |
| Industrial/Professional use spec | : For professional use only | | | |
| 1.2.2. Uses advised against | | | | |
| No additional information available | | | | |
| 1.3. Details of the supplier of the sat | fety data sheet | | | |
| Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA USA: 1-800-322-1174 Int: 1-978-749-8000 | | | | |
| cilsales@isotope.com www.isotope.com Emergency telephone number | | | | |
| Emergency numbers: | | | | |
| Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours) | | | | |
| SECTION 2: Hazards identificatio | n | | | |
| 2.1. Classification of the substance | or mixture | | | |
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | | |
| Flam. Liq. 2 H225 Skin Irrit. 2 H315 | | | | |
| Eye Irrit. 2 H319 | | | | |
| Repr. 2 H361 | | | | |
| STOT SE 3 H336 | | | | |
| STOT RE 2 H373 | | | | |
| Asp. Tox. 1 H304 | | | | |
| Full text of hazard classes and H-statements : see section 16 | | | | |
| Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] F; R11 Xi; R38 Xn; R65 Repr.Cat.3; R62 Repr.Cat.3; R63 R67 | | | | |
| N; R51/53 Xn; R48/20 | | | | |
| Full text of R-phrases: see section 16 | | | | |
| | | | | |

GHS-US classification

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Repr. 2 STOT SE 3 H361 H336 STOT RE 2 H373

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Asp. Tox. 1 H304 Aquatic Acute 2 H401

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

brain. kidneys. liver. urinary bladder. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs (brain, kidneys, liver, urinary bladder) (if inhaled, if swallowed, in contact with skin). May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Causes skin irritation.

| Labelling according to Regulation (EC) | |
|--|---|
| Hazard pietograma (CLD) | |
| Hazard pictograms (CLP) | |
| | GHS02 GHS08 GHS07 |
| Signal word (CLP) | : Danger |
| Hazardous ingredients | : TOLUENE UNLABELED; N-NONANE UNLABELED |
| Hazard statements (CLP) | H225 - Highly flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness H361 - Suspected of damaging fertility. Suspected of damaging the unborn child (if inhaled, if swallowed, in contact with skin) H373 - May cause damage to organs (liver, kidneys, brain, urinary bladder) through prolonger or repeated exposure (in contact with skin, if inhaled, if swallowed) |
| Precautionary statements (CLP) | P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P260 - Do not breathe dust, fume, gas, mist, spray, vapours P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective clothing, protective gloves |
| GHS-US labelling | |
| Hazard pictograms (GHS-US) | |
| | |
| Signal word (GHS-US) | GHS02 GHS08 GHS07 : Danger |
| Signal word (GHS-US) Hazard statements (GHS-US) | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| P260 - Do not breathe fume, mist, spray, vapours |
|--|
| P261 - Avoid breathing dust, fume, gas, mist, spray, vapours |
| P264 - Wash hands, forearms and face thoroughly after handling |
| P271 - Use only outdoors or in a well-ventilated area |
| P273 - Avoid release to the environment |
| P280 - Wear eye protection, face protection, protective clothing, protective gloves |
| P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER |
| P302+P352 - If on skin: Wash with plenty of water |
| P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse |
| skin with water/shower |
| P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing |
| P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact |
| lenses, if present and easy to do. Continue rinsing |
| P308+P313 - If exposed or concerned: Get medical advice/attention |
| P312 - Call a doctor, a POISON CENTER if you feel unwell |
| P314 - Get medical advice/attention if you feel unwell |
| P321 - Specific treatment (see Hazardous component(s) for labelling on this label) |
| P331 - Do NOT induce vomiting |
| P332+P313 - If skin irritation occurs: Get medical advice/attention |
| P337+P313 - If eye irritation persists: Get medical advice/attention |
| P362+P364 - Take off contaminated clothing and wash it before reuse |
| P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry |
| extinguishing powder to extinguish |
| P403+P233 - Store in a well-ventilated place. Keep container tightly closed |
| P403+P235 - Store in a well-ventilated place. Keep cool |
| P405 - Store locked up |
| P501 - Dispose of contents/container to hazardous or special waste collection point, in |
| accordance with local, regional, national and/or international regulation |
| |

2.3. Other hazards

PBT: not relevant - no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

| 3.2. Mixtures | | | |
|--|---|-----------|--|
| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
| N-NONANE UNLABELED | (CAS No) 111-84-2 (EC No) 203-913-4 | 59.990012 | R10 Xn; R20 Xn; R65 Xi; R36/38 R67 |
| TOLUENE UNLABELED | (CAS No) 108-88-3 (EC No) 203-625-9 (EC Index No) 601-021-00-3 (REACH-no) 01-2119471310-51 | 40.00099 | F; R11 Xi; R38 Xn; R65 Repr.Cat.3; R62 Repr.Cat.3; R63 R67 N; R51/53 Xn; R48/20 |
| MIREX (13C10, 98%) | (CAS No) 2385-85-5 (Unlabeled) (EC No) 219-196-6 (Unlabeled) (EC Index No) 602-077-00-1 (Unlabeled) | 0.001286 | Carc.Cat.3; R40 Repr.Cat.3; R62 Repr.Cat.3; R63 T; R24/25 N; R50/53 |
| 1,4-DIBROMOBENZENE (13C6, 99%) | (CAS No) 19936-78-8 (EC No) 203-390-2 (Unlabeled) | 0.001286 | Xi; R36/37/38 N; R50/53 |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTENE-13C10, 99%) | (CAS No) 135821-03-3 (Unlabeled) | 0.001286 | Xn; R20 N; R51/53 |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENTENE-13C10, 99%) | (CAS No) 135821-74-8 (Unlabeled) | 0.001286 | Xn; R20 N; R51/53 |
| HEXABROMOBENZENE (13C6, 99%) | (CAS No) 87-82-1 (Unlabeled) (EC No) 201-773-9 (Unlabeled) | 0.001285 | Xn; R20/21/22 Xi; R36/37/38 R53 |

Safety Data Sheet

| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
|---|---|-----------|--|
| DECHLORANE 602 (CHEMICAL PURITY >97%) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) | (CAS No) 31107-44-5 (Unlabeled) | 0.001285 | Not classified |
| TBPH (BIS(2-ETHYLHEXYL)TETRABROMOPHTHALATE) (D34, 98%) | (CAS No) 1793944-59-8 | 0.001285 | Xi; R36/37/38 N; R51/53 |
| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
| N-NONANE UNLABELED | (CAS No) 111-84-2 (EC No) 203-913-4 | 59.990012 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304 |
| TOLUENE UNLABELED | (CAS No) 108-88-3 (EC No) 203-625-9 (EC Index No) 601-021-00-3 (REACH-no) 01-2119471310-51 | 40.00099 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 |
| MIREX (13C10, 98%) | (CAS No) 2385-85-5 (Unlabeled) (EC No) 219-196-6 (Unlabeled) (EC Index No) 602-077-00-1 (Unlabeled) | 0.001286 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Carc. 2, H351 Repr. 2, H361 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 |
| 1,4-DIBROMOBENZENE (13C6, 99%) | (CAS No) 19936-78-8 (EC No) 203-390-2 (Unlabeled) | 0.001286 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTENE-13C10, 99%) | (CAS No) 135821-03-3 (Unlabeled) | 0.001286 | Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Inhalation:dust,mist) H332 Aquatic Chronic 2, H411 |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENTENE-13C10, 99%) | (CAS No) 135821-74-8 (Unlabeled) | 0.001286 | Acute Tox. 3 (Inhalation), H331 |
| HEXABROMOBENZENE (13C6, 99%) | (CAS No) 87-82-1 (Unlabeled) (EC No) 201-773-9 (Unlabeled) | 0.001285 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 4, H413 |
| DECHLORANE 602 (CHEMICAL PURITY >97%) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) | (CAS No) 31107-44-5 (Unlabeled) | 0.001285 | Not classified |
| TBPH (BIS(2-ETHYLHEXYL)TETRABROMOPHTHALATE) (D34, 98%) | (CAS No) 1793944-59-8 | 0.001285 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411 |
| Name | Product identifier | % | GHS-US classification |
| N-NONANE UNLABELED | (CAS No) 111-84-2 | 59.990012 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304 |
| TOLUENE UNLABELED | (CAS No) 108-88-3 | 40.00099 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 2, H401 |
| MIREX (13C10, 98%) | (CAS No) 2385-85-5 (Unlabeled) | 0.001286 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Carc. 2, H351 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | GHS-US classification |
|---|----------------------------------|----------|--|
| 1,4-DIBROMOBENZENE (13C6, 99%) | (CAS No) 19936-78-8 | 0.001286 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTENE-13C10, 99%) | (CAS No) 135821-03-3 (Unlabeled) | 0.001286 | Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411 |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENTENE-13C10, 99%) | (CAS No) 135821-74-8 (Unlabeled) | 0.001286 | Acute Tox. 3 (Inhalation), H331 |
| HEXABROMOBENZENE (13C6, 99%) | (CAS No) 87-82-1 (Unlabeled) | 0.001285 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 4, H413 |
| DECHLORANE 602 (CHEMICAL PURITY >97%) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) | (CAS No) 31107-44-5 (Unlabeled) | 0.001285 | Not classified |
| TBPH (BIS(2-ETHYLHEXYL)TETRABROMOPHTHALATE) (D34, 98%) | (CAS No) 1793944-59-8 | 0.001285 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 2, H411 |

Full text of R- and H-statements: see section 16

| SECTION 4: First aid measures | | | | |
|---|--|--|--|--|
| 4.1. Description of first aid measure | es | | | |
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. | | | |
| First-aid measures after inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. | | | |
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Wash with plenty of soap and water, Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Hazard pictograms (CLP) on this label). | | | |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, i present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention | | | |
| First-aid measures after ingestion | : Immediately call a POISON CENTER or doctor/physician. | | | |
| 4.2. Most important symptoms and | effects, both acute and delayed | | | |
| Symptoms/injuries | : Suspected of damaging fertility. Suspected of damaging the unborn child (in contact with skin, inhaled, if swallowed). Causes damage to organs (brain, kidneys, liver, urinary bladder) (in contact with skin, if inhaled, if swallowed). | | | |
| Symptoms/injuries after inhalation | : Harmful if inhaled. May cause drowsiness or dizziness. | | | |
| Symptoms/injuries after skin contact | : Harmful in contact with skin. Causes skin irritation. Repeated exposure to this material can result in absorption through skin causing significant health hazard. | | | |
| Symptoms/injuries after eye contact | : May cause eye irritation. | | | |
| Symptoms/injuries after ingestion | : May be fatal if swallowed and enters airways. Risk of lung oedema. | | | |
| 4.3. Indication of any immediate me | edical attention and special treatment needed | | | |
| Treat symptomatically. | | | | |
| SECTION 5: Fire-fighting measu | res | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | : Dry powder. Dry sand. Dry chemical. Foam. Carbon dioxide. | | | |
| Unsuitable extinguishing media | : Do not use a heavy water stream. | | | |
| 5.2. Special hazards arising from the | 5.2. Special hazards arising from the substance or mixture | | | |
| Fire hazard : Highly flammable liquid and vapour. | | | | |

| Fire hazard | : Highly flammable liquid and vapour. |
|--------------------------------|--|
| Explosion hazard | : May form flammable/explosive vapour-air mixture. |
| Reactivity | : Vapours may form flammable mixture with air. Highly flammable liquid and vapour. |
| 5.3. Advice for firefighters | |
| Firefighting instructions | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Wear recommended personal protective equipment. |

Safety Data Sheet

| Other information | : Use water spray to cool exposed surfaces. |
|--|--|
| SECTION 6: Accidental release m | easures |
| 6.1. Personal precautions, protective | equipment and emergency procedures |
| General measures | : Flammable liquids. No open flames. No smoking. Eliminate every possible source of ignition. Use special care to avoid static electric charges. |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Use personal protective equipment as required. Ensure adequate air ventilation. Avoid breathing vapours, mist, gas. Eliminate all ignition sources if safe to do so. Evacuate unnecessary personnel. Special attention should be given to low areas/pits where flammable vapours can accumulate. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| 6.2. Environmental precautions | |
| Prevent liquid from entering sewers, watercomproduct into the environment. | urses, underground or low areas. Do not allow to enter drains or water courses. Do not discharge the |
| 6.3. Methods and material for contair | nment and cleaning up |
| For containment | : Dike and contain spill. |
| Methods for cleaning up | Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. This material and its container must be disposed of in a safe way, and as per local legislation. |
| Other information | : Dispose of materials or solid residues at an authorized site. |
| 6.4. Reference to other sections | |
| For further information refer to section 13. | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | Avoid all eye and skin contact and do not breathe vapour and mist. Keep away from sources o ignition - No smoking. Take precautionary measures against static discharges. Handle empty containers with care because residual vapours are flammable. |
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapours, mist. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. No open flames. No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume, gas, mist, spray, vapours. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety practice. Wash hands, forearms and face thoroughly after handling. |
| 7.2. Conditions for safe storage, inclu | uding any incompatibilities |
| Technical measures | : Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Proper grounding procedures to avoid static electricit should be followed. Use explosion-proof Lighting equipment, ventilating equipment. |
| Storage conditions | : Store at room temperature away from light and moisture. |
| | : Heat sources. |
| Incompatible materials | |

| | SECTION 8: Exposure controls/personal protection | | | | |
|---|--|-----------------|---|--|--|
| 8 | 8.1. Control parameters | | | | |
| | DECHLORANES AND BFR INTERNAL STANDARD MIXTURE 10 UG/ML IN NONANE/TOLUENE | | | | |
| | Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 20.00000000 ppm USA. ACGIH Threshold Limit Values (TLV) | | |

Safety Data Sheet

| DECHLORANES AND BFR IN | ITERNAL STANDARD MIXTURE 10 UG/ML IN NONAN | E/TOLUENE |
|------------------------------|--|---|
| Italy - Portugal - USA ACGIH | Remark (ACGIH) | Visual impairment. Female reproductive. Pregnancy loss. 2015 Adoption. Substances for which there is a Biological Exposure Index or Indices (see BEI® section). Not classifiable as a human carcinogen.; Component: Toluene CAS-No.: 108-88-3 Parameters: Toluene Value: 0.0300 mg/l Biological specimen: Urine Remarks: End of shift (As soon as possible after exposure ceases) Basis: ACGIH - Biological Exposure Indices (BEI); Component: Toluene CAS- No.: 108-88-3 Parameters: Toluene Value: 0.0200 mg/l Biological specimen: In blood Remarks: Prior to last shift of workweek Basis: ACGIH - Biological Exposure Indices (BEI); Component: Toluene CAS- No.: 108-88-3 Parameters: o-Cresol Value: 0.3000 mg/g Biological specimen: Urine Remarks: End of shift (As soon as possible after exposure ceases) Basis: ACGIH - Biological Exposure Indices (BEI) |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 375 mg/m ³ USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 100 ppm USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 560 mg/m ³ USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 150 ppm USA. NIOSH Recommended Exposure Limits |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 375 mg/m ³ USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (TWA) (ppm) | 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (STEL) (mg/m³) | 560 mg/m ³ USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (STEL) (ppm) | 150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 300 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| USA OSHA | Remark (OSHA) | OSHA PEL (TWA) - 200 ppm - USA. Occupational Exposure Limits (OSHA) - Table Z-2. Remarks: Z37.12-1967 |
| TOLUENE UNLABELED (108 | -88-3) | |
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 20.00000000 ppm USA. ACGIH Threshold Limit Values (TLV) |
| Italy - Portugal - USA ACGIH | Remark (ACGIH) | Visual impairment. Female reproductive. Pregnancy loss. 2015 Adoption. Substances for which there is a Biological Exposure Index or Indices (see BEI® section). Not classifiable as a human carcinogen.; Component: Toluene CAS-No.: 108-88-3 Parameters: Toluene Value: 0.0300 mg/l Biological specimen: Urine Remarks: End of shift (As soon as possible after exposure ceases) Basis: ACGIH - Biological Exposure Indices (BEI); Component: Toluene CAS- No.: 108-88-3 Parameters: Toluene Value: 0.0200 mg/l Biological specimen: In blood Remarks: Prior to last shift of workweek Basis: ACGIH - Biological Exposure Indices (BEI); Component: Toluene CAS- No.: 108-88-3 Parameters: o-Cresol Value: 0.3000 mg/g Biological specimen: Urine Remarks: End of shift (As soon as possible after exposure ceases) Basis: ACGIH - Biological Exposure Indices (BEI) |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 375 mg/m ³ USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 100 ppm USA. NIOSH Recommended Exposure Limits |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| TOLUENE UNLABELED (108 | • | |
|-------------------------------|---|---|
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 560 mg/m ³ USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 150 ppm USA. NIOSH Recommended Exposure Limits |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 375 mg/m ³ USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (TWA) (ppm) | 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (STEL) (mg/m³) | 560 mg/m ³ USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (STEL) (ppm) | 150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants 1910.1000 |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 300 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-2 |
| USA OSHA | Remark (OSHA) | OSHA PEL (TWA) - 200 ppm - USA. Occupational Exposure Limits (OSHA) - Table Z-2. Remarks: Z37.12-1967 |
| N-NONANE UNLABELED | | |
| Italy - Portugal - USA ACGIH | ACGIH TWA (ppm) | 200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV) |
| Italy - Portugal - USA ACGIH | Remark (ACGIH) | CNS impair |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 1050 mg/m ³ USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm USA. NIOSH Recommended Exposure Limits |
| USA NIOSH | Remark (NIOSH) | Central Nervous System impairment |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000 |
| USA OSHA | OSHA PEL (TWA) (ppm) | 200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000 |
| USA OSHA | OSHA PEL (Ceiling) (mg/m ³) | 1050 California permissible exposure limits for chemical contaminants. |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 200 ppm California permissible exposure limits for chemical contaminants. |

8.2. **Exposure controls**

Appropriate engineering controls

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Personal protective equipment

Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



| ear suitable protective clothing and gloves. |
|--|
| |
| ear suitable protective clothing and gloves. |
| ear eye protection. Chemical goggles or face shield with safety glasses. |
| ear suitable protective clothing, gloves and eye/face protection. Wear suitable protective thing. |
| case of inadequate ventilation wear respiratory protection. Approved supplied air respirator. here exposure through inhalation may occur from use, respiratory protection equipment is commended. Wear respiratory protection. |
| oid release to the environment. |
| |

| 9.1. | Information on basic physical and chemical properties |
|--------------|---|
| The properti | s listed below are for the solvent, the main component of this mixture. |
| Physical | tate : Liquid |

:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| -, | |
|--|---|
| Appearance | : Liquid. |
| Molecular mass | : 92.14 g/mol |
| Colour | : Colourless. |
| Odour | : Aromatic. |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : -93 °C (-135 °F) |
| Freezing point | : No data available |
| Boiling point | : 110 - 111 °C (230 - 232 °F) |
| Flash point | : 4 °C (39.2 °F) - closed cup |
| Auto-ignition temperature | : 535 °C (995 °F) |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Highly flammable liquid and vapour |
| Vapour pressure | : 29.1 hPa (21.8 mmHg) at 20.0 °C (68.0 °F) |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0.865 g/ml at 25 °C (77 °F) |
| Solubility | : Water: 0.5 g/l at 15 °C (59 °F) |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : 1.2 - 7 % (V) |
| | |

9.2. Other information

No additional information available

| SECTION 10: Stability and reactivity | | | | |
|--|--|--|--|--|
| 10.1. Reactivity | | | | |
| Vapours may form flammable mixture with air. Highly flammable liquid and vapour. | | | | |
| 10.2. Chemical stability | | | | |
| See storage and expiration date on CoA. | | | | |
| 10.3. Possibility of hazardous reactions | | | | |
| No dangerous reactions known under normal conditions of use. | | | | |
| 10.4. Conditions to avoid | | | | |
| Heat. Open flame. Sparks. Direct sunlight. Extremely high or low temperatures. | | | | |
| 10.5. Incompatible materials | | | | |
| Strong oxidizing agents. | | | | |
| 10.6. Hazardous decomposition products | | | | |
| Carbon oxides (CO, CO2). | | | | |
| SECTION 11: Toxicological information | | | | |
| 11.1. Information on toxicological effects | | | | |
| Acute toxicity : Not classified | | | | |

| DECHLORANES AND BFR INTERNAL STANDARD MIXTURE 10 UG/ML IN NONANE/TOLUENE | | |
|--|-----------------------------|--|
| LD50 oral rat | > 5580 mg/kg | |
| LD50 dermal rabbit | 12196 mg/kg | |
| LC50 inhalation rat (mg/l) | 12,500 - 28,800 mg/m3 - 4 h | |
| ATE CLP (dermal) | 12196.000 mg/kg bodyweight | |
| TOLUENE UNLABELED (108-88-3) | | |
| LD50 oral rat | > 5580 mg/kg | |
| LD50 dermal rabbit | 12196 mg/kg | |
| | | |

Safety Data Sheet

| TOLUENE UNLABELED (108-88-3) | 40.500, 00.000 ms/m2, 4 h |
|--|--|
| LC50 inhalation rat (mg/l) | 12,500 - 28,800 mg/m3 - 4 h |
| ATE CLP (dermal) | 12196.000 mg/kg bodyweight |
| ATE CLP (vapours) | 12.500 mg/l/4h |
| ATE CLP (dust,mist) | 12.500 mg/l/4h |
| N-NONANE UNLABELED | |
| LC50 inhalation rat (mg/l) | 23760 mg/m³ male - 4 h |
| ATE CLP (gases) | 3200.000 ppmv/4h |
| ATE CLP (vapours) | 11.000 mg/l/4h |
| ATE CLP (dust,mist) | 23.760 mg/l/4h |
| Skin corrosion/irritation, Dermal, rat | Result: Skin Irritation (Draize Test) |
| Additional information | : S. Typhimurium Result: negative |
| MIREX (13C10, 98%) (2385-85-5 (Unlabeled)) | |
| LD50 oral rat | 235 mg/kg |
| LD50 dermal rabbit | 800 mg/kg |
| ATE CLP (oral) | 235.000 mg/kg bodyweight |
| ATE CLP (dermal) | 300.000 mg/kg bodyweight |
| HEXABROMOBENZENE (13C6, 99%) (87-82-1 | |
| LD50 oral rat | 225 mg/kg |
| ATE CLP (oral) | 225 mg/kg bodyweight |
| ATE CLP (dermal) | 1100.000 mg/kg bodyweight |
| ATE CLP (gases) | 4500.000 ppmv/4h |
| ATE CLP (vapours) | 11.000 mg/l/4h |
| ATE CLP (dust,mist) | 1.500 mg/l/4h |
| | |
| |) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) (31107-44-5 (Unlabeled)) |
| LD50 oral rat | > 25 mg/kg |
| LD50 dermal rabbit | > 8 mg/kg |
| LC50 inhalation rat (mg/l) | > 2250 mg/m ³ |
| 1,4-DIBROMOBENZENE (13C6, 99%) (19936-7 | |
| LD50 oral | 3120 mg/kg mouse |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTE | NE-13C10, 99%) (135821-03-3 (Unlabeled)) |
| ATE CLP (gases) | 700.000 ppmv/4h |
| ATE CLP (vapours) | 3.000 mg/l/4h |
| ATE CLP (dust,mist) | 0.500 mg/l/4h |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENTI | ENE-13C10, 99%) (135821-74-8 (Unlabeled)) |
| ATE CLP (gases) | 700.000 ppmv/4h |
| ATE CLP (vapours) | 3.000 mg/l/4h |
| ATE CLP (dust,mist) | 0.500 mg/l/4h |
| Skin corrosion/irritation | Causes skin irritation. |
| | Skin |
| | rabbit |
| | Causes skin irritation |
| | 24 Hours |
| Serious eye damage/irritation | Causes serious eye irritation. |
| | Eyes rabbit |
| | No eye irritation |
| | (OECD 405 method) |
| Respiratory or skin sensitisation | Not available |
| | No data available |
| Germ cell mutagenicity | rat. liver. DNA Damage |
| Carcinogenicity | Not classified |
| Reproductive toxicity | Damage to fetus possible. Suspected human reproductive toxicant Reproductive toxicity - Rat - Inhalation. Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count) Experiments have shown reproductive toxicity effects in male and female laboratory animals Developmental Toxicity - Rat - Oral. Effects on Embryo or Fetus: Fetotoxicity (except death, e.g, stunted fetus). |
| | |

Safety Data Sheet

| -, | | |
|---|---|---|
| STOT-single exposure | : | May cause drowsiness or dizziness. No data available |
| STOT-repeated exposure | : | May cause damage to organs (liver, kidneys, brain, urinary bladder) through prolonged or repeated exposure (in contact with skin, if inhaled, if swallowed). |
| | | No data available |
| N-NONANE UNLABELED | | |
| NOAEL (oral, rat, 90 days) | | 100 mg/kg bodyweight/day female (OECD Test Guildeline 408) |
| Aspiration hazard | : | May be fatal if swallowed and enters airways. |
| Potential adverse human health effects and symptoms | : | Symptoms/injuries. IF INHALED: lungs. Pulmonary irritation. Pulmonary oedema. Chest pain. central nervous system. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Stomach - Irregularities - Based on Human Evidence. Lung irritation, chest pain, pulmonay edema, Inhalation sudies have shown the development of inflammatory and ulcerous lesions of the penis, prepuce, and scrotom in animals. |
| IARC group | : | 3 |
| Symptoms/injuries after inhalation | : | Harmful if inhaled. May cause drowsiness or dizziness. |
| Symptoms/injuries after skin contact | : | Harmful in contact with skin. Causes skin irritation. Repeated exposure to this material can result in absorption through skin causing significant health hazard. |
| Symptoms/injuries after eye contact | : | May cause eye irritation. |
| Symptoms/injuries after ingestion | : | May be fatal if swallowed and enters airways. Risk of lung oedema. |
| | | |

| SECTION 12: Ecological information | | | |
|---|---|--|--|
| 12.1. Toxicity | | | |
| Ecology - general | Toxic to bees. | | |
| Ecology - water | : Toxic to aquatic life. | | |
| DECHLORANES AND BFR INTERNAL STAND | ARD MIXTURE 10 UG/ML IN NONANE/TOLUENE | | |
| EC50 Daphnia 1 | 8 mg/l Daphnia magna (Water flea) - 24h | | |
| LC50 fish 2 | 7.63 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h | | |
| EC50 Daphnia 2 | 6 mg/l Daphnia magna (Water flea) - Immobilization - 48 h | | |
| ErC50 (algae) | 245 mg/l Chlorella vulgaris (Fresh water algae) - 24 h | | |
| ErC50 (other aquatic plants) | 10 mg/l Pseudokirchneriella subcapitata (Green algae) - 24 h | | |
| NOEC (chronic) | 5.44 mg/l Pimephales promelas (fathead minnow) - 7 d | | |
| TOLUENE UNLABELED (108-88-3) | | | |
| EC50 Daphnia 1 | 8 mg/l Daphnia magna (Water flea) - 24h | | |
| LC50 fish 2 | 7.63 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h | | |
| EC50 Daphnia 2 | 6 mg/l Daphnia magna (Water flea) - Immobilization - 48 h | | |
| ErC50 (algae) | 245 mg/l Chlorella vulgaris (Fresh water algae) - 24 h | | |
| ErC50 (other aquatic plants) | 10 mg/l Pseudokirchneriella subcapitata (Green algae) - 24 h | | |
| NOEC (chronic) | 5.44 mg/l Pimephales promelas (fathead minnow) - 7 d | | |
| N-NONANE UNLABELED | | | |
| EC50 Daphnia 1 | 0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h | | |
| MIREX (13C10, 98%) (2385-85-5 (Unlabeled)) | | | |
| LC50 fish 1 | 0.023 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h | | |
| EC50 Daphnia 1 | 2.6 mg/l Daphnia magna (Water flea) - 48 h | | |
| DECHLORANE 602 (CHEMICAL PURITY >97%) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) (31107-44-5 (Unlabeled)) | | | |
| LC50 fish 1 | > 100 mg/l Bluegill sunfish - 96 h | | |
| 1,4-DIBROMOBENZENE (13C6, 99%) (19936-7 | 1,4-DIBROMOBENZENE (13C6, 99%) (19936-78-8) | | |
| LC50 fish 1 | 0.68 mg/l Poecilia reticulata (guppy) - 96 h | | |

| 2.2. Persistence and degradability | | |
|--|------------------------|--|
| DECHLORANES AND BFR INTERNAL STANDARD MIXTURE 10 UG/ML IN NONANE/TOLUENE | | |
| Persistence and degradability Readily biodegradable. | | |
| TOLUENE UNLABELED (108-88-3) | | |
| Persistence and degradability | Readily biodegradable. | |

Safety Data Sheet

| | (I In lak ala d)) |
|---|---|
| HEXABROMOBENZENE (13C6, 99%) (87-82-1 | |
| Persistence and degradability | May cause long-term adverse effects in the environment. |
| |) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) (31107-44-5 (Unlabeled)) |
| Persistence and degradability | Persistent in the environment. |
| 1,4-DIBROMOBENZENE (13C6, 99%) (19936-7 | |
| Persistence and degradability | Not available. |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTE | NE-13C10, 99%) (135821-03-3 (Unlabeled)) |
| Persistence and degradability | Not available. |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENT | ENE-13C10, 99%) (135821-74-8 (Unlabeled)) |
| Persistence and degradability | Not available. |
| 12.3. Bioaccumulative potential | |
| DECHLORANES AND BFR INTERNAL STAND | ARD MIXTURE 10 UG/ML IN NONANE/TOLUENE |
| BCF fish 1 | 0.05 mg/l Leuciscus idus (Golden orfe) - 3 d |
| Bioconcentration factor (BCF REACH) | 90 |
| TOLUENE UNLABELED (108-88-3) | |
| BCF fish 1 | 0.05 mg/l Leuciscus idus (Golden orfe) - 3 d |
| Bioconcentration factor (BCF REACH) | 90 |
| N-NONANE UNLABELED | |
| Log Pow | 5.65 |
| Bioaccumulative potential | Indication of bioaccumulation. |
| MIREX (13C10, 98%) (2385-85-5 (Unlabeled)) | 1 |
| BCF fish 1 | 0.0012 mg/l Pimephales promelas (rainbow trout) - 32 d |
| Bioconcentration factor (BCF REACH) | 18100 |
| Log Pow | 5.28 |
| HEXABROMOBENZENE (13C6, 99%) (87-82-1 | (Unlabeled)) |
| Log Pow | 6.278 |
| DECHLORANE 602 (CHEMICAL PURITY >97% |) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) (31107-44-5 (Unlabeled)) |
| Bioaccumulative potential | If released in water, this material is expected to preferentially absorb to sediment. The photodegradation half-life is over 24 years. The material is resistant to biodegradation by aerobic and anaerobic bacteria. |
| 1,4-DIBROMOBENZENE (13C6, 99%) (19936-7 | 8-8) |
| Bioconcentration factor (BCF REACH) | 220 Gambusia affinis (Mosquito fish) - 96 h - 30.8 ug/l |
| Bioaccumulative potential | Gambusia affinis (Mosquito fish) - 96 h - 30.8 ug/l. |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTE | ENE-13C10, 99%) (135821-03-3 (Unlabeled)) |
| Bioaccumulative potential | Not available. |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENT | ENE-13C10, 99%) (135821-74-8 (Unlabeled)) |
| Bioaccumulative potential | Not available. |
| 12.4. Mobility in soil | |
| DECHLORANE 602 (CHEMICAL PURITY >97% | .) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) (31107-44-5 (Unlabeled)) |
| Ecology - soil | Not available. |
| 1,4-DIBROMOBENZENE (13C6, 99%) (19936-7 | I |
| Ecology - soil | Not available. |
| DECHLORANE PLUS SYN (BIS-CYCLOPENTE | I |
| Ecology - soil | Not available. |
| | |
| DECHLORANE PLUS ANTI (BIS-CYCLOPENT Ecology - soil | ENE-13C10, 99%) (135821-74-8 (Unlabeled)) Not available. |
| • | I |
| 12.5. Results of PBT and vPvB assessmen | |
| | ARD MIXTURE 10 UG/ML IN NONANE/TOLUENE |
| PBT: not relevant – no registration required | |
| TOLUENE UNLABELED (108-88-3) | |
| PBT: not relevant – no registration required | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 12.6. Other adverse effects | |
|--|--|
| Other adverse effects | : Toxic to aquatic life with long lasting effects. Disposal must be done according to official regulations. Avoid release to the environment. |
| SECTION 13: Disposal consideratio | ns |
| 13.1. Waste treatment methods | |
| Regional legislation (waste) | : Waste materials should be disposed of under conditions which meet Federal, State, and Loca environmental control regulations. |
| Product/Packaging disposal recommendations: | Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dispose of contents/container hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| Additional information | : Handle empty containers with care because residual vapours are flammable. |
| Ecology - waste materials | : Dispose of as unused product. Hazardous waste due to toxicity. |
| SECTION 14: Transport information | |
| In accordance with ADR / RID / IMDG / IATA / A | |
| 14.1. UN number | |
| UN-No.(DOT) | : 1294 |
| DOT NA no. | UN1294 |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (DOT) | : Toluene |
| Class (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Hazard labels (DOT) | : 3 - Flammable liquid |
| Packing group (DOT) | : II - Medium Danger |
| DOT Special Provisions (49 CFR 172.102) | II - Medium Danger IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 202 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 242 |
| DOT RQ | : 1000 lbs |
| Marine pollutant | : No |
| 14.3. Additional information | |
| Other information | : No supplementary information available. |
| Overland transport | |
| Packing group (ADR) | : 11 |
| Class (ADR) | : 3 - Flammable liquid |
| Hazard identification number (Kemler No.) | : 33 |
| Classification code (ADR) | : 53 : F1 |
| | . 1 I |

Danger labels (ADR)

EN (English)

: 3 - Flammable liquids

Safety Data Sheet

| 20, 2012 / Rules and Regulations | | |
|---|---|--|
| Orange plates | 33 1294 | |
| Tunnel restriction code (ADR) | : D/E | |
| Limited quantities (ADR) | | |
| EAC code | : 3YE | |
| | : E2 | |
| Excepted quantities (ADR) | . L2 | |
| Transport by sea | | |
| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. | |
| MFAG-No | : 130 | |
| Air transport | | |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 5 L | |
| DOT Quantity Limitations Cargo aircraft only (49 | : 60 l | |
| CFR 175.75) | | |
| Civil Aeronautics Law | : Flammable liquids | |
| | | |
| 14.4. Environmental hazards | | |
| | : No supplementary information available. | |
| | | |
| 14.5. Special precautions for user | | |
| | II of MARPOL 73/78 and the IBC Code | |
| Not applicable | | |
| SECTION 15: Regulatory information | | |
| 15.1. US Federal regulations | | |
| | ARD MIXTURE 10 UG/ML IN NONANE/TOLUENE | |
| Listed on the United States TSCA (Toxic Substa | | |
| CERCLA RQ | 1000 lb | |
| SARA Section 302 Threshold Planning | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA | |
| Quantity (TPQ) | Title III, Section 302 | |
| SARA Section 311/312 Hazard Classes | Fire hazard | |
| | Immediate (acute) health hazard | |
| SARA Section 313 Emission Reporting | Delayed (chronic) health hazard Subject to reporting requirements of United States SARA Section 313 | |
| SARA Section 313 - Emission Reporting | | |
| TOLUENE UNLABELED (108-88-3) | | |
| Listed on the United States TSCA (Toxic Substa CERCLA RQ | | |
| | 1000 lb SARA 302: No chemicals in this material are subject to the reporting requirements of SARA | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Title III, Section 302 | |
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard | |
| SARA Section 313 - Emission Reporting | Subject to reporting requirements of United States SARA Section 313 | |
| N-NONANE UNLABELED (111-84-2) | | |
| Listed on the United States TSCA (Toxic Substa | nces Control Act) inventory | |
| EPA TSCA Regulatory Flag | T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA. | |
| | | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| MIREX (13C10, 98%) (2385-85-5 (Unlabeled) | |
|---|---|
| SARA Section 302 Threshold Planning Quantity (TPQ) | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| HEXABROMOBENZENE (13C6, 99%) (87-82 | -1 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302. |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313. |
| DECHLORANE 602 (CHEMICAL PURITY >97 | 7%) (1,2,3,4,6,7,8,9,10,11-13C10, 99%) (31107-44-5 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302 |
| SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| 1,4-DIBROMOBENZENE (13C6, 99%) (19936 | j-78-8) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | Not subject to reporting requirements of the United States SARA Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| TBPH (BIS(2-ETHYLHEXYL)TETRABROMO | PHTHALATE) (D34, 98%) (1793944-59-8) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| DECHLORANE PLUS SYN (BIS-CYCLOPEN | TENE-13C10, 99%) (135821-03-3 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| DECHLORANE PLUS ANTI (BIS-CYCLOPEN | NTENE-13C10, 99%) (135821-74-8 (Unlabeled)) |
| SARA Section 302 Threshold Planning Quantity (TPQ) | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302 |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Not subject to reporting requirements of the United States SARA Section 313 |
| | |

15.2. International regulations

CANADA

| DECHLORANES AND BFR INTERNAL STANDARD MIXTURE 10 UG/ML IN NONANE/TOLUENE | | |
|--|--|--|
| Listed on the Canadian DSL (Domestic Substances List) | | |
| TOLUENE UNLABELED (108-88-3) | | |
| Listed on the Canadian DSL (Domestic Substances List) | | |
| N-NONANE UNLABELED (111-84-2) | | |
| Listed on the Canadian DSL (Domestic Substances List) | | |

15.2.1. National regulations

N-NONANE UNLABELED (111-84-2)

15.3. US State regulations

| DECHLORANES AND BFR INTERNAL STANDARD MIXTURE 10 UG/ML IN NONANE/TOLUENE() | | |
|--|-----|--|
| U.S California - Proposition 65 - Carcinogens List | No | |
| U.S California - Proposition 65 - Developmental Toxicity | Yes | |

Safety Data Sheet

| INTERNAL STANDART IN | IIXTURE 10 UG/ML IN NONANE | TOLUENEO | | | |
|---|---|---|---|--|--|
| 1 65 - Reproductive | No | | | | |
| | | | | | |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | | No | | | |
| No significant risk level (NSRL) State or local regulations | | 7000 μg/day U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S Pennsylvania - RTK (Right to Know) List U.S Massachusetts - Right To Know List | | | |
| | | | | | |
| | U.S California - | U.S California - | No significant risk level | | |
| Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRĽ) | | |
| Yes | No | No | 7000 µg/day | | |
| 4-2) | | | | | |
| U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | | |
| No | No | No | | | |
| ·85-5 (Unlabeled)) | | | | | |
| U.S California - | U.S California - | U.S California - | No significant risk level | | |
| Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRL) | | |
| No | No | No | | | |
| 3C6, 99%) (87-82-1 (Unlab | eled)) | | | | |
| U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | | |
| No | No | No | | | |
| CAL PURITY >97%) (1,2,3 | 3,4,6,7,8,9,10,11-13C10, 99%) (3 | 31107-44-5 (Unlabeled)) | | | |
| U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | | |
| No | No | No | | | |
| 3C6, 99%) (19936-78-8) | | | | | |
| U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | | |
| No | No | No | | | |
| | ATE) (D34 98%) (1793944-59-8) | | | | |
| U.S California - | U.S California - | U.S California - | No significant risk level | | |
| Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRL) | | |
| No | No | No | | | |
| (BIS-CYCLOPENTENE-13 | C10, 99%) (135821-03-3 (Unlab | eled)) | | | |
| | U.S California - | U.S California - | No significant risk level | | |
| U.S California - Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRL) | | |
| | 8-88-3) U.S California - Proposition 65 - Developmental Toxicity Yes 4-2) U.S California - Proposition 65 - Developmental Toxicity No 85-5 (Unlabeled)) U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (87-82-1 (Unlab U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (87-82-1 (Unlab U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (19936-78-8) U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (19936-78-8) U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (19936-78-8) U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (19936-78-8) U.S California - Proposition 65 - Developmental Toxicity No 3C6, 99%) (19936-78-8) U.S California - Proposition 65 - Developmental Toxicity No | n 65 - Reproductive No iL) 7000 μg/day U.S Delaware - Pollutant Dis U.S New York - Reporting of U.S New York - Reporting of U.S Nemsylvania - RTK (Rig U.S California - Proposition 65 - Developmental Toxicity Ves No 4-2) U.S California - Proposition 65 - Developmental Toxicity Ves No 4-2) U.S California - Proposition 65 - Developmental Toxicity No No 85-5 (Unlabeled)) U.S California - Proposition 65 - Developmental Toxicity No No 85-5 (Unlabeled)) U.S California - Proposition 65 - Developmental Toxicity No No 82-5 (Unlabeled)) U.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity No No 305 California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity V.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Reproductive Toxicity - Female No No 305. 99%) (19936-78-8) U.S California - Proposition 65 - Developmental Toxicity V.S Californi | 165 - Reproductive No 1L) 7000 µg/day U.S Delaware - Pollutant Discharge Requirements - Report U.S New York - Reporting of Releases Part 597 - List of Ha U.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity Ves No No 420 U.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity Ves No No 421 U.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity No No No No 85.5 (Unlabeled)) U.S California - Proposition 65 - Developmental Toxicity U.S California - Proposition 65 - Developmental Toxicity No No No No No No No No No No No No No No No No No No No No No No No No No U.S California - Proposition 65 - Developmental Toxicity | | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DECHLORANE PLUS ANT | TI (BIS-CYCLOPENTENE-130 | (10. 99%) (135821-74-8 (Unla | beled)) | |
|---|--|---|---|---------------------------|
| U.S California - | U.S California - | U.S California - | U.S California - | No significant risk level |
| Proposition 65 - Carcinogens List | Proposition 65 - Developmental Toxicity | Proposition 65 - Reproductive Toxicity - Female | Proposition 65 - Reproductive Toxicity - Male | (NSRL) |
| Yes | No | No | No | |
| TOLUENE UNLABELED (1 | 108-88-3) | | | |
| State or local regulations | | | | |
| U.S New Jersey - Right to | | List | | |
| N-NONANE UNLABELED (111- | 84-2) | | | |
| State or local regulations | | | | |
| U.S New Jersey - Right to U.S Massachusetts - Righ U.S Pennsylvania - RTK (| | List | ons | |
| MIREX (13C10, 98%) (2385 State or local regulations | 5-85-5 (Unlabeled)) | | | |
| U.S Massachusetts - Right | at To Know List | | | |
| U.S Pennsylvania - RTK | | List | | |
| • | 13C6, 99%) (87-82-1 (Unlabe | led)) | | |
| State or local regulations | | | | |
| U.S Pennsylvania - RTK (U.S New Jersey - Right to | (Right to Know) List Know Hazardous Substance | List | | |
| DECHLORANE 602 (CHEN State or local regulations | /IICAL PURITY >97%) (1,2,3,4 | 4,6,7,8,9,10,11-13C10, 99%) (| 31107-44-5 (Unlabeled)) | |
| | Know Hozardova Substance | Liot | | |
| U.S Pennsylvania - RTK (| o Know Hazardous Substance (Right to Know) List | LISI | | |
| 1,4-DIBROMOBENZENE (* | 13C6, 99%) (19936-78-8) | | | |
| State or local regulations | | | | |
| U.S Pennsylvania - RTK (U.S New Jersey - Right to | (Right to Know) List Know Hazardous Substance | List | | |
| | L)TETRABROMOPHTHALA | TE) (D34, 98%) (1793944-59-6 | 3) | |
| State or local regulations | | Liet | | |
| U.S New Jersey - Right to U.S Pennsylvania - RTK (| o Know Hazardous Substance (Right to Know) List | List | | |
| | I (BIS-CYCLOPENTENE-13C | 10, 9 <mark>9%) (135821-03-3 (Unla</mark> | beled)) | |
| State or local regulations | | | | |
| U.S Pennsylvania - RTK (U.S New Jersey - Right to | (Right to Know) List Know Hazardous Substance | List | | |
| | I (BIS-CYCLOPENTENE-130 | :10, 99%) (135821-74-8 (Unla | beled)) | |
| State or local regulations | | | | |
| U.S Pennsylvania - RTK | (Right to Know) List Know Hazardous Substance | Lint | | |

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-statements:

| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
|--|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (initialation vapour) category 4 |
| | |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| • | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H225 | Highly flammable liquid and vapour |
| H226 | Flammable liquid and vapour |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H351 | Suspected of causing cancer |
| H361 | Suspected of damaging fertility or the unborn child |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| | Very toxic to aquatic life with long lasting effects |
| H410 H411 | Toxic to aquatic life with long lasting effects |
| | |
| H413 | May cause long lasting harmful effects to aquatic life |
| R10 | Flammable |
| R11 | Highly flammable |
| R20 | Harmful by inhalation |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed |
| R24/25 | Toxic in contact with skin and if swallowed |
| R36/37/38 | Irritating to eyes, respiratory system and skin |
| R36/38 | Irritating to eyes and skin |
| R38 | Irritating to skin |
| R40 | Limited evidence of a carcinogenic effect |
| R48/20 | Harmful: danger of serious damage to health by prolonged exposure through inhalation |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment |
| | Many any set lange taken a disease offerta in the any stic any incompart |
| R53 | May cause long-term adverse effects in the aquatic environment |
| R53 R62 | Possible risk of impaired fertility |
| | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| R67 | Vapours may cause drowsiness and dizziness |
|--------------------|---|
| F | Highly flammable |
| Ν | Dangerous for the environment |
| Т | Toxic |
| Xi | Irritant |
| Xn | Harmful |
| | · · · · · · · · · · · · · · · · · · · |
| NFPA health hazard | : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury. |
| NFPA fire hazard | : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. |
| NFPA reactivity | : 0 - Material that in themselves are normally stable, even under fire conditions. |
| HMIS III Rating | |
| Health | : 2 Moderate Hazard - Temporary or minor injury may occur |
| Flammability | : 3 Serious Hazard |
| Physical | : 0 Minimal Hazard |
| - Hyologi | |

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product