

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 27/10/2020 Revision date: : Version: 1.0

ES-5641

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Product name : PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR

EQUIVALENTS NAOH

Product code : ES-5641

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

USA

USA: 1-800-322-1174 Int: 1-978-749-8000 cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Acute Tox. 3 (Oral)
 H301

 Acute Tox. 3 (Dermal)
 H311

 Acute Tox. 3 (Inhalation)
 H331

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 STOT SE 1
 H370

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

T; R39/23/24/25 Xi; R36/38

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 2 H225
Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
Acute Tox. 3 (Inhalation) H331
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 1 H370

Full text of H statements : see section 16

11/11/2020 EN (English US) 1/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Eyes, Kidney, Liver, Heart, Central nervous system. Highly flammable liquid and vapor. Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (if inhaled, if swallowed, in contact with skin). Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







_

GHS06

Signal word (CLP) : Danger

Hazardous ingredients : 100% METHANOL UNLABELED

Hazard statements (CLP) : H225 - Highly flammable liquid and vapor

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation H319 - Causes serious eye irritation

H370 - Causes damage to organs (kidneys, liver, heart, eyes, central nervous system) (if

inhaled, if swallowed, in contact with skin)

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment P260 - Do not breathe dust, mist, vapors, fume, gas, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

GHS-US labeling

Hazard pictograms (GHS-US)







GHS02

GHS08

GHS06

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H315 - Causes skin irritation H319 - Causes serious eye irritation

H370 - Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal,

Inhalation, oral)

Precautionary statements (GHS-US) : P210 - Keep away from heat, open flames, sparks. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust, fume, mist, gas, spray, vapors. P261 - Avoid breathing dust, fume, gas, spray, vapors, mist. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, protective gloves.

P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

11/11/2020 EN (English US) 2/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P307+P311 - If exposed: Call a poison center/doctor

P311 - Call a doctor, a POISON CENTER

P312 - Call a doctor, a POISON CENTER if you feel unwell

P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

P322 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

PBT: not relevant - no registration required

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.99781	F; R11 T; R39/23/24/25 Xi; R36/38
SODIUM HYDROXIDE UNLABELED	(CAS-No.) 1310-73-2 (Unlabeled) (EC-No.) 215-185-5 (Unlabeled) (EC Index-No.) 011-002-00-6 (Unlabeled)	0.0006	C; R35 Xi; R41 R52
PERFLUOROBUTANESULFONATE, POTASSIUM SALT (13C4, 99%)	(CAS-No.) 29420-49-3 (Unlabeled) (EC-No.) 249-61-3 (Unlabeled)	0.00014	Xi; R36/37/38
POTASSIUM PERFLUORO-1-HEXANESULFONATE (13C6, 99%)	(CAS-No.) 3871-99-6 (Unlabeled) (EC-No.) 223-393-2 (Unlabeled) (EC Index-No.)	0.00014	Xi; R36/37/38
PERFLUOROPENTANOIC ACID, SODIUM SALT (PENTANOYL-13C5, 99%)	(CAS-No.) 2706-89-0 (Unlabeled) (EC Index-No.)	0.00014	Xi; R36/37/38
PERFLUOROHEXANOIC ACID, SODIUM SALT (13C6, 99%)	(CAS-No.) 307-24-4 (Unlabeled) (EC-No.) 206-196-6 (Unlabeled)	0.00014	C; R35 R67 Xi; R41
1H,1H,2H,2H-PERFLUORODECANE SULFONATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%)	(CAS-No.) 27619-96-1 (Unlabeled) (EC Index-No.)	0.00013	T; R25 Xn; R20 N; R51/53
PERFLUOROOCTANESULFONAMIDE (PFOSA) (13C8, 99%)	(CAS-No.) 754-91-6 (Unlabeled) (EC-No.) 212-046-0 (Unlabeled) (EC Index-No.)	0.00013	R53
1H,1H,2H,2H-PERFLUOROOCTANE SULFONATE (6:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%)	(CAS-No.) 27619-94-9 (Unlabeled) (EC Index-No.)	0.00013	Xn; R22 C; R35
PERFLUOROUNDECANOIC ACID, SODIUM SALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP substance listed as REACH Candidate (Henicosafluoroundecanoic acid)	(CAS-No.) 60871-96-7 (Unlabeled) (EC-No.) 218-165-4	0.00013	Xn; R20/21/22 Xi; R36/38
PERFLUORODODECANOIC ACID, SODIUM SALT (DODECANOYL-13C12, 99%)	(CAS-No.) 307-67-5 (Unlabeled) (EC-No.) 206-203-2 (Unlabeled)	0.00013	Xi; R36/37/38
PERFLUOROTETRADECANOIC ACID (13C2, 99%) substance listed as REACH Candidate (Heptacosafluorotetradecanoic acid)	(CAS-No.) 376-06-7 (EC-No.) 206-803-4 (EC Index-No.)	0.00013	Not classified
PERFLUORODECANOIC ACID (13C9, 99%)	(CAS-No.) 335-76-2 (Unlabeled) (EC-No.) 206-400-3 (Unlabeled)	0.00013	T; R25 Xi; R36/37/38
PERFLUOROBUTYRIC ACID, SODIUM SALT (2,3,4-13C3, 99%)	(CAS-No.) 2218-54-4 (Unlabeled) (EC Index-No.)	0.00013	Xi; R36/37/38

11/11/2020 EN (English US) 3/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
100% METHANOL UNLABELED	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	99.99781	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 1, H370
SODIUM HYDROXIDE UNLABELED	(CAS-No.) 1310-73-2 (Unlabeled) (EC-No.) 215-185-5 (Unlabeled) (EC Index-No.) 011-002-00-6 (Unlabeled)	0.0006	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
PERFLUOROBUTANESULFONATE, POTASSIUM SALT (13C4, 99%)	(CAS-No.) 29420-49-3 (Unlabeled) (EC-No.) 249-61-3 (Unlabeled)	0.00014	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336
POTASSIUM PERFLUORO-1-HEXANESULFONATE (13C6, 99%)	(CAS-No.) 3871-99-6 (Unlabeled) (EC-No.) 223-393-2 (Unlabeled) (EC Index-No.)	0.00014	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
PERFLUOROPENTANOIC ACID, SODIUM SALT (PENTANOYL-13C5, 99%)	(CAS-No.) 2706-89-0 (Unlabeled) (EC Index-No.)	0.00014	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
PERFLUOROHEXANOIC ACID, SODIUM SALT (13C6, 99%)	(CAS-No.) 307-24-4 (Unlabeled) (EC-No.) 206-196-6 (Unlabeled)	0.00014	Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H336
1H,1H,2H,2H-PERFLUORODECANE SULFONATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%)	(CAS-No.) 27619-96-1 (Unlabeled) (EC Index-No.)	0.00013	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist) H332 Aquatic Chronic 2, H411
PERFLUOROOCTANESULFONAMIDE (PFOSA) (13C8, 99%)	(CAS-No.) 754-91-6 (Unlabeled) (EC-No.) 212-046-0 (Unlabeled) (EC Index-No.)	0.00013	Aquatic Chronic 4, H413
1H,1H,2H,2H-PERFLUOROOCTANE SULFONATE (6:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%)	(CAS-No.) 27619-94-9 (Unlabeled) (EC Index-No.)	0.00013	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
PERFLUOROUNDECANOIC ACID, SODIUM SALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP substance listed as REACH Candidate (Henicosafluoroundecanoic acid)	(CAS-No.) 60871-96-7 (Unlabeled) (EC-No.) 218-165-4	0.00013	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist) H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
PERFLUORODODECANOIC ACID, SODIUM SALT (DODECANOYL-13C12, 99%)	(CAS-No.) 307-67-5 (Unlabeled) (EC-No.) 206-203-2 (Unlabeled)	0.00013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)
PERFLUOROTETRADECANOIC ACID (13C2, 99%) substance listed as REACH Candidate (Heptacosafluorotetradecanoic acid)	(CAS-No.) 376-06-7 (EC-No.) 206-803-4 (EC Index-No.)	0.00013	Not classified
PERFLUORODECANOIC ACID (13C9, 99%)	(CAS-No.) 335-76-2 (Unlabeled) (EC-No.) 206-400-3 (Unlabeled)	0.00013	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336
PERFLUOROBUTYRIC ACID, SODIUM SALT (2,3,4-13C3, 99%)	(CAS-No.) 2218-54-4 (Unlabeled) (EC Index-No.)	0.00013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Name	Product identifier	%	GHS-US classification
100% METHANOL UNLABELED	(CAS-No.) 67-56-1	99.99781	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Name	Product identifier	%	GHS-US classification
100% METHANOL UNLABELED	(CAS-No.) 67-56-1	99.99781	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370
SODIUM HYDROXIDE UNLABELED	(CAS-No.) 1310-73-2 (Unlabeled)	0.0006	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
PERFLUOROBUTANESULFONATE, POTASSIUM SALT (13C4, 99%)	(CAS-No.) 29420-49-3 (Unlabeled)	0.00014	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336
POTASSIUM PERFLUORO-1-HEXANESULFONATE (13C6, 99%)	(CAS-No.) 3871-99-6 (Unlabeled)	0.00014	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

11/11/2020 EN (English US) 4/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
PERFLUOROPENTANOIC ACID, SODIUM SALT (PENTANOYL-13C5, 99%)	(CAS-No.) 2706-89-0 (Unlabeled)	0.00014	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
PERFLUOROHEXANOIC ACID, SODIUM SALT (13C6, 99%)	(CAS-No.) 307-24-4 (Unlabeled)	0.00014	Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H336
1H,1H,2H,2H-PERFLUORODECANE SULFONATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%)	(CAS-No.) 27619-96-1 (Unlabeled)	0.00013	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411
PERFLUOROOCTANESULFONAMIDE (PFOSA) (13C8, 99%)	(CAS-No.) 754-91-6 (Unlabeled)	0.00013	Aquatic Chronic 4, H413
1H,1H,2H,2H-PERFLUOROOCTANE SULFONATE (6:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%)	(CAS-No.) 27619-94-9 (Unlabeled)	0.00013	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
PERFLUOROUNDECANOIC ACID, SODIUM SALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP	(CAS-No.) 60871-96-7 (Unlabeled)	0.00013	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
PERFLUORODODECANOIC ACID, SODIUM SALT (DODECANOYL-13C12, 99%)	(CAS-No.) 307-67-5 (Unlabeled)	0.00013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400
PERFLUOROTETRADECANOIC ACID (13C2, 99%)	(CAS-No.) 376-06-7	0.00013	Not classified
PERFLUORODECANOIC ACID (13C9, 99%)	(CAS-No.) 335-76-2 (Unlabeled)	0.00013	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336
PERFLUOROBUTYRIC ACID, SODIUM SALT (2,3,4-13C3, 99%)	(CAS-No.) 2218-54-4 (Unlabeled)	0.00013	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures

4.1.	Description	of firet aid	moscuree
4.1.	Describilion	UI III SE AIL	i illeasules

If medical advice is needed, have product container or label at hand. Call a physician First-aid measures general immediately. Evacuate danger area.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial

respiration. Call a doctor.

First-aid measures after skin contact Rinse skin with water/shower. Take immediately victim to hospital. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

: Causes damage to organs (Eyes, heart, liver, kidneys, central nervous system, Skin) (in Symptoms/effects

contact with skin, if inhaled, if swallowed).

Symptoms/effects after inhalation Toxic if inhaled.

Toxic in contact with skin. Causes skin irritation. Symptoms/effects after skin contact

Symptoms/effects after eye contact Causes serious eye irritation.

Symptoms/effects after ingestion : Toxic if swallowed.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Dry powder. Dry sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Reactivity : Vapors may form flammable mixture with air. Highly flammable liquid and vapor.

11/11/2020 EN (English US) 5/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing. Wear recommended personal protective equipment.

Other information : Use water spray to cool exposed surfaces.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Wear respiratory protection. Do not breathe dust, mist, gas, spray, vapors, fume. Avoid contact

with skin, eyes and clothing. Ventilate spillage area. Remove all sources of ignition. No open flames, no sparks, and no smoking. Ensure adequate air ventilation. Special attention should

be given to low areas/pits where flammable vapors can accumulate.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Dike and contain spill.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters. This material and its container must be disposed of in a safe way, and as per local

legislation.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take

precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapors, mist. Do not get in eyes, on skin, or on clothing. Use

only outdoors or in a well-ventilated area.

Hygiene measures : Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep

container tightly closed. Store locked up.

Storage conditions : Store at room temperature away from light and moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PFAS SIL SUPERFUND MIXT	PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)	
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)	
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m³ Basis: NIOSH Recommended Exposure Limits	
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits	

11/11/2020 EN (English US) 6/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH		
USA NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³ Basis: NIOSH Recommended Exposure
		Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.
100% METHANOL UNLABEL	.ED (67-56-1)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³ Basis: NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm Basis: NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential for dermal absorption.
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³ Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (mg/m³)	325 mg/m³ Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (STEL) (ppm)	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)
USA OSHA	OSHA PEL (Ceiling) (ppm)	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)

11/11/2020 EN (English US) 7/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UNLABELED (67-56-1)		
USA OSHA	Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.
SODIUM HYDROXIDE UNLABELED (1310-73-2 (Unlabeled))		
Italy - Portugal - USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³ Upper Respiratory Tract irritation. Eye irritation. Skin irritation.
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	2 mg/m³ Upper Respiratory Tract irritation. Eye irritation. Skin irritation.
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m³ Upper Respiratory Tract irritation. Eye irritation. Skin irritation.

PFAS SIL SUPERFUND MIXTURE 2 (LABELEI	D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	40 mg/kg bodyweight/day
Acute - systemic effects, inhalation	260 mg/m³
Acute - local effects, dermal	260 mg/cm ²
Long-term - systemic effects, dermal	40 mg/kg bodyweight/day
Long-term - local effects, dermal	260 mg/cm ²
Long-term - local effects, inhalation	260 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	8 mg/kg body weight
Acute - systemic effects, inhalation	50 mg/m³
Acute - systemic effects, oral	8 mg/kg body weight
Acute - local effects, inhalation	50 mg/m³
Long-term - systemic effects,oral	8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	50 mg/m³
Long-term - systemic effects, dermal	8 mg/kg bodyweight/day
Long-term - local effects, inhalation	50 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	154 mg/l
PNEC aqua (marine water)	15.4 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	570.4 mg/kg dwt
PNEC (Soil)	
PNEC soil	23.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/kg

Exposure controls

: Wash hands and other exposed areas with mild soap and water before eating, drinking or Appropriate engineering controls

smoking and when leaving work.

Personal protective equipment Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.









: Wear suitable protective clothing and gloves. Materials for protective clothing Hand protection : Wear suitable protective clothing and gloves.

: Wear eye protection. Chemical goggles or face shield with safety glasses. Eye protection

: Wear suitable protective clothing, gloves and eye/face protection. Skin and body protection

: In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator. Respiratory protection

Environmental exposure controls Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture. Physical state : Liquid Appearance : Liquid Molecular mass : 32.04 g/mol

11/11/2020 EN (English US) 8/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Color : Colorless
Odor : Pungent

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : -98 °C (-144 °F) Freezing point : No data available Boiling point : 64.7 °C (148.5 °F)

Flash point : 9.7 °C (49.5 °F) - closed cup

Auto-ignition temperature : 455 °C (851 °F) at 1,013 hPa (760 mmHg)

Decomposition temperature : No data available Flammability (solid, gas) : No data available

Vapor pressure : 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F)

Vapor pressure at 50 °C : 546.6 hPa (410 mmHg) at 50 °C (122 °F)

Relative vapor density at 20 °C : 1.11

Relative density : No data available

Specific gravity / density : 0.791 g/ml at 25 °C (77 °F)
Solubility : Water: Completely miscible

Log Pow : -0.77

Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : Product is not explosive.

Oxidizing properties : Non oxidizing material according to EC criteria.

Explosion limits : 6 - 36 % (V)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form flammable mixture with air. Highly flammable liquid and vapor.

10.2. Chemical stability

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Acid anhydrides. Acid chlorides. Oxidizing agent. Alkali Metal Amides. Reducing agents. Acids.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH		
LD50 oral rat	1187 - 2769 mg/kg	
LD50 dermal rabbit	17100 mg/kg	
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h	
ATE CLP (oral)	100.000 mg/kg body weight	
ATE CLP (dermal)	300.000 mg/kg body weight	
ATE CLP (vapors)	3.000 mg/l/4h	
ATE CLP (dust, mist)	128.200 mg/l/4h	
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	

11/11/2020 EN (English US) 9/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UNLABELED (67-56-1)	
LD50 oral rat	1187 - 2769 mg/kg
LD50 dermal rabbit	17100 mg/kg
LC50 inhalation rat (mg/l)	128.2 mg/l/4h ; 87.6 mg/l - 6 h
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	128.200 mg/l/4h
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
1H,1H,2H,2H-PERFLUORODECANE SULFON	ATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-96-1 (Unlabeled))
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
PERFLUOROOCTANESULFONAMIDE (PFOS	A) (13C8, 99%) (754-91-6 (Unlabeled))
LD50 oral rat	> 172 mg/kg
1H,1H,2H,2H-PERFLUOROOCTANE SULFON	ATE (6:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-94-9 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
PERFLUOROUNDECANOIC ACID, SODIUM S	ALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP (60871-96-7 (Unlabeled))
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (dust, mist)	1.500 mg/l/4h
PERFLUORODECANOIC ACID (13C9, 99%) (3	35-76-2 (Unlabeled))
LD50 oral rat	57 mg/kg
ATE CLP (oral)	57.000 mg/kg body weight
Skin corrosion/irritation	: Skin - Rabbit. Result: No skin irritation
Serious eye damage/irritation	: Eyes - Rabbit. Result: No eye irritation
Respiratory or skin sensitization	: Maximisation Test . Guinea pig. Did not cause sensitization. (OECD 406 method)
Germ cell mutagenicity	: AMES test: S. tymphimurium. Result: Negative. Fibroblast. Result: Negative. Mutation in mammalian somatic cells. Mutagenicity (In vivo mammalian bone-marrow cystogenetic test, chromosomal analysis) - Mouse - Male and female Result: Negative. Mouse - Male and female. Result: Negative
Carcinogenicity	: Not classified
Reproductive toxicity	: Damage to fetus not classifiable. Fertility classification not possible from current data.
Specific target organ toxicity – single exposure	: Causes damage to organs through prolonged or repeated exposure
Specific target organ toxicity – repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed.
3	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH	
LC50 fish 1 15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h	

11/11/2020 EN (English US) 10/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6, 2012 / Rules and Regulations	
PFAS SIL SUPERFUND MIXTURE 2 (LABELE	D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h
100% METHANOL UNLABELED (67-56-1)	
LC50 fish 1	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h
EC50 Daphnia 1	> 10000 mg/l Daphnia magna (Water flea) - 48 h
EC50 Daphnia 2	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h
	SALT (DODECANOYL-13C12, 99%) (307-67-5 (Unlabeled))
EC50 other aquatic organisms 1	0.0792 mg/l Daphnia magna (Water flea) - 48h
SODIUM HYDROXIDE UNLABELED (1310-73	
LC50 fish 1	125 mg/l Gambusia affinis (Mosquito fish) - 96 h
EC50 Daphnia 1	40.38 mg/l Daphnia (water flea) - 48 h - Immobilization
LC50 fish 2	45.4 mg/kg Oncorhynchus mykiss (rainbow trout) - 96 h
2000 11311 2	40.4 mg/ng Oncomynonias mynas (rambow troat) 30 m
12.2. Persistence and degradability	
PFAS SIL SUPERFUND MIXTURE 2 (LABELE	D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH
Biochemical oxygen demand (BOD)	600 - 1200 mg/g
Chemical oxygen demand (COD)	1420 mg/g
ThOD	1500 mg/g
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d
100% METHANOL UNLABELED (67-56-1)	·
Biochemical oxygen demand (BOD)	600 - 1200 mg/g
Chemical oxygen demand (COD)	1420 mg/g
ThOD	1500 mg/g
BL 1 I I	72 % - rapidly biodegradable aerobic - Exposure time 5 d
Biodegradation	12 /0 - Tapidiy biodegradable detobic - Exposure time 5 d
Biodegradation PERFLUOROHEXANOIC ACID. SODIUM SAL	
PERFLUOROHEXANOIC ACID, SODIUM SAL	T (13C6, 99%) (307-24-4 (Unlabeled))
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment.
PERFLUOROHEXANOIC ACID, SODIUM SAL	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. -2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH)	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73) Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1)	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. -2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. ED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73) Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH)	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled))
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73) Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil 100% METHANOL UNLABELED (67-56-1)	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 3D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH Not degradable in the soil.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil 100% METHANOL UNLABELED (67-56-1)	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH Not degradable in the soil.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil 100% METHANOL UNLABELED (67-56-1) Ecology - soil	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 5D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH Not degradable in the soil.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73 Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil 100% METHANOL UNLABELED (67-56-1) Ecology - soil	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH Not degradable in the soil. Not degradable in the soil.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil 100% METHANOL UNLABELED (67-56-1) Ecology - soil 12.5. Results of PBT and vPvB assessment	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH Not degradable in the soil. Not degradable in the soil.
PERFLUOROHEXANOIC ACID, SODIUM SAL Persistence and degradability SODIUM HYDROXIDE UNLABELED (1310-73: Persistence and degradability 12.3. Bioaccumulative potential PFAS SIL SUPERFUND MIXTURE 2 (LABELE BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow 100% METHANOL UNLABELED (67-56-1) BCF fish 1 Bioconcentration factor (BCF REACH) Log Pow PERFLUOROOCTANESULFONAMIDE (PFOS Log Pow 12.4. Mobility in soil PFAS SIL SUPERFUND MIXTURE 2 (LABELE Ecology - soil 100% METHANOL UNLABELED (67-56-1) Ecology - soil 12.5. Results of PBT and vPvB assessment PFAS SIL SUPERFUND MIXTURE 2 (LABELE PBT: not relevant – no registration required	T (13C6, 99%) (307-24-4 (Unlabeled)) May cause long-term adverse effects in the environment. 2 (Unlabeled)) The methods for determining the biological degradability are not applicable to inorganic substances. D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C 1 -0.77 A) (13C8, 99%) (754-91-6 (Unlabeled)) 5.8 D), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH Not degradable in the soil. Not degradable in the soil.

11/11/2020 EN (English US) 11/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PERFLUOROHEXANOIC ACID, SODIUM SALT (13C6, 99%) (307-24-4 (Unlabeled))

PBT: not relevant - no registration required

PERFLUOROUNDECANOIC ACID, SODIUM SALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP (60871-96-7 (Unlabeled))

This substance/mixture does not meet the PBT criteria of REACH, annex XIII

This substance/mixture meets the vPvB criteria of REACH, annex XIII

PERFLUOROTETRADECANOIC ACID (13C2, 99%) (376-06-7)

This substance/mixture does not meet the PBT criteria of REACH, annex XIII

This substance/mixture meets the vPvB criteria of REACH, annex XIII

Other adverse effects

Other adverse effects : Avoid release to the environment.

Stability in water: at 19 $^{\circ}\text{C}$ - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water. Other information

Hydrolyses readily.

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and local

environmental control regulations.

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed Product/Packaging disposal recommendations

professional waste disposal service to dispose of this material.

Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

UN number 14.1.

UN-No.(DOT) : 1230 DOT NA no. UN1230

UN proper shipping name

Proper Shipping Name (DOT) : Methanol

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Class (DOT)

Hazard labels (DOT) : 3 - Flammable liquid

6.1 - Poison





DOT Symbols + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group,I - Proper shipping name appropriate for international and domestic transportation

Packing group (DOT) : II - Medium Danger

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite DOT Special Provisions (49 CFR 172.102)

(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal.............. 178.275(d)(3)
TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C

(59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

Additional information

Emergency Response Guide (ERG) Number

Other information : No supplementary information available.

11/11/2020 EN (English US) 12/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Overland transport

Hazard identification number (Kemler No.) : 336

Orange plates :

336 1230

Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) 11
Excepted quantities (ADR) : E2

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living guarters"

MFAG-No : 131

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids

14.4. Environmental hazards

Other information : No supplementary information available.

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313	
100% METHANOL UNLABELED (67-56-1)		

100% METHANOL UNLABELED (67-36-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
CERCLA RQ	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313

1H,1H,2H,2H-PERFLUORODECANE SULFONATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-96-1 (Unlabeled))		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.	

11/11/2020 EN (English US) 13/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

o, 2012 / Rules and Regulations				
PERFLUOROOCTANESULFONAMIDE (PFOS				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
PERFLUOROBUTANESULFONATE, POTASS	SIUM SALT (13C4, 99%) (29420-49-3 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313			
1H,1H,2H,2H-PERFLUOROOCTANE SULFON	IATE (6:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-94-9 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
POTASSIUM PERFLUORO-1-HEXANESULFO	NATE (13C6, 99%) (3871-99-6 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
PERFLUOROPENTANOIC ACID, SODIUM SA	LT (PENTANOYL-13C5, 99%) (2706-89-0 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
PERFLUOROHEXANOIC ACID, SODIUM SAL	T (13C6, 99%) (307-24-4 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
PERFLUOROUNDECANOIC ACID, SODIUM SALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP (60871-96-7 (Unlabeled))				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
PERFLUORODODECANOIC ACID, SODIUM S	SALT (DODECANOYL-13C12, 99%) (307-67-5 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313			
PERFLUOROTETRADECANOIC ACID (13C2,				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporing requirements of the United States SARA Section 302.			
SARA Section 313 - Emission Reporting	Not subject to reporing requirements of the United States SARA Section 313.			
SODIUM HYDROXIDE UNLABELED (1310-73	-2 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302			
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313			
PERFLUOROBUTYRIC ACID, SODIUM SALT	(2,3,4-13C3, 99%) (2218-54-4 (Unlabeled))			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
	Not subject to reporting requirements of the United States SARA Section 302. Not subject to reporting requirements of the United States SARA Section 313.			
Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 313.			
Quantity (TPQ) SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.			
Quantity (TPQ) SARA Section 313 - Emission Reporting PERFLUORODECANOIC ACID (13C9, 99%) (3 SARA Section 302 Threshold Planning	Not subject to reporting requirements of the United States SARA Section 313. 335-76-2 (Unlabeled))			

11/11/2020 EN (English US) 14/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

PFAS SIL SUPERFUND MIXTURE 2 (LABELED), IN METHANOL W/4 MOLAR EQUIVALENTS NAOH

Listed on the Canadian DSL (Domestic Substances List)

100% METHANOL UNLABELED (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

		ETHANOL W/4 MOLAR EQUIV	ALENTS NAOH()		
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		Yes			
U.S California - Proposition Toxicity - Female	n 65 - Reproductive	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
State or local regulations		U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances			
100% METHANOL UNLABE	ELED (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	Yes	No	No		
1H,1H,2H,2H-PERFLUORO	1H,1H,2H,2H-PERFLUORODECANE SULFONATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-96-1 (Unlabeled))				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
PERFLUOROOCTANESUL	FONAMIDE (PFOSA) (13C8	3, 99%) (754-91-6 (Unlabeled))			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
PERFLUOROBUTANESULFONATE, POTASSIUM SALT (13C4, 99%) (29420-49-3 (Unlabeled))					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
1H,1H,2H,2H-PERFLUORO	OCTANE SULFONATE (6:2	2 FTS), SODIUM SALT (1,2-130	C2, 99%; 1,1,2,2-D4, 98%) (27 (619-94-9 (Unlabeled))	
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	

11/11/2020 EN (English US) 15/19

Safety Data Sheet

State or local regulations

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

POTASSIUM PERFLUOR	RO-1-HEXANESULFONATE (1	3C6, 99%) (3871-99-6 (Unlab	eled))	
J.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity -	U.S California - Proposition 65 - Reproductive Toxicity -	No significant risk level (NSRL)
Saromogens List	Developmental Toxicity	Female	Male	
No	No	No	No	
PERFLUOROPENTANOI	C ACID, SODIUM SALT (PEN	TANOYL-13C5, 99%) (2706-8	9-0 (Unlabeled))	
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity -	Proposition 65 - Reproductive Toxicity -	(NSRL)
Salcinogens List	Developmental Toxicity	Female	Male	
No	No	No	No	
PERFLUOROHEXANOIC	ACID, SODIUM SALT (13C6,			
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity -	Proposition 65 - Reproductive Toxicity -	(NSRL)
zarcinogens List	Developmental Toxicity	Female	Male	
No	No	No	No	
PERFLUOROUNDECANO	OIC ACID, SODIUM SALT (3,4		0% CP (60871-96-7 (Unlabele	d))
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
PERFLUORODODECAN	OIC ACID, SODIUM SALT (DC	DECANOYL-13C12, 99%) (30	07-67-5 (Unlabeled))	
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
PERFLUOROTETRADEC	CANOIC ACID (13C2, 99%) (37	6-06-7)		
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
SODIUM HYDROXIDE UI	NLABELED (1310-73-2 (Unlab	eled))		
J.S California -		U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
PERFLUOROBUTYRIC A	ACID, SODIUM SALT (2,3,4-13	C3. 99%) (2218-54-4 (Unlabe	led))	
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
PERFLUORODECANOIC	ACID (13C9, 99%) (335-76-2	(Unlabeled))		
J.S California -	U.S California -	U.S California -	U.S California -	No significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

11/11/2020 EN (English US) 16/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UNLABELED (67-56-1)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances

1H,1H,2H,2H-PERFLUORODECANE SULFONATE (8:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-96-1 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUOROOCTANESULFONAMIDE (PFOSA) (13C8, 99%) (754-91-6 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUOROBUTANESULFONATE, POTASSIUM SALT (13C4, 99%) (29420-49-3 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

1H,1H,2H,2H-PERFLUOROOCTANE SULFONATE (6:2 FTS), SODIUM SALT (1,2-13C2, 99%; 1,1,2,2-D4, 98%) (27619-94-9 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

POTASSIUM PERFLUORO-1-HEXANESULFONATE (13C6, 99%) (3871-99-6 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUOROPENTANOIC ACID, SODIUM SALT (PENTANOYL-13C5, 99%) (2706-89-0 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUOROHEXANOIC ACID, SODIUM SALT (13C6, 99%) (307-24-4 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUOROUNDECANOIC ACID, SODIUM SALT (3,4,5,6,7,8,9,10,11-13C9, 99%) 90% CP (60871-96-7 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUORODODECANOIC ACID, SODIUM SALT (DODECANOYL-13C12, 99%) (307-67-5 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUOROTETRADECANOIC ACID (13C2, 99%) (376-06-7)

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

SODIUM HYDROXIDE UNLABELED (1310-73-2 (Unlabeled))

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

11/11/2020 EN (English US) 17/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PERFLUOROBUTYRIC ACID, SODIUM SALT (2,3,4-13C3, 99%) (2218-54-4 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

PERFLUORODECANOIC ACID (13C9, 99%) (335-76-2 (Unlabeled))

State or local regulations

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

SECTION 16: Other information

Other information

This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

text of it, if and Loff prinases.	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H370	Causes damage to organs
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
R11	Highly flammable
R20	Harmful by inhalation
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R25	Toxic if swallowed

11/11/2020 EN (English US) 18/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

R35	Causes severe burns
R36/37/38	Irritating to eyes, respiratory system and skin
R36/38	Irritating to eyes and skin
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed
R41	Risk of serious damage to eyes
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52	Harmful to aquatic organisms
R53	May cause long-term adverse effects in the aquatic environment
R67	Vapors may cause drowsiness and dizziness
С	Corrosive
F	Highly flammable
N	Dangerous for the environment
Т	Toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause

temporary incapacitation or residual injury.

NFPA fire hazard


: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient

temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

11/11/2020 EN (English US) 19/19