

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/12/2017 Revision date: 23/05/2018 Supersedes: 07/12/2017

Version: 1.1

		ibstance/mixture and of the company/undertaking		
	Product identifier			
Product for				
Product na		: 1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/ML IN NONANE		
Product co		: JR-F70-25		
1.2. F	Relevant identified uses of the su	bstance or mixture and uses advised against		
1.2.1. F	Relevant identified uses			
Main use c	ategory	: Professional use		
Industrial/F	Professional use spec	: For professional use only		
1.2.2. U	Jses advised against			
	nal information available			
	Details of the supplier of the safet Isotope Laboratories, Inc.	y data sheet		
50 Frontag				
Andover, Ñ	IA 01810			
USA				
	00-322-1174 Int: 1-978-749-8000 sotope.com www.isotope.com			
E	Emergency telephone number			
Emergency	y numbers:			
	1-800-424-9300 (24 hours)			
Internation	al: 1-703-741-5970 (24 hours)			
SECTIO	N 2: Hazards identification			
2.1. (Classification of the substance or	mixture		
Classifica	tion according to Regulation (EC	No. 1272/2008 [CLP]		
Flam. Liq. 3	3 H226			
Acute Tox.	4 (Inhalation:dust,mist) H332			
Skin Irrit. 2	H315			
Eye Irrit. 2	H319			
STOT SE :	3 H336			
Asp. Tox. ²	H304			
Full text of	hazard classes and H-statements :	see section 16		
Classifica	tion according to Directive 67/548	8/EEC [DSD] or 1999/45/EC [DPD]		

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

R10 Xn; R20 Xn; R65 Xi; R36/38 R67

Full text of R-phrases: see section 16

GHS-US classification

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:vapour)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304

Full text of H statements : see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Adverse physicochemical, human health and environmental effects

Central Nervous System. Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways.

Labeling according to Regulation (EC) No	
	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	$\wedge \wedge \wedge$
	GHS02 GHS08 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P261 - Avoid breathing dust, fume, gas, mist, spray, vapors P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective clothing, protective gloves
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS02 GHS08 GHS07
Signal word (GHS-US) Hazard statements (GHS-US)	GHS02 GHS08 GHS07 : Danger : H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness
	 Danger H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking
Hazard statements (GHS-US)	 Danger H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing fume, mist, spray, vapors P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of water P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P312 - Call a doctor, a POISON CENTER if you feel unwell P312 - Call on NOT induce vomiting
Hazard statements (GHS-US)	 Danger H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see Hazardous component(s) for labeling on this label)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water spray to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste
Other hazards	

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

2.3.

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.9999965	R10 Xn; R20 Xn; R65 Xi; R36/38 R67
1,2,3,4,7,8-HEXACDF UNLABELED	(CAS No) 70648-26-9	0.0000035	Xn; R22 Xi; R36 R53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC No) 203-913-4	99.9999965	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
1,2,3,4,7,8-HEXACDF UNLABELED	(CAS No) 70648-26-9	0.0000035	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 4, H413
Name	Product identifier	%	GHS-US classification
N-NONANE UNLABELED	(CAS No) 111-84-2	99.9999965	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
1,2,3,4,7,8-HEXACDF UNLABELED	(CAS No) 70648-26-9	0.0000035	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Chronic 4, H413

Full text of R- and H- phrases: see section 16

22/05/2018	EN (English LIS) 2/40
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries	: May cause drowsiness or dizziness.
4.2. Most important symptoms and effect	ts, both acute and delayed
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell. Give oxygen or artificial respiration if necessary.
First-aid measures general	: Call a physician immediately.
4.1. Description of first aid measures	
SECTION 4: First aid measures	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

20, 2012 / Rules and Regulations				
Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. Risk of lung edema.				
4.3. Indication of any immediate medical attention and special treatment needed				
Treat symptomatically.				
SECTION 5: Firefighting	measures			
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Dry powde	er. Foam. Carbon dioxide. Alcohol resistant foam.		
5.2. Special hazards arisin	5.2. Special hazards arising from the substance or mixture			
Fire hazard	: Flammable liquid and va			
Reactivity	: Flammable liquid and va	apor. vapors may form flammable mixture with air.		
5.3. Advice for firefighters				
Firefighting instructions		Do not enter fire area without proper protective equipment, including respiratory protection.		
Protection during firefighting	: Do not attempt to take a apparatus. Complete pr	action without suitable protective equipment. Self-contained breathing otective clothing.		
SECTION 6: Accidental re	elease measures			
6.1. Personal precautions	, protective equipment and emergency p	rocedures		
6.1.1. For non-emergency p	ersonnel			
Emergency procedures		e equipment. Ventilate spillage area. No open flames, no sparks, and thing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.		
6.1.2. For emergency respon	nders			
Protective equipment		action without suitable protective equipment. For further information sure controls/personal protection".		
6.2. Environmental precau	itions			
Prevent entry to sewers and public	ic waters. Avoid release to the environment			
6.3. Methods and material	for containment and cleaning up			
For containment	: Dike and contain spill.	Dispose as hazardous waste. Comply with local regulations for disposal.		
Methods for cleaning up		absorbent material. Notify authorities if product enters sewers or public d its container must be disposed of in a safe way, and as per local		
Other information	: Dispose of materials or	solid residues at an authorized site.		
6.4. Reference to other se	ctions			
For further information refer to se	ction 13.			
SECTION 7: Handling and	d storage			
7.1. Precautions for safe h	andling			
Additional hazards when process	Do not breathe gas/fum	in, eyes, or clothing. Keep away from sources of ignition - No smoking. es/vapor/spray (appropriate wording to be specified by the acautionary measures against static discharges.		
Precautions for safe handling	smoking. Ground/bond precautionary measures container. Use explosio outdoors or in a well-ver	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.		
Hygiene measures	: Wash contaminated clo Always wash hands afte	thing before reuse. Do not eat, drink or smoke when using this product. er handling the product.		
7.2. Conditions for safe st	orage, including any incompatibilities			
Technical measures		d place. Keep container tightly closed. Keep dry. Ground/bond container		
Storage conditions	0 1 1	and receiving equipment. Store at room temperature away from light and moisture.		
7.3. Specific end use(s)				
No additional information available				
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
1,2,3,4,7,8-HEXACDF UNLABE	LED ~25 NG/ML IN NONANE			
	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)		
Italy Dartugal USA ACCIH				

Italy - Portugal - USA ACGIH Remark (ACGIH)

CNS impair

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2,3,4,7,8-HEXACDF UNLAE	BELED ~25 NG/ML IN NONANE	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	1050 California permissible exposure limits for chemical contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants.
N-NONANE UNLABELED (11	1-84-2)	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	200.00000000 ppm USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	CNS impair
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Central Nervous System impairment
USA OSHA	OSHA PEL (TWA) (mg/m³)	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	1050 California permissible exposure limits for chemical contaminants
USA OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm California permissible exposure limits for chemical contaminants

8.2. **Exposure controls**

Appropriate engineering controls Personal protective equipment

- : Ensure good ventilation of the work station.
- : Protective clothing. Protective goggles. Gloves. Self-contained breathing apparatus.



Materials for protective clothing : Wear suitable protective clothing and gloves. Hand protection : protective gloves. : Chemical goggles or face shield. Chemical goggles or safety glasses. Eye protection Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection. Where exposure through inhalation may occur from use, respiratory protection equipment is Respiratory protection recommended. Approved respirator. Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemica	l properties		
9.1. Information on basic physical and chemical properties			
The properties listed below are for the solvent, the main component of this mixture.			
Physical state	: Liquid		
Appearance	: Liquid		
Molecular mass	: 128.3 g/mol		
Color	: Colorless		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 0.718 g/ml at 25 °C (77 °F)
Solubility	: Water: 0.0002 % at 25 °C (77 °F) - slightly soluble
Log Pow	: 5.65
Log Kow	: No data available
Viscosity, kinematic	: 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: 0.87 - 2.9 % (V)

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity

10.1.	Reactivity		
Flamma	Flammable liquid and vapor. vapors may form flammable mixture with air.		
10.2.	Chemical stability		
Stable if stored under recommended conditions.			
10.3.	Possibility of hazardous reactions		
No dang	No dangerous reactions known under normal conditions of use.		
10.4.	Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.			
10.5.	Incompatible materials		
Strong oxidizing agents.			
10.6.	Hazardous decomposition products		
Carbon oxides (CO, CO2).			

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Inhalation:dust,mist: Harmful if inhaled.	
1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/ML IN NONANE		
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4 h	
ATE CLP (gases)	3200.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	23.760 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
1,2,3,4,7,8-HEXACDF UNLABELED (70648-26-9)		
ATE CLP (oral)	500.000 mg/kg body weight	
N-NONANE UNLABELED (111-84-2)		
LC50 inhalation rat (mg/l)	23760 mg/m ³ male - 4h	
ATE CLP (gases)	4500.000 ppmV/4h	
ATE CLP (vapors)	11.000 mg/l/4h	
ATE CLP (dust, mist)	1.500 mg/l/4h	
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)	
Additional information	: S. Typhimurium Result: negative	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	

JR-F70-25

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

26, 2012 / Rules and Regulations	
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.
N-NONANE UNLABELED (111-84-2)	
NOAEL (oral,rat)	100 mg/kg body weight female (OECD Test Guildeline 408)
Specific target organ toxicity – repeated exposure	: Not classified
1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/	ML IN NONANE
NOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day female (OECD Test Guildeline 408)
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. May be harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/	ML IN NONANE
EC50 Daphnia 1	0.2 mg/l static test EC50 - Daphnia magna (Water flea) - 48 h
N-NONANE UNLABELED (111-84-2)	
LC50 fish 1	0.2 mg/l Daphnia magna (Water flea) - 48 h
40.0 Development of development of hilling	
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential	

12.3. Bioaccumulative potential		
1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/ML IN NONANE		
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
N-NONANE UNLABELED (111-84-2)		
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
12.4. Mobility in soil		

No additional information available

12.5. **Results of PBT and vPvB assessment**

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and Local environmental control regulations.		
Product/Packaging disposal recommendations:	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.		
Ecology - waste materials	: Dispose of as unused product.		
SECTION 14: Transport information			
In accordance with ADR / RID / IMDG / IATA / ADN			

14.1. UN number UN-No.(DOT) : 1920

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT NA no.	UN1920
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Nonanes
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABLE LIQUID
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Overland transport Hazard identification number (Kemler No.) Orange plates	: 30 : 30 1920
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	51
EAC	: 3Y
Excepted quantities (ADR)	: E1
, ,	
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Anne	k II of MARPOL 73/78 and the IBC Code
Not applicable	

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information			
15.1. US Federal regulations			
1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/ML IN NONANE			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
1,2,3,4,7,8-HEXACDF UNLABELED (70648-26-9)			
SARA Section 313 - Emission Reporting	SARA Section 313 - Emission Reporting Not subject to reporting requirements of the United States SARA Section 313		
N-NONANE UNLABELED (111-84-2)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard		
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313.		
15.2. International regulations			

CANADA

1,2,3,4,7,8-HEXACDF UNLABELED ~25 NG/ML IN NONANE	
Listed on the Canadian DSL (Domestic Substances List)	
N-NONANE UNLABELED (111-84-2)	
Listed on the Canadian DSL (Domestic Substances List)	

National regulations 15.2.1.

No additional information available

15.3. US State regulations

1,2,3,4,7,8-HEXACDF U	NLABELED ~25 NG/ML IN NO	ONANE			
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
State or local regulations		U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances			
1,2,3,4,7,8-HEXACDF U	NLABELED (70648-26-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
N-NONANE UNLABELE	D (111-84-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	No	No	No		
1,2,3,4,7,8-HEXACDF U	NLABELED (70648-26-9)	• •			
State or local regulation					
U.S Massachusetts - R U.S Pennsylvania - RT					

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

```
Other information
```

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of R-, H- and EUH-phrases:

Acute toxicity (inhalation) Category 4	
Acute toxicity (inhalation:dust,mist) Category 4	
Acute toxicity (oral) Category 4	
Hazardous to the aquatic environment - Chronic Hazard Category 4	
Aspiration hazard Category 1	
Serious eye damage/eye irritation Category 2	
Flammable liquids Category 3	
Skin corrosion/irritation Category 2	
Specific target organ toxicity (single exposure) Category 3	
Flammable liquid and vapor	
Harmful if swallowed	
May be fatal if swallowed and enters airways	
Causes skin irritation	
Causes serious eye irritation	
Harmful if inhaled	
May cause drowsiness or dizziness	
May cause long lasting harmful effects to aquatic life	
Flammable	
Harmful by inhalation	
Harmful if swallowed	
Irritating to eyes	
Irritating to eyes and skin	
May cause long-term adverse effects in the aquatic environment	
Harmful: may cause lung damage if swallowed	
Vapors may cause drowsiness and dizziness	
Irritant	
Harmful	

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.	
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 3 Serious Hazard	
Physical	: 0 Minimal Hazard	

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product