

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/1/2015 Revision date: 1/24/2023 Supersedes: 10/1/2015 Version: 2.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	 Mixture 6-HYDROXY-2,2',4,4'-TETRABDE UNLABELED 50 UG/ML IN NONANE OHBDE-5206
1.2. Recommended use and restrictions on	use
No additional information available	
1.3. Supplier	
Cambridge Isotope Laboratories, Inc. 50 Frontage Rd 01810 ANDOVER, MA, 01810 USA T 1-800-322-1174 <u>cilsales@isotope.com</u> - <u>www.isotope.com</u>	
1.4. Emergency telephone number	
Emergency number	: 1-703-741-5970 Chemtrec 1-800-424-9300 24 hours

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3	H226	Flammable liquid and vapor
Acute toxicity (inhalation) Category 4	H332	Harmful if inhaled
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336	May cause drowsiness or dizziness
Aspiration hazard Category 1	H304	May be fatal if swallowed and enters airways
Full text of H statements : see section 16		

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)



- : Danger
- : H226 Flammable liquid and vapor
 - $\ensuremath{\mathsf{H304}}$ May be fatal if swallowed and enters airways
 - H315 Causes skin irritation
 - H319 Causes serious eye irritation
 - H332 Harmful if inhaled

H336 - May cause drowsiness or dizziness

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Doto 16 and the base base base of the second s
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking. heat, hot surfaces, open flames, sparks
	P233 - Keep container tightly closed.
	P240 - Ground/Bond container and receiving equipment.
	P241 - Use explosion-proof electrical, lighting, ventilating equipment.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.
	P264 - Wash Both hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear eye protection, face protection, protective clothing, protective gloves.
	P301+P310 - If swallowed: Immediately call a poison center or doctor.
	P302+P352 - If on skin: Wash with plenty of water.
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a poison center or doctor if you feel unwell.
	P321 - Specific treatment (see Hazard pictograms (CLP) on this label).
	P331 - Do NOT induce vomiting.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362 - Take off contaminated clothing and wash before reuse.
	P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical, Water
	spray to extinguish.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to Comply with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
N-NONANE UNLABELED	CAS-No.: 111-84-2		Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%)	CAS-No.: 102739-99- 1 (Unlabeled)	0.007	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 1 (Inhalation:vapour), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	s (acute and delayed)
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Harmful if inhaled.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung edema.
4.3. Immediate medical attention and spec	cial treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry chemical. Foam. Water spray.		
5.2. Specific hazards arising from the chemical			
Explosion hazard	 Flammable liquid and vapor. May form flammable/explosive vapor-air mixture. Toxic fumes may be released. 		
5.3. Special protective equipment and precautions for fire-fighters			
	: Use water spray or fog for cooling exposed containers. Wear self contained breathing apparatus for fire fighting if necessary.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equi	pment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Wear personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Ensure adequate ventilation.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment	and cleaning up	
For containment Methods for cleaning up	 Dike and contain spill. Dispose as hazardous waste. Comply with local regulations for disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. 	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

No additional information available

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapors are flammable. No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. In order to avoid inhalation of mist/vapor, all spraying must be done wearing adequate respirator. 	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. 	
Storage conditions Incompatible materials	Store at room temperature away from light and moisture.Heat sources.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

6-HYDROXY-2,2',4,4'-TETRABDE UNLABELED 50 UG/ML IN NONANE	
USA - ACGIH - Occupational Exposure Limits	
Local name	Nonane
ACGIH OEL TWA [ppm]	200 ppm USA. ACGIH Threshold Limit Values (TLV)
Remark (ACGIH)	CNS impair

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-	
6-HYDROXY-2,2',4,4'-TETRABDE UNLAB	ELED 50 UG/ML IN NONANE	
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	
6-METHOXY-2,2',4,4'-TETRABDE (RING-1	3C12, 99%) (102739-99-1 (Unlabeled))	
USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category	Not available	
N-NONANE UNLABELED (111-84-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Nonane	
ACGIH OEL TWA [ppm]	200 ppm USA. ACGIH Threshold Limit Values (TLV)	
Remark (ACGIH)	CNS impair	
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	1050 mg/m ³ USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000	
OSHA PEL TWA [2]	200 ppm USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000	
OSHA PEL C	1050 California permissible exposure limits for chemical contaminants.	
OSHA PEL C [ppm]	200 ppm California permissible exposure limits for chemical contaminants.	
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL TWA	1050 mg/m ³ USA. NIOSH Recommended Exposure Limits	
NIOSH REL TWA [ppm]	200 ppm USA. NIOSH Recommended Exposure Limits	
Remark (NIOSH)	Central Nervous System impairment	
8.2. Appropriate engineering controls		
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.	
8.3. Individual protection measures/Perso	nal protective equipment	
Personal protective equipment: Gloves. Protective clothing. Protective goggles. Se	If-contained breathing apparatus.	
Materials for protective clothing:		
Wear suitable protective clothing and gloves		
Hand protection:		
protective gloves		
Eye protection:		
Chemical goggles or face shield. Chemical goggle	es or safety glasses	
Chemical goggies of face shield. Chemical goggie		
Skin and body protection:		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Colorless
Odor	: There may be no odour warning properties, odour is subjective and inadequate to warn of
	overexposure.
	Mixture contains one or more component(s) which have the following odour:
	No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: -53 °C (- 63 °F) - lit
Boiling point	: 151 °C (304 °F) - lit
Flash point	: 31 °C (87.8 °F) - closed cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 5.69 hPa (4.27 mmHg) at 25 °C (77 °F)
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.718 g/ml at 25 °C (77 °F)
Molecular mass	: 128.3 g/mol
Solubility	: Water: 0.0002 %
Partition coefficient n-octanol/water (Log Pow)	: 5.65
Auto-ignition temperature	: 205 °C (401 °F)
Decomposition temperature	: No data available
Viscosity, kinematic	: ≤ 1.008 mm²/s at 20 °C (68 °F)
Viscosity, dynamic	: No data available
Explosion limits	: 0.87 – 2.9 % (V)
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapor is explosive with air above.

10.2. Chemical stability

See storage and expiration date on CoA.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

······································			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal conditions of use.			
10.4. Conditions to avoid	10.4. Conditions to avoid		
Open flame. Direct sunlight.			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
May release flammable gases. carbon oxides.			
SECTION 11: Toxicological informatio	n		
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Harmful if inhaled.		
6-HYDROXY-2,2',4,4'-TETRABDE UNLABE			
LC50 Inhalation - Rat	23760 mg/m³ male - 4 h		
ATE US (gases)	3200 ppmV/4h		
ATE US (vapors)	11 mg/l/4h		
ATE US (dust, mist)	1.5 mg/l/4h		
Additional data	Skin corrosion/irritation, Dermal, rat: Result: Skin Irritation (Draize Test) S. Typhimurium Result negative		
6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%) (102739-99-1 (Unlabeled))			
ATE US (oral)	500 mg/kg body weight		
ATE US (vapors)	0.05 mg/l/4h		
N-NONANE UNLABELED (111-84-2)			
LC50 Inhalation - Rat	23760 mg/m ³ male - 4 h		
ATE US (gases)	4500 ppmV/4h		
ATE US (vapors)	11 mg/l/4h		
ATE US (dust, mist)	1.5 mg/l/4h		
Skin corrosion/irritation, Dermal, rat	Result: Skin Irritation (Draize Test)		
Additional information	: S. Typhimurium Result: negative		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization Germ cell mutagenicity	: Not classified : Not classified		
Carcinogenicity	: Not classified		

Reproductive toxicity

STOT-single exposure

: May cause drowsiness or dizziness.

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%) (102739-99-1 (Unlabeled))				
STOT-single exposure	May cause respiratory irritation.			
N-NONANE UNLABELED (111-84-2)				
STOT-single exposure May cause drowsiness or dizziness.				
STOT-repeated exposure	Not classified			
Aspiration hazard	May be fatal if swallowed and enters airways.			
Viscosity, kinematic	: ≤ 1.008 mm²/s at 20 °C (68 °F)			
N-NONANE UNLABELED (111-84-2)				
Viscosity, kinematic	≤ 1.008 mm²/s at 20 °C (68 °F)			
Potential Adverse human health effects and	This information is based on our current knowledge and is intended to describe the product for			
symptoms	the purposes of health, safety and environmental requirements only. It should not therefore be			
	construed as guaranteeing any specific property of the product.			
	May cause drowsiness or dizziness.			
Symptoms/effects after inhalation :	Harmful if inhaled.			
-,	Causes skin irritation.			
	 Causes serious eye irritation. May be fatal if swallowed and enters airways. Risk of lung edema. 			
SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general :	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
Ecology - general :				
	effects in the environment.			
12.2. Persistence and degradability	effects in the environment.			
12.2. Persistence and degradability 6-METHOXY-2,2',4,4'-TETRABDE (RING-13C	effects in the environment.			
12.2. Persistence and degradability 6-METHOXY-2,2',4,4'-TETRABDE (RING-13C' Persistence and degradability	effects in the environment. 12, 99%) (102739-99-1 (Unlabeled)) Not available.			
12.2. Persistence and degradability 6-METHOXY-2,2',4,4'-TETRABDE (RING-13C' Persistence and degradability 12.3. Bioaccumulative potential	effects in the environment. 12, 99%) (102739-99-1 (Unlabeled)) Not available.			

6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%) (102739-99-1 (Unlabeled))		
Bioaccumulative potential	Not available.	
N-NONANE UNLABELED (111-84-2)		
Partition coefficient n-octanol/water (Log Pow)	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	

12.4. Mobility in soil

6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%) (102739-99-1 (Unlabeled))	
Ecology - soil	Not available.
12.5. Other adverse effects	

Other adverse effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal consideration	S
13.1. Disposal methods	
Regional legislation (waste) Waste treatment methods Product/Packaging disposal recommendations Additional information	 Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations. Offer surplus and non-recyclable solutions to a licensed disposal company. Dispose in a safe manner in accordance with local/national regulations. Handle empty containers with care because residual vapors are flammable.
SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN1920 : UN1920 : 1920 : 1920
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Nonanes : NONANES : NONANES : Nonanes
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 3 : 3
TDG Transport hazard class(es) (TDG) Hazard labels (TDG)	
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	
IATA Transport hazard class(es) (IATA)	: 3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (IATA)	: 3
	3
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: III : III : III : III
14.5. Environmental hazards	
Marine pollutant	: Yes (IMDG only)
	₹¥2
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102)	 : UN1920 : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location	: 150 : 203 : 242
TDG UN-No. (TDG) Explosive Limit and Limited Quantity Index Excepted quantities (TDG)	: UN1920 : 5 L : E1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Passenger Carrying Road Vehicle or Passenger	: 60 L
Carrying Railway Vehicle Index	
Emergency Response Guide (ERG) Number	: 128
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER
Stowage category (IMDG)	: A
Flash point (IMDG)	
Properties and observations (IMDG)	: Colourless liquids. Explosive limits: 0.8% to 2.9% normal-NONANE: flashpoint 31°C c.c.
	Immiscible with water. Irritating to skin, eyes and mucous membranes.
MFAG-No	: 128
IATA	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
ERG code (IATA)	: 3L
	. JL

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

6-HYDROXY-2,2',4,4'-TETRABDE UNLABELED 50 UG/ML IN NONANE				
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health	hazard		
Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):				
Name	CAS-No.	Listing	Commercial status	Flags
6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%)	102739-99-1 (Unlabeled)	Not present	-	
N-NONANE UNLABELED	111-84-2	Present	Active	Т

6-METHOXY-2,2',4,4'-TETRABDE (RING-13C12, 99%) (102739-99-1 (Unlabeled))	
SARA Section 302 Threshold Planning Quantity (TPQ)SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NONANE UNLABELED (111-84-2)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

15.2. International regulations

CANADA

N-NONANE UNLABELED (111-84-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

6-HYDROXY-2,2',4,4'-TETRABDE UNLABELED 50 UG/ML IN NONANE

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

15.3. US State regulations

6-HYDROXY-2,2',4,4'-TETRABDE UNLABELED 50 UG/ML IN NONANE	
State or local regulations	U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List

Component	State or local regulations
, ,	U.S New Jersey - Right to Know Hazardous Substance List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Revision date
 : 01/24/2023

 Other information
 : This product is not radioactive. The data given for this pround below on the compound, unless specifically indicated otherw

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.