

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 /

Rules and Regulations

Date of issue: 25/06/2015 Revision date: 19/07/2016 Supersedes: 25/06/2015 Version: 2.0

**ULM-3888-S** 

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name. : 2,4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE

Product code : ULM-3888-S

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.

50 Frontage Road Andover, MA 01810

Andover, MA 0

USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com

#### **Emergency telephone number**

**Emergency numbers:** 

Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Acute Tox. 4 (Oral)
 H302

 Acute Tox. 4 (Dermal)
 H312

 Acute Tox. 4 (Inhalation:dust,mist)
 H332

 Eye Irrit. 2
 H319

Full text of H-phrases: see section 16

## Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45 Carc.Cat.1; R49

F; R11

Full text of R-phrases: see section 16

#### **GHS-US** classification

Flam. Liq. 2 H225
Acute Tox. 4 (Oral) H302
Acute Tox. 4 (Dermal) H312
Acute Tox. 4 (Inhalation:dust,mist) H332
Eye Irrit. 2A H319

#### Adverse physicochemical, human health and environmental effects

Lungs, Blood, Kidney, Liver, Central nervous system.

21/07/2016 EN (English) 1/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Label elements**

Signal word (CLP)

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

: Danger

Hazardous ingredients : 2.4-DINITROTOLUENE UNLABELED. ACETONITRILE UNLABELED

: H225 - Highly flammable liquid and vapour Hazard statements (CLP)

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (CLP)

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, ventilating, lighting equipment P261 - Avoid breathing dust, fume, gas, mist, spray, vapours P264 - Wash Both hands thoroughly after handling P270 - Do no eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

#### **GHS-US** labelling

Hazard pictograms (GHS-US)





: Danger

Signal word (GHS-US)

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapour

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking Precautionary statements (GHS-US)

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust, fume, gas, mist, spray, vapours

P264 - Wash Both hands thoroughly after handling P270 - Do no eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P321 - Specific treatment (see Hazard pictograms (CLP) on this label)

P330 - If swallowed, rinse mouth

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide., Dry chemical, Water spray for extinction

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container to Comply with applicable regulations.

#### Other hazards

No additional information available

21/07/2016 EN (English) 2/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC no) 200-835-2 (EC index no) 608-001-00-3 (REACH-no) 01-2119471307-38	99.87	F; R11 Xi; R36 Xn; R20/21/22
2,4-DINITROTOLUENE UNLABELED substance listed as REACH Candidate (2,4-Dinitrotoluene) substance listed in REACH Annex XIV (2,4-Dinitrotoluene (2,4-DNT))	(CAS No) 121-14-2 (Unlabeled) (EC no) 204-450-0 (EC index no) 609-007-00-9	0.13	Carc.Cat.1; R45 Carc.Cat.1; R49 Muta.Cat.3; R68 Repr.Cat.3; R62 Repr.Cat.3; R63 T; R23/24/25 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS No) 75-05-8 (EC no) 200-835-2 (EC index no) 608-001-00-3 (REACH-no) 01-2119471307-38	99.87	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
2,4-DINITROTOLUENE UNLABELED substance listed as REACH Candidate (2,4-Dinitrotoluene) substance listed in REACH Annex XIV (2,4-Dinitrotoluene (2,4-DNT))	(CAS No) 121-14-2 (Unlabeled) (EC no) 204-450-0 (EC index no) 609-007-00-9	0.13	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Name	Product identifier	%	GHS-US classification
ACETONITRILE UNLABELED	(CAS No) 75-05-8	99.87	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
2,4-DINITROTOLUENE UNLABELED	(CAS No) 121-14-2 (Unlabeled)	0.13	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R-, H- and EUH-phrases: see section 16

#### SECTION 4: First aid measures

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Specific measures (see Hazard pictograms (CLP) on this label). Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact First-aid measures after ingestion	<ul><li>: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.</li><li>: Rinse mouth. Call a POISON CENTER/doctor/physician if you feel unwell.</li></ul>

## 4.2. Most important symptoms and effects, both acute and delayed

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.	
Symptoms/injuries after skin contact	<ul> <li>Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.</li> </ul>	
Symptoms/injuries after eye contact	: Causes eye irritation.	
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.	

21/07/2016 EN (English) 3/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Reactivity : Vapors may form explosive mixture with air.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool unopened containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours

accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-

brushing and place in container for disposal according to local regulations.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : No naked lights. No smoking. Use only non-sparking tools. Use only outdoors or in a well-

ventilated area. Avoid breathing dust, mist or spray.

Hygiene measures : Do no eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store at room temperature away from light and moisture.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2,4-DINITROTOLUENE UNLA	BELED 1 MG/ML IN ACETONITRILE	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.0000000000 ppm Lower Respiratory Tract irritation.
		Not classifiable as a human carcinogen

ACETONITRILE UNLABELED (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	20.0000000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA) (mg/m3)	34 mg/m³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA) (ppm)	20 ppm Forms Cyanide in the body.

21/07/2016 EN (English) 4/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETONITRILE UNLABELED (75-05-8)		
USA OSHA	OSHA PEL (TWA) (mg/m3)	70 mg/m³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA) (ppm)	40.0000000000 ppm The value in mg/m3 is approximate.

#### 8.2. Exposure controls

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



Hand protection : Wear suitable protective clothing and gloves.

Eye protection : Wear safety glasses with side shields (or goggles) and a face shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear approved mask.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

The properties listed below are for the solvent, the main component of this mixture.

Physical state : Liquid

Appearance : Liquid, clear.

Molecular mass : 41.05 g/mol

Colour : Colourless.

Odour : ether-like.

Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : -48 °C (-54°F)
Freezing point : No data available
Boiling point : 81 - 82 °C (178 - 180 °F)
Flash point : 2.0 °C (35.6 °F) - closed cup

Self ignition temperature : 523 °C (973 °F)

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour

Vapour pressure : 73.18 hPa (54.89 mmHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)

Relative vapour density at 20 °C : 1.42 - (Air = 1.0)

Relative density : No data available

Density : 0.786 g/ml

Solubility : Water: 100 %

Log Pow : -0.34

Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : 4.4 - 16 vol %

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Vapors may form explosive mixture with air.

## 10.2. Chemical stability

See storage and expiration date on CoA.

## 10.3. Possibility of hazardous reactions

No additional information available

21/07/2016 EN (English) 5/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.4. Conditions to avoid

Open flame. Direct sunlight.

#### 10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents, Alkali metals.

#### 10.6. Hazardous decomposition products

May release flammable gases.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

2,4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l
LC50 inhalation rat (ppm)	7551 ppm - 8h
ATE (oral)	500.000 mg/kg bodyweight
ATE (dermal)	1100.000 mg/kg bodyweight
ATE (gases)	4500.000 ppmV/4h
ATE (vapours)	11.000 mg/l/4h
ATE (dust,mist)	1.500 mg/l/4h

2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled))	
LD50 oral rat	268 mg/kg
ATE (oral)	268.000 mg/kg bodyweight
ATE (dermal)	300.000 mg/kg bodyweight
ATE (gases)	700.000 ppmV/4h
ATE (vapours)	3.000 mg/l/4h
ATE (dust,mist)	0.500 mg/l/4h

ACETONITRILE UNLABELED (75-05-8)	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	≥ 26.8 mg/l
LC50 inhalation rat (ppm)	7551 ppm - 8h
ATE (oral)	500.000 mg/kg bodyweight
ATE (dermal)	2000.000 mg/kg bodyweight
ATE (gases)	4500.000 ppmV/4h
ATE (vapours)	11.000 mg/l/4h
ATE (dust,mist)	1.500 mg/l/4h

Skin corrosion/irritation : Not classified

Skin - rabbit - No skin irritation

Serious eye damage/irritation : Causes serious eye irritation.

Eyes - Rabbit - Irritating to eyes

Respiratory or skin sensitisation : Did not cause sensitization on laboratory animals.

Buehler Test - guinea pig - Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity : Not classified

Carcinogenicity : No evidence of carcinogenicity in animal studies (when indicated).

Reproductive toxicity : Animal testing did not show any effects on fertility.

Specific target organ toxicity (single exposure) : Not classified

The substance or mixture is not classified as specific target organ toxicant.

Specific target organ toxicity (repeated

exposure)

: Not classified

The substance or mixture is not classified as specific target organ toxicant.

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled.

21/07/2016 EN (English) 6/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### SECTION 12: Ecological information **Toxicity** 2.4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE LC50 fishes 1 1640.00 mg/l Pimephales promelas (fathead minnow) - 96h EC50 Daphnia 1 3600 mg/l Daphnia magna (Water flea) - 48h 640 mg/l Daphnia magna (Water flea) - 14d NOEC (chronic) 2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled)) 31 mg/l - 96 h, Pimephales promelas (fathead minnow) -LC50 fishes 1 EC50 Daphnia 1 26.20 mg/l - 48 h, Daphnia magna (Water flea) -**ACETONITRILE UNLABELED (75-05-8)** LC50 fishes 1 1640.00 mg/l Pimephales promelas (fathead minnow) - 96h 3600 mg/l Daphnia magna (Water flea) - 48h EC50 Daphnia 1 NOEC (chronic) 640 mg/l Daphnia magna (Water flea) - 14d 12.2 Persistence and degradability 2.4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE Persistence and degradability Biodegradability Result: - Readily biodegradable 2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled)) Persistence and degradability Not available. **ACETONITRILE UNLABELED (75-05-8)** Persistence and degradability Biodegradability Result: - Readily biodegradable. **Bioaccumulative potential** 2,4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE Log Pow Bioaccumulative potential No bioaccumulation is to be expected (log Pow <= 4). 2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled)) Bioaccumulative potential Not available **ACETONITRILE UNLABELED (75-05-8)** -0.34 Log Pow Bioaccumulative potential No bioaccumulation is to be expected (log Pow <= 4). 12.4. **Mobility in soil** 2,4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE Not expected to absorb on soil. Ecology - soil 2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled)) Not available. Ecology - soil **ACETONITRILE UNLABELED (75-05-8)**

## 12.5. Results of PBT and vPvB assessment

2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled))	
This substance/mixture does not meet the PBT criteria of REACH, annex XIII.	
This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.	

Not expected to absorb on soil.

## 12.6. Other adverse effects

Ecology - soil

Other adverse effects : Avoid release to the environment.

21/07/2016 EN (English) 7/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

Regional legislation (waste) : Waste materials should be disposed of under conditions which meet Federal, State, and Local

environmental control regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Additional information

: Handle empty containers with care because residual vapours are flammable.

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

## **SECTION 14: Transport information**

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. **UN** number

Hazard labels (DOT)

UN-No.(DOT) : 1648 DOT NA no. UN1648

#### **UN** proper shipping name

**DOT Proper Shipping Name** : Acetonitrile

Department of Transportation (DOT) Hazard

: 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102)

: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

DOT Packaging Exceptions (49 CFR 173.xxx) 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

## **Additional information**

Other information : No supplementary information available.

#### **Overland transport**

Packing group (ADR) : 11

Class (ADR) : 3 - Flammable liquids

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

Danger labels (ADR) : 3 - Flammable liquids



Orange plates

1648

Tunnel restriction code D/F Limited quantities (ADR) 1L EAC code : •2YE

21/07/2016 EN (English) 8/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Excepted quantities (ADR) : E2

Transport by sea

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a **DOT Vessel Stowage Location** 

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

: 40 - Stow "clear of living quarters" **DOT Vessel Stowage Other** 

MFAG-No : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

Civil Aeronautics Law : Flammable liquids(Hazardous materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

14.4. **Environmental hazards** 

Other information : No supplementary information available.

Special precautions for user 14.5.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.6.

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

2,4-DINITROTOLUENE UNLABELED 1 MG/ML	IN ACETONITRILE
Listed on SARA Section 313 (Specific toxic chem	ical listings)
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled))	)
Listed on SARA Section 313 (Specific toxic chemical listings)	Ī

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard

## **ACETONITRILE UNLABELED (75-05-8)**

Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard

## 15.2. International regulations

#### **CANADA**

#### 2,4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE

Listed on the Canadian DSL (Domestic Sustances List) inventory.

#### 2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled))

Listed on the Canadian DSL (Domestic Sustances List) inventory.

## **ACETONITRILE UNLABELED (75-05-8)**

Listed on the Canadian DSL (Domestic Sustances List) inventory

## **National regulations**

No additional information available

21/07/2016 EN (English) 9/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 15.3. US State regulations

2,4-DINITROTOLUENE UNLABELED 1 MG/ML IN ACETONITRILE	
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 2,4-DINITROTOLUENE UNLABELED (121-14-2 (Unlabeled))

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

WARNING! This product contains a chemical known by the state of California to cause cancer, birth defects or other reproductive harm.

#### **ACETONITRILE UNLABELED (75-05-8)**

- U.S. Massachusetts Right To Know List U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **SECTION 16: Other information**

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

#### Full text of R-. H- and EUH-phrases::

Acute Tox. 3 (Dermal) Acute toxicity (dermal), Category 3 Acute Tox. 3 (Oral) Acute toxicity (inhal.), Category 3 Acute Tox. 4 (Obrmal) Acute toxicity (oral), Category 3 Acute Tox. 4 (Inhalation) Acute toxicity (dermal), Category 4 Acute Tox. 4 (Inhalation: Acute toxicity (dermal), Category 4 Acute Tox. 4 (Inhalation: Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Inhalation: Acute toxicity (inhalation: Acute toxicity (inhalation: Acute toxicity (inhalation: Acute Tox. 4 (Inhala	III Te	ii text of K-, H- and Euh-pnrases::		
Acute Tox. 3 (Oral) Acute tox. 4 (Demal) Acute tox. 4 (Inhalation) Acute tox. 4 (Inhalation: Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Oral) Acute tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Aquatic Chronic 1 Hazardous to the aquatic environment — AcuteHazard, Category 1 Aquatic Chronic 1 Carc. 1B Carcinogenicity, Category 1B Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Muta. 2 Germ cell mutagenicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 Hazes Hasol Hasol Hasol Hasol Hasol Hasol Hasol Harmful if swallowed Hasol Hasol Hasol Harmful in contact with skin Hasol Has		Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 4 (Dermal) Acute toxicity (dermal), Category 4 Acute Tox. 4 (Inhalation) Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Oral) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment — AcuteHazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Carc. 1B Carcinogenicity, Category 1B Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Germ cell mutagenicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 H225 Highly flammable liquid and vapour Toxic if swallowed H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H3331 Toxic if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Farmful by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer		Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Inhalation) Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Acute toxicity (oral), Category 4 Acute Tox. 4 (Oral) Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment — AcuteHazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Carc. 1B Carcinogenicity, Category 1B Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Muta. 2 Germ cell mutagenicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 Highly flammable liquid and vapour H301 Toxic if swallowed H311 Toxic in contact with skin H312 Harmful if swallowed H331 Toxic if inhaled H332 Harmful if inhaled H333 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child Very toxic to aquatic life H410 Very toxic to aquatic life R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 R49 May cause cancer R49 May cause cancer R49 May cause cancer by inhalation		Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 1 Beye Irrit. 2 Berious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Repr. 2 Repr. 2 Reproductive toxicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 Repr. 2 Highly flammable liquid and vapour H301 Toxic if swallowed H311 Toxic in contact with skin H312 Harmful if contact with skin H319 Causes serious eye irritation Toxic if inhaled H331 Toxic if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 R47 R49 May cause cancer		Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 1 B Carcinogenicity, Category 1B Eye Irrit. 2 Flam. Liq. 2 Flammable liquids, Category 2 Repr. 2 Reproductive toxicity, Category 2 H301 H301 Toxic if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H331 Toxic if inhaled H331 Toxic if inhaled H331 H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life Willey in Agales R45 May cause cancer R49 May cause cancer May cause cancer R49 May cause cancer R49 May cause cancer		Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Aquatic Acute 1 Aquatic Chronic 1 Hazardous to the aquatic environment — AcuteHazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Carc. 1B Carcinogenicity, Category 1B Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Muta. 2 Germ cell mutagenicity, Category 2 Repr. 2 Repr. 2 Reproductive toxicity, Category 2 Highly flammable liquid and vapour Toxic if swallowed H301 Toxic if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child Very toxic to aquatic life H400 Very toxic to aquatic life H410 Very toxic to aquatic life R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer May cause cancer R49 May cause cancer by inhalation			Acute toxicity (inhalation:dust,mist) Category 4	
Aquatic Chronic 1  Carc. 1B  Carcinogenicity, Category 1B  Eye Irrit. 2  Serious eye damage/eye irritation, Category 2  Flam. Liq. 2  Flammable liquids, Category 2  Muta. 2  Germ cell mutagenicity, Category 2  Repr. 2  Repr. 2  Highly flammable liquid and vapour  H301  Toxic if swallowed  H311  Toxic in contact with skin  H312  Harmful in contact with skin  H319  Causes serious eye irritation  H331  Toxic if inhaled  H331  Toxic if inhaled  H341  Suspected of causing genetic defects  H350  May cause cancer  H361  Suspected of damaging fertility or the unborn child  H400  Very toxic to aquatic life with long lasting effects  R11  Highly flammable  R20/21/22  Harmful by inhalation, in contact with skin and if swallowed  R36  Irritating to eyes  May cause cancer  R49  May cause cancer by inhalation		Acute Tox. 4 (Oral)		
Carc. 1B  Eye Irrit. 2  Serious eye damage/eye irritation, Category 2  Flam. Liq. 2  Flammable liquids, Category 2  Muta. 2  Repr. 2  Reproductive toxicity, Category 2  Highly flammable liquid and vapour  H301  Toxic if swallowed  H302  Harmful if swallowed  H311  Toxic in contact with skin  H312  Harmful in contact with skin  H319  Causes serious eye irritation  H331  Toxic if inhaled  H332  Harmful if inhaled  H341  Suspected of causing genetic defects  H350  May cause cancer  H361  Suspected of damaging fertility or the unborn child  H400  Very toxic to aquatic life  H410  Very toxic to aquatic life with long lasting effects  R11  Highly flammable  R20/21/22  Harmful by inhalation, in contact with skin and if swallowed  R36  Irritating to eyes  R45  May cause cancer  May cause cancer  R49  May cause cancer by inhalation				
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Muta. 2 Germ cell mutagenicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 H225 Highly flammable liquid and vapour H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H331 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		•	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Flam. Liq. 2  Muta. 2  Germ cell mutagenicity, Category 2  Repr. 2  Repr. 2  Reproductive toxicity, Category 2  Highly flammable liquid and vapour  H301  Toxic if swallowed  H302  Harmful if swallowed  H311  Toxic in contact with skin  H312  Harmful in contact with skin  H319  Causes serious eye irritation  H331  Toxic if inhaled  H332  Harmful if inhaled  H341  Suspected of causing genetic defects  H350  May cause cancer  H361  Suspected of damaging fertility or the unborn child  H400  Very toxic to aquatic life  H410  Very toxic to aquatic life  R20/21/22  Harmful by inhalation, in contact with skin and if swallowed  R23/24/25  Toxic by inhalation, in contact with skin and if swallowed  R36  Irritating to eyes  R45  May cause cancer  May cause cancer by inhalation		Carc. 1B	Carcinogenicity, Category 1B	
Muta. 2 Germ cell mutagenicity, Category 2 Repr. 2 Reproductive toxicity, Category 2 H225 Highly flammable liquid and vapour H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer by inhalation		Eye Irrit. 2		
Repr. 2 Reproductive toxicity, Category 2 H225 Highly flammable liquid and vapour H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer		Flam. Liq. 2	Flammable liquids, Category 2	
H225 Highly flammable liquid and vapour H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer M302 Harmful by inhalation R49 May cause cancer by inhalation			Germ cell mutagenicity, Category 2	
H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		Repr. 2	Reproductive toxicity, Category 2	
H302 Harmful if swallowed H311 Toxic in contact with skin H312 Harmful in contact with skin H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		H225		
H311 Toxic in contact with skin H312 Harmful in contact with skin Causes serious eye irritation Toxic if inhaled H331 Toxic if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		H301	Toxic if swallowed	
H312 Harmful in contact with skin  H319 Causes serious eye irritation  H331 Toxic if inhaled  H332 Harmful if inhaled  H341 Suspected of causing genetic defects  H350 May cause cancer  H361 Suspected of damaging fertility or the unborn child  H400 Very toxic to aquatic life  H410 Very toxic to aquatic life with long lasting effects  R11 Highly flammable  R20/21/22 Harmful by inhalation, in contact with skin and if swallowed  R23/24/25 Toxic by inhalation, in contact with skin and if swallowed  R36 Irritating to eyes  R45 May cause cancer  R49 May cause cancer by inhalation		H302	Harmful if swallowed	
H319 Causes serious eye irritation H331 Toxic if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		H311	Toxic in contact with skin	
H331 Toxic if inhaled H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		H312	Harmful in contact with skin	
H332 Harmful if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		H319	Causes serious eye irritation	
H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation			Toxic if inhaled	
H350 May cause cancer H361 Suspected of damaging fertility or the unborn child  H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects  R11 Highly flammable  R20/21/22 Harmful by inhalation, in contact with skin and if swallowed  R23/24/25 Toxic by inhalation, in contact with skin and if swallowed  R36 Irritating to eyes  R45 May cause cancer  R49 May cause cancer by inhalation		H332	Harmful if inhaled	
H361 Suspected of damaging fertility or the unborn child H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		H341	Suspected of causing genetic defects	
H400 Very toxic to aquatic life  H410 Very toxic to aquatic life with long lasting effects  R11 Highly flammable  R20/21/22 Harmful by inhalation, in contact with skin and if swallowed  R23/24/25 Toxic by inhalation, in contact with skin and if swallowed  R36 Irritating to eyes  R45 May cause cancer  R49 May cause cancer by inhalation		H350	,	
H410 Very toxic to aquatic life with long lasting effects  R11 Highly flammable  R20/21/22 Harmful by inhalation, in contact with skin and if swallowed  R23/24/25 Toxic by inhalation, in contact with skin and if swallowed  R36 Irritating to eyes  R45 May cause cancer  R49 May cause cancer by inhalation		H361	, company	
R11 Highly flammable R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation				
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation			, ,	
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		R11	Highly flammable	
R36 Irritating to eyes R45 May cause cancer R49 May cause cancer by inhalation		R20/21/22	,	
R45 May cause cancer R49 May cause cancer by inhalation		R23/24/25	•	
R49 May cause cancer by inhalation			• •	
, , , , , , , , , , , , , , , , , , , ,			,	
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment				
		R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment	

21/07/2016 EN (English) 10/11

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R68	Possible risk of irreversible effects
F	Highly flammable
N	Dangerous for the environment
Т	Toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt


medical attention is given.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all

ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



#### **HMIS III Rating**

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard Physical : 0 Minimal Hazard

#### CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21/07/2016 EN (English) 11/11