

## ALDRIN UNLABELED 100 UG/ML IN NONANE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 31/08/2015

Revision date:

Version: 1.0

## ULM-7441-S

<b>SECTION 1: Identification of</b>	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Mixtures		
Product name.	: ALDRIN UNLABELED 100 UG/ML IN NONANE		
Product code	: ULM-7441-S		
1.2. Relevant identified uses of	the substance or mixture and uses advised against		
1.2.1. Relevant identified uses			
Industrial/Professional use spec	: For professional use only.		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the	ne safety data sheet		
Cambridge Isotope Laboratories, Inc. 50 Frontage Road Andover, MA 01810 USA USA: 1-800-322-1174 Int: 1-978-749-8000 <u>cilsales@isotope.com</u> www.isotope.com <u>Emergency telephone number</u> Emergency numbers:			
	Chemtrec: 1-800-424-9300 (24 hours) International: 1-703-741-5970 (24 hours)		
<b>SECTION 2: Hazards identifie</b>	ation		
2.1. Classification of the subst	ance or mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP]			
Flam. Liq. 3 H2	26		
Acute Tox. 4 (Inhalation:dust,mist) H3	32		
Skin Irrit. 2 H3	15		
Eye Irrit. 2 H3	19		
STOT SE 3 H3			
Asp. Tox. 1 H3	04		
Full text of H-phrases: see section 16	Full text of H-phrases: see section 16		

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R20 Xn; R65 R10 R52/53 Full text of R-phrases: see section 16

### **Classification (GHS-US)**

Flam. Liq. 3	H226
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H336
Asp. Tox. 1	H304
Aquatic Acute 3	H402

Adverse physicochemical, human health and environmental effects

Central Nervous System.


Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.2 Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
  - P233 Keep container tightly closed
  - P240 Ground/bond container and receiving equipment
  - P241 Use explosion-proof lighting, ventilating, electrical equipment
  - P261 Avoid breathing dust, mist, fume, gas, spray, vapors
  - P264 Wash Both hands thoroughly after handling
  - P271 Use only outdoors or in a well-ventilated area
  - P280 Wear eye protection, face protection, protective clothing, protective gloves

#### **GHS-US** labeling

Signal word (GHS-US)

Hazard pictograms (GHS-US)

Hazard statements (GHS-US)

Precautionary statements (GHS-US)

•			
	GHS02	GHS08	GHS07

GHS02

- : Danger
- : H226 Flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H336 May cause drowsiness or dizziness
- H402 Harmful to aquatic life
- P210 Keep away from heat, hot surfaces, open flames, sparks. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical, lighting, ventilating equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P261 Avoid breathing dust, fume, mist, gas, spray, vapors
- P264 Wash Both hands thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment
- P280 Wear eye protection, face protection, protective clothing, protective gloves
  - P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P302+P352 IF ON SKIN: Wash with plenty of soap and water
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- P312 Call a POISON CENTER/doctor/physician if you feel unwell
- P321 Specific treatment (see Hazard pictograms (CLP) on this label)
- P331 If swallowed, do NOT induce vomiting
- P332+P313 If skin irritation occurs: Get medical advice/attention
- P337+P313 If eye irritation persists: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P370+P378 In case of fire: Use Alcohol resistant foam., Carbon dioxide., Dry chemical., Water spray for extinction

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to Comply with applicable regulations.

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures

3.2. MIXtures			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.986	R10 Xn; R20 Xn; R65 R67 Xi; R38
ALDRIN UNLABELED	(CAS No) 309-00-2 (EC no) 206-215-8 (EC index no) 602-048-00-3	0.014	Carc.Cat.3; R40 T; R24/25 N; R50/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N-NONANE UNLABELED	(CAS No) 111-84-2 (EC no) 203-913-4	99.986	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304
ALDRIN UNLABELED	(CAS No) 309-00-2 (EC no) 206-215-8 (EC index no) 602-048-00-3	0.014	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
Name	Product identifier	%	Classification (GHS-US)
N-NONANE UNLABELED	(CAS No) 111-84-2	99.986	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304

#### Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs Wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see Hazard pictograms (CLP) on this label).
First-aid measures after eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes eye irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 5: Firefigh</b>	ting measures			
5.1. Extinguishing m	edia			
suitable extinguishing medi	a :	Use water spray, alcohol-resistant for	am, dry chemical, or carbon dioxide.	
5.2. Special hazards	2. Special hazards arising from the substance or mixture			
Fire hazard	:	: Flammable liquid and vapor.		
Explosion hazard	:	May form flammable/explosive vapor-	-air mixture.	
5.3. Advice for firefig	phters			
Protection during firefighting	3 :	Do not enter fire area without proper	protective equipment, including respiratory protection.	
SECTION 6: Acciden	tal release measu	res		
		oment and emergency procedures		
General measures	:	Remove ignition sources. Use specia smoking.	al care to avoid static electric charges. No naked lights. No	
6.1.1. For non-emerge	ncy personnel			
No additional information a	vailable			
6.1.2. For emergency	esponders			
Protective equipment	:	Avoid breathing dust, mist or spray.		
6.2. Environmental p	recautions			
Prevent further leakage or	spillage if safe to do so.	Do not let product enter drains. Disch	arge into the environment must be avoided.	
6.3. Methods and ma	aterial for containment	and cleaning up		
No additional information a	vailable			
6.4. Reference to oth	er sections			
No additional information a	vailable			
<b>SECTION 7: Handlin</b>	g and storage			
7.1. Precautions for				
Additional hazards when pr	ocessed :	Handle empty containers with care be	ecause residual vapors are flammable.	
Precautions for safe handling : No naked lights. No smoking. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Avoid breathing dust, mis spray.				
Hygiene measures	:	Wash Both hands thoroughly after ha	andling.	
7.2. Conditions for s	afe storage, including	any incompatibilities		
Technical measures		Proper grounding procedures to avoid	d static electricity should be followed. Ground/bond Jse explosion-proof electrical equipment.	
Storage conditions	:	Store at room temperature away from	n light and moisture.	
Incompatible materials	:	Heat sources.		
7.3. Specific end use	e(s)			
No additional information a	/ailable			
<b>SECTION 8: Exposu</b>	re controls/person	al protection		
8.1. Control parame	ers			
ALDRIN UNLABELED 10	0 UG/ML IN NONANE			
Italy - Portugal - USA AC	GIH ACGIH TWA (ppn	n)	200.0000000000 ppm Central Nervous System impairment.	
N-NONANE UNLABELE	D (111-84-2)			
Italy - Portugal - USA AC	GIH ACGIH TWA (ppn	n)	200.0000000000 ppm Central Nervous System impairment.	
	00 00 2)			
ALDRIN UNLABELED (3	09-00-2)			
ALDRIN UNLABELED (3 Italy - Portugal - USA ACC		/m³)	0.050000000 mg/m <sup>3</sup> Skin contact does contribute to exposure. Confirmed animal carcinogen.	

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Personal protective equipment	: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.
Hand protection	: Wear suitable protective clothing and gloves.
Eye protection	: Wear safety glasses with side shields (or goggles) and a face shield.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.

<b>SECTION 9: Physical and chemical</b>	properties	
9.1. Information on basic physical and chemical properties		
The properties listed below are for the solvent, the main component of this mixture.		
Physical state	: Liquid	
Appearance	: Liquid.	
Molecular mass	: 128.3	
Color	: Colorless.	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: -53 °C (- 63 °F) - lit	
Boiling point	: 151 °C (304 °F) - lit	
Flash point	: 31.0 °C (87.8 °F) - closed cup	
Self ignition temperature	: 205 °C (401 °F)	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable liquid and vapor	
Vapor pressure	: 12.4 hPa (9.3 mmHg) at 37.7 °C (99.9 °F)	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.718 g/ml	
Solubility	: Water: 0 %	
Log Pow	: 5.65	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosive limits	: 0.87 - 2.9 % (V)	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity				
10.1.	Reactivity			
No addi	tional information available			
10.2.	Chemical stability			
See sto	See storage and expiration date on CoA.			
10.3.	Possibility of hazardous reactions			
No additional information available				
10.4.	Conditions to avoid			
Open fla	ame. Overheating. Direct sunlight. Heat. Sparks.			
10.5.	Incompatible materials			
No additional information available				

EN (English US)

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products			
May release flammable gases.			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Harmful if inhaled.		
ALDRIN UNLABELED 100 UG/ML IN NONANE			
ATE (dust, mist)	=		
	1.500 mg///4n		
N-NONANE UNLABELED (111-84-2)			
LC50 inhalation rat (mg/l)	23760 mg/m³ male - 4 h		
LC50 inhalation rat (ppm)	3200 ppm/4h		
ATE (gases)	3200.000 ppmV/4h		
ATE (vapors)	11.000 mg/l/4h		
ATE (dust, mist)	23.760 mg/l/4h		
ALDRIN UNLABELED (309-00-2)			
LD50 oral rat	39.0 mg/kg		
ATE (oral)	39.000 mg/kg body weight		
ATE (dermal)	5.000 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: May be fatal if swallowed and enters airways.		
Potential Adverse human health effects and symptoms	: Harmful if inhaled.		
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause drowsiness or dizziness.		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes eye irritation.		
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.		

SECTION 12: Ecological information		
12.1. Toxicity		
ALDRIN UNLABELED (309-00-2)		
LC50 fish 1	0.01 mg/l Oncorhynchus mykiss (rainbow trout) - 96 h	
EC50 Daphnia 1	0.03 mg/l Daphnia magna (Water flea) - 48 h	

## 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential		
ALDRIN UNLABELED 100 UG/ML IN NONANE		
Log Pow	5.65	
N-NONANE UNLABELED (111-84-2)		
Log Pow	5.65	
Bioaccumulative potential	Indication of bioaccumulation.	
ALDRIN UNLABELED (309-00-2)		
Log Pow	6.50	
12.4. Mobility in soil		

No additional information available

Safety Data Sheet according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Regulation (EC) No. 453/2010 and according	g to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
12.5. Results of PBT and vPvB assessme	nt
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	
	15
13.1. Waste treatment methods	: Waste materials should be disposed of under conditions which meet Federal, State, and Local
Regional legislation (waste)	environmental control regulations.
Waste disposal recommendations Additional information	<ul> <li>Dispose of contents/container to Comply with applicable regulations.</li> <li>Handle empty containers with care because residual vapors are flammable.</li> </ul>
Ecology - waste materials	: Hazardous waste due to toxicity.
SECTION 14: Transport information	
In accordance with ADR / RID / ADNR / IMDG / I	ICAO / IATA
14.1. UN number	
UN-No.(DOT)	: 1920
DOT NA no.	UN1920
14.2. UN proper shipping name	
DOT Proper Shipping Name	: Nonanes
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: III - Minor Danger
DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T2 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
Marine pollutant	: No
14.3. Additional information	
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 30
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
	▼

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Orange plates	<b>30</b> <b>1920</b>
Tunnel restriction code	: D/E
Limited quantities (ADR)	5L
EAC	: 3Y
Excepted quantities (ADR)	: E1
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
MFAG-No	: 128
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Flammable liquids
14.4. Environmental hazards	
Other information	: No supplementary information available.
14.5. Special precautions for user	
14.6. Transport in bulk according to Anne	ex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
ALDRIN UNLABELED 100 UG/ML IN NONANE		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
N-NONANE UNLABELED (111-84-2)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	

NADA	
LDRIN UNLABELED 100 UG/ML IN NONANE	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

## 15.2.1. National regulations

No additional information available

15.3. US State regulations	
ALDRIN UNLABELED 100 UG/ML IN NONANE()	
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

N-NONANE UNLABELED (1	11-84-2)	
U.S Massachusetts - Right	To Know List	
U.S Pennsylvania - RTK (R	ight to Know) List	
U.S New Jersey - Right to	Know Hazardous Substance List	

## Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### N-NONANE UNLABELED (111-84-2)

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

. .

## SECTION 16: Other information

Other information

: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

### Full text of R-, H- and EUH-phrases::

Acute Tox. 1 (Dermal)	Acute toxicity (dermal) Category 1
Acute Tox. 2 (Oral)	Acute toxicity (oral) Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	skin corrosion/irritation Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H300	Fatal if swallowed
H304	May be fatal if swallowed and enters airways
H310	Fatal in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
R10	Flammable
R20	Harmful by inhalation
R24/25	Toxic in contact with skin and if swallowed
R38	Irritating to skin
R40	Limited evidence of a carcinogenic effect
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapors may cause drowsiness and dizziness
Ν	Dangerous for the environment
Т	Toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

Safety Data Sheet

according to Regulation (EC) No. 453/2010 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product