

TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED 100 UG/ML IN ACETONITRILE

Safety Data Sheet

 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Date of issue: 03/07/2014
 Revision date: 08/11/2021
 Supersedes: 03/07/2014
 Version: 2.0

 ULM-9314-S
 Version: 2.0
 Version: 2.0

SECTION	· Identificatio	n of the substance/mixture and of the company/undertaking
	Juct identifier	
Product form		: Mixtures
Product name		: TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED 100 UG/ML IN ACETONITRILE
Product code		: ULM-9314-S
1.2. Rele	vant identified us	ses of the substance or mixture and uses advised against
1.2.1. Rele	vant identified us	ses
Main use cate	gory	: Professional use
Industrial/Profe	essional use spec	: For professional use only
1.2.2. Use	s advised against	t
No additional i	nformation availab	ble
		er of the safety data sheet
Cambridge Isc 50 Frontage R	tope Laboratories,	, Inc.
Andover, MA		
USA		
USA: 1-800-3 cilsales@isoto	22-1174 Int: 1-97 <u>pe.com</u> www.iso	78-749-8000 otope.com
Eme	ergency telephone	e number
Emergency nu	mbers:	
	300-424-9300 (24 1-703-741-5970 (2	
SECTION 2	: Hazards ide	ntification
2.1. Clas	sification of the	substance or mixture
Classification	according to Re	gulation (EC) No. 1272/2008 [CLP]
Flam. Liq. 2	H2	225
Acute Tox. 4 (302
Acute Tox. 4 (,	312
	nhalation:gas) H3	
Eye Dam. 1		318
Full text of haz	ard classes and H	I-statements : see section 16
Classification	according to Dir	rective 67/548/EEC [DSD] or 1999/45/EC [DPD]
F; R11		
Xn; R20/21/22 Xi; R41		
	hrases: see sectio	on 16
GHS-US class	sification	
Flam. Liq. 2		H225
Acute Tox. 4 (H312
Acute Tox. 4 (Eye Dam. 1	nhalation:vapour)	H332 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Label elements	
Labeling according to Regulation (EC) N	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS05 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: ACETONITRILE UNLABELED
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapor H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H318 - Causes serious eye damage
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, lighting, ventilating equipment P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.
GHS-US labeling	
Hazard pictograms (GHS-US)	HS02 GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H312+H332 - Harmful in contact with skin or if inhaled H318 - Causes serious eye damage
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor if you feel unwell P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical to extinguish.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification according to Directive 67/548/EEC
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.9873	F; R11 Xi; R36 Xn; R20/21/22
TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED substance listed as REACH Candidate (Tris(2-chloroethyl)phosphate) substance listed in REACH Annex XIV (Tris (2-chloroethyl) phosphate (TCEP))	(CAS-No.) 115-96-8 (EC-No.) 204-118-5 (EC Index-No.) 015-102-00-0	0.0127	Carc.Cat.3; R40 Repr.Cat.1; R60 Repr.Cat.1; R61 Xn; R22 N; R51/53
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3 (REACH-no) 01-2119471307-38	99.9873	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED substance listed as REACH Candidate (Tris(2-chloroethyl)phosphate) substance listed in REACH Annex XIV (Tris (2-chloroethyl) phosphate (TCEP))	(CAS-No.) 115-96-8 (EC-No.) 204-118-5 (EC Index-No.) 015-102-00-0	0.0127	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Repr. 1B, H360F Aquatic Chronic 2, H411
Name	Product identifier	%	GHS-US classification
ACETONITRILE UNLABELED	(CAS-No.) 75-05-8	99.9873	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED	(CAS-No.) 115-96-8	0.0127	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Repr. 1B, H360 Aquatic Chronic 2, H411

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	S
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	 Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/effects after skin contact	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate me	dical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measure	es a la companya de l
5.1. Extinguishing media	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
5.2 Special bazards arising from th	a substance or mixture

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighter	'S		
Firefighting instructions		Wear a self contained breathing apparatus.	
Protection during firefighting	: [Do not enter fire area without proper	protective equipment, including respiratory protection.
SECTION 6: Accidental	release measure	25	
		nent and emergency procedures	
General measures	: F	0 71	I care to avoid static electric charges. No open flames. No
6.1.1. For non-emergency	personnel		
		ventilation. Remove all sources of igr	Avoid breathing vapors, mist or gas. Ensure adequate hition. Evacuate personnel to safe areas. Beware of ive concentrations. Vapours can accumulate in low areas.
6.1.2. For emergency responses of the second			
6.2. Environmental preca	autions		
Prevent further leakage or spilla	ge if safe to do so. Do	o not let product enter drains.	
6.3. Methods and materia	al for containment a	nd cleaning up	
For containment			h an electrically protected vacuum cleaner or by wet- sposal according to local regulations.
Methods for cleaning up	: F s	For large spills, confine the spill in a c	dike and charge it with wet sand or earth for subsequent id spill: take up in non-combustible absorbent material and
6.4. Reference to other s	ections		
No additional information availab	ble		
SECTION 7: Handling ar	nd storage		
7.1. Precautions for safe	handling		
Additional hazards when proces	sed : H	Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	٧	No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well- ventilated area. Avoid breathing Avoid breathing dust, mist or spray.	
Hygiene measures		Do not eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.	
7.2. Conditions for safe s	storage, including a	ny incompatibilities	
Technical measures		Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.	
Storage conditions	: 5	Store at room temperature away from light and moisture.	
Incompatible materials	: H	Heat sources.	
7.3. Specific end use(s)			
No additional information availal			
SECTION 8: Exposure c	ontrols/persona	I protection	
8.1. Control parameters			
		ED 100 UG/ML IN ACETONITRILE	
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)		20.0000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA)		34 mg/m ³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA)	(ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA)	(mg/m³)	70 mg/m ³ The value in mg/m3 is approximate.
USA OSHA	OSHA PEL (TWA)	(ppm)	40 ppm The value in mg/m3 is approximate.
ACETONITRILE UNLABELED	D (75-05-8)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)		20.00000000 ppm Lower Respiratory Tract irritation. Not classifiable as a human carcinogen.
USA NIOSH	NIOSH REL (TWA)	(mg/m³)	34 mg/m ³ Forms Cyanide in the body.
USA NIOSH	NIOSH REL (TWA)	(ppm)	20 ppm Forms Cyanide in the body.
USA OSHA	OSHA PEL (TWA)	(mg/m³)	70 mg/m ³ The value in mg/m3 is approximate.

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5, 2012 / Rules and Regulations ACETONITRILE UNLABELED (7)	5-05-8)	
•	SHA PEL (TWA) (ppm)	40 ppm The value in mg/m3 is approximate.
.2. Exposure controls	· Handle in accordance	e with good industrial hygiene and safety procedures.
Appropriate engineering controls Personal protective equipment		rotective goggles. Gloves. Self-contained breathing apparatus.
ersonal protective equipment		
Materials for protective clothing	: Wear suitable protect	ive clothing and gloves.
Hand protection	: Wear suitable protect	ive clothing and gloves.
Eye protection	: Chemical goggles or	face shield with safety glasses.
Skin and body protection	: Wear suitable protect	ive clothing, gloves and eye/face protection.
Respiratory protection	: Where exposure thron recommended.	ugh inhalation may occur from use, respiratory protection equipment is
Environmental exposure controls	: Avoid release to the e	environment.
SECTION 9: Physical and c	hemical properties	
	ysical and chemical properties	
The properties listed below are for the solvent, a		
Physical state	: Liquid	
Appearance	: Liquid, clear	
Molecular mass	: 285.49 g/mol	
Color	: Colorless	
Odor	: Pungent	
Odor threshold	: No data available	
ЭΗ	: No data available	
Relative evaporation rate (butyl ace	tate=1) : No data available	
Aelting point	: -48 °C (-54°F)	
Freezing point	: No data available	
Boiling point	: 81 - 82 °C (178 - 180	°F)
Flash point	: 2 °C (35.6 °F) - close	d cup
Auto-ignition temperature	: 523 °C (973 °F)	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Highly flammable liqu	id and vapor
/apor pressure	: 73.18 hPa (54.89 mm	nHg) at 15°C (59 °F), 119.81 hPa (89.86 mmHg) at 25°C(77 °F)
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Water: 100 %	
.og Pow	: -0.34	
.og Kow	: No data available	
/iscosity, kinematic	: No data available	
/iscosity, dynamic	: No data available	
Explosive properties	: No data available	

9.2. Other information

Oxidizing properties

Explosion limits

No additional information available

SECTIO	SECTION 10: Stability and reactivity			
	Reactivity			
No additio	onal information available			
10.2.	Chemical stability			
See stora	ge and expiration date on CoA.			

: No data available

: 4.4 - 16 vol %

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Open flame. Direct sunlight.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
May release flammable gases.	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:gas: Harmful if
	inhaled.
TRIS(2-CHLOROETHYL)PHOSPHATE UNLA	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (ppm)	7551 ppm - 8h
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h 1.500 mg/l/4h
ATE CLP (dust, mist)	
TRIS(2-CHLOROETHYL)PHOSPHATE UNLAB	
LD50 oral rat	1150 mg/kg
LD50 dermal rabbit	> 5 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l 4 h
ATE CLP (oral)	1150.000 mg/kg body weight
ACETONITRILE UNLABELED (75-05-8)	
LD50 oral rat	2460 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l) LC50 inhalation rat (ppm)	≥ 26.8 mg/l 7551 ppm - 8h
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	2000.000 mg/kg body weight
ATE CLP (gases)	4500.000 ppmV/4h
ATE CLP (vapors)	11.000 mg/l/4h
ATE CLP (dust, mist)	1.500 mg/l/4h
Skin corrosion/irritation	: Not classified
	Skin - Rabbit - Mild skin irritation
Serious eye damage/irritation	: Causes serious eye damage.
, ,	Eyes - Rabbit - Severe eye irritation
Respiratory or skin sensitization	: Did not cause sensitization on laboratory animals.
	Not available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not classified
Reproductive toxicity	: Not available. Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, Excitement, Depression, Drowsiness, Impaired judgment, Lack of coordination, Stupor, Death.
Specific target organ toxicity – single exposure	: Not classified
	No data available
Specific target organ toxicity – repeated	: Not classified
exposure	No data available
Aspiration hazard	: Not classified

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.
Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/effects after skin contact	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information			
12.1. Toxicity			
TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED 100 UG/ML IN ACETONITRILE			
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h		
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h		
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d		
TRIS(2-CHLOROETHYL)PHOSPHATE UNLAB	TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED (115-96-8)		
EC50 Daphnia 1	170 mg/l Daphnia magna (Water flea) - 48 h		
ErC50 (algae)	450 mg/l Psuedokirchneriella subcapitata -72 h		
ACETONITRILE UNLABELED (75-05-8)			
LC50 fish 1	1640 mg/l Pimephales promelas (fathead minnow) - 96h		
EC50 Daphnia 1	3600 mg/l Daphnia magna (Water flea) - 48h		
NOEC (chronic)	640 mg/l Daphnia magna (Water flea) - 14d		

12.2. Persistence and degradability

Persistence and degradability	Biodegradability Result: - Readily biodegradable.	
12.3. Bioaccumulative potential		
TRIS(2-CHLOROETHYL)PHOSPHATE UNL	ABELED 100 UG/ML IN ACETONITRILE	
Log Pow	-0.34	
TRIS(2-CHLOROETHYL)PHOSPHATE UNLA	\BELED (115-96-8)	
BCF fish 1	1 mg/l Cyprinus carpio (carp) - 42 d at 25 °C	
BCF fish 2	4 mg/l Carassius auratus (goldfish) - 96 h	
Bioconcentration factor (BCF REACH)	0.9 Bioconcentration factor range between 0.6 - 0.9	
Log Pow	1.7 at 20 °C (68 °F)	
ACETONITRILE UNLABELED (75-05-8)		
Log Pow	-0.34	
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).	
12.4. Mobility in soil		
ACETONITRILE UNLABELED (75-05-8)		
Ecology - soil	Not expected to absorb on soil.	
12.5. Results of PBT and vPvB assessment		
TRIS(2-CHLOROETHYL)PHOSPHATE UNLA	ABELED (115-96-8)	
This substance/mixture does not meet the PB		
This substance/mixture does not meet the vPv		
12.6. Other adverse effects		
Other adverse effects	: Not available.	
SECTION 13: Disposal consideratio	ns	
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose of contents/container to Comply with applicable regulations.	

Product/Packaging disposal recommendations	: Dispose of contents/container to Comply with applicable regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No.(DOT)	: 1648
DOT NA no.	UN1648
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Acetonitrile
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	FLAMMABILE LIQUID
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	All some land of the state of the second state of the land
Other information	: No supplementary information available.
Overland transport	
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Hazard labels (ADR)	: 3 - Flammable liquids
Orange plates	33 1648
Tunnel restriction code (ADR)	: D/E
Limited quantities (ADR)	11
EAC	: •2YE
Excepted quantities (ADR)	: E2

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
MFAG-No	: 127
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
Civil Aeronautics Law	: Flammable liquids

14.4.	Environmental hazards	
Other in	formation	: No supplementary information available.
14.5.	Special precautions for user	
	opeona processione for acci	
14.6.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED 100 UG/ML IN ACETONITRILE		
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313	
TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED (115-96-8)		
SARA Section 302 Threshold Planning Quantity (TPQ)	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Not subject to reporting requirements of the United States SARA Section 313	
ACETONITRILE UNLABELED (75-05-8)		
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of United States SARA Section 302	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313	
15.2. International regulations		

CANADA

 TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED 100 UG/ML IN ACETONITRILE

 Not listed on the Canadian DSL (Domestic Substances List)

15.2.1. National regulations

No additional information available

15.3. US State regulations

TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED	100 UG/ML IN ACETONITRILE()
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TRIS(2-CHLOROETHYL)PHOSPHATE UNLABELED 100 UG/ML IN ACETONITRILE()				
		U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List		
TRIS(2-CHLOROETHYL)PI	HOSPHATE UNLABELED (11	5-96-8)		
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	
ACETONITRILE UNLABEL	ED (75-05-8)	·	·	
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
TRIS(2-CHLOROETHYL)PI	HOSPHATE UNLABELED (11	5-96-8)		
State or local regulations				
U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List				
ACETONITRILE UNLABELED (75-05-8)				
State or local regulations				
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List				

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Repr. 1B	Reproductive toxicity Category 1B
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H351	Suspected of causing cancer
H360F	May damage fertility.
H411	Toxic to aquatic life with long lasting effects
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R36	Irritating to eyes
R40	Limited evidence of a carcinogenic effect
R41	Risk of serious damage to eyes
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R60	May impair fertility
R61	May cause harm to the unborn child
F	Highly flammable
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

ACETONITRILE ULM-9314-S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 3 Serious Hazard
Physical	: 0 Minimal Hazard

CIL Mixture SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product