

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/1/2014 Revision date: 10/23/2023 Supersedes: 1/7/2019 Version: 2.2

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	: Mixture : PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL : ULM-9530-S
1.2. Recommended use and restrictions of	n use
No additional information available	
1.3. Supplier	
Cambridge Isotope Laboratories, Inc. 50 Frontage Rd 01810 ANDOVER, MA, 01810 USA T 1-800-322-1174 <u>cilsales@isotope.com</u> - <u>www.isotope.com</u>	
1.4. Emergency telephone number	
Emergency number	: 1-703-741-5970 Chemtrec 1-800-424-9300 24 hours

2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 2	H225	Highly flammable liquid and vapor
Acute toxicity (oral) Category 3	H301	Toxic if swallowed
Acute toxicity (dermal) Category 3	H311	Toxic in contact with skin
Acute toxicity (inhalation:vapor) Category 3	H331	Toxic if inhaled
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity (single exposure) Category 1	H370	Causes damage to organs (central nervous system, eyes, heart, kidneys, liver) (Dermal, Inhalation, oral)

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)



DangerH225 - Highly flammable liquid and vapor

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H315 - Causes skin irritation H319 - Causes serious eye irritation

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	<ul> <li>H370 - Causes damage to organs (central nervous system, eyes, heart, kidneys, liver) (Dermal, Inhalation, oral)</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. heat, hot surfaces, open flames, sparks</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical, lighting, ventilating equipment.</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P260 - Do not breathe dust, fume, gas, mist, spray, vapors.</li> <li>P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.</li> <li>P264 - Wash Both hands thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective clothing, protective gloves.</li> <li>P301+P310 - If swallowed: Immediately call a poison center or doctor.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> </ul>
	<ul> <li>contact lenses, if present and easy to do. Continue rinsing.</li> <li>P311 - Call a poison center or doctor.</li> <li>P312 - Call a poison center or doctor if you feel unwell.</li> <li>P330 - Rinse mouth.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P361 - Take off immediately all contaminated clothing.</li> <li>P362 - Take off contaminated clothing before reuse.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P370+P378 - In case of fire: Use Alcohol resistant foam, Carbon dioxide, Dry chemical to extinguish.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to Comply with applicable regulations.</li> </ul>

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

**SECTION 3: Composition/Information on ingredients** 

### 3.1. Substances

Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
100% METHANOL UNLABELED	CAS-No.: 67-56-1	99.993679	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 1, H370
PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED	CAS-No.: 98789-57-2	0.0063	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	<ul> <li>Call a POISON CENTER or doctor/physician.</li> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.</li> </ul>
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
First-aid measures after ingestion	: Rinse mouth. Obtain emergency medical attention. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and effects	s (acute and delayed)
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowed and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
Symptoms/effects	: Causes damage to organs (Eyes, kidneys, liver, heart, central nervous system) (Inhalation, Dermal, oral).
Symptoms/effects after inhalation	: Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	ng media	
Suitable extinguishing media	: For small fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.	
5.2. Specific hazards arising from the che	emical	
Fire hazard Explosion hazard	<ul><li>Highly flammable liquid and vapor.</li><li>May form flammable/explosive vapor-air mixture.</li></ul>	
5.3. Special protective equipment and pre	ecautions for fire-fighters	
Firefighting instructions Protection during firefighting	<ul> <li>Use water spray to cool unopened containers.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.	
6.1.2. For emergency responders		
Protective equipment :	Avoid breathing dust, mist or spray.	
6.2. Environmental precautions		

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3. Methods and material for containment and cleaning up	
For containment	: Contain spillage, then collect with non-combustible absorbent material. Disposal should be in accordance with applicable Federal, State and local regulations.
Methods for cleaning up	: For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: No open flames. No smoking. Use only non-sparking tools. Use only outdoors or in a well- ventilated area. Avoid breathing dust, mist or spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash Both hands thoroughly after handling.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions Incompatible materials

- : Store at room temperature away from light and moisture.
- : Heat sources.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	200 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)		
ACGIH OEL STEL [ppm]	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)		
Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.		
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.		
USA - ACGIH - Biological Exposure Indices			
BEI	15 mg/l Urine Basis: ACGIH - Biological Exposure Indices (BEI)		
Remark	End of shift (As soon as possible after exposure ceases)		
100% METHANOL UNLABELED (67-56-1)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	200 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)		
ACGIH OEL STEL [ppm]	250 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)		
Remark (ACGIH)	Headache. Nausea. Dizziness. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI section). Danger of cutaneous absorption.		
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.		
USA - ACGIH - Biological Exposure Indices	1		
BEI	15 mg/l Urine Basis: ACGIH - Biological Exposure Indices (BEI)		
Remark	End of shift (As soon as possible after exposure ceases)		
USA - OSHA - Occupational Exposure Limits	USA - OSHA - Occupational Exposure Limits		
OSHA PEL TWA [1]	260 mg/m <sup>3</sup> Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
OSHA PEL TWA [2]	200 ppm Basis: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
OSHA PEL STEL [1]	325 mg/m <sup>3</sup> Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
OSHA PEL STEL [2]	250 ppm Basis: USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000. California permissible exposure limits for chemical contaminants (Title 8, Article 107)		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

100% METHANOL UNLABELED (67-56-1)		
OSHA PEL C [ppm]	1000 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Remark (OSHA)	The value in mg/m3 is approximate. Skin notation.	
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL TWA	260 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits	
NIOSH REL TWA [ppm]	200 ppm Basis: NIOSH Recommended Exposure Limits	
NIOSH REL STEL	325 mg/m <sup>3</sup> Basis: NIOSH Recommended Exposure Limits	
NIOSH REL STEL [ppm]	250 ppm Basis: NIOSH Recommended Exposure Limits	
Remark (NIOSH)	Potential for dermal absorption.	
PERFLUORONONANESULFONATE, SODIUM	SALT UNLABELED (98789-57-2)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category	No component of this product present at levels greater than or equal to 0.1% is identifiable as a carcinogen or potential carcinogen by ACGIH.	
8.2. Appropriate engineering controls		
Appropriate engineering controls :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
Environmental exposure controls :	Avoid release to the environment.	
8.3. Individual protection measures/Personal	protective equipment	
Personal protective equipment: Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.		
Materials for protective clothing:		
Wear suitable protective clothing and gloves		
Hand protection:	Hand protection:	
Wear suitable protective clothing and gloves		
Eye protection:		
Wear eye protection. Chemical goggles or face shield with safety glasses		
Skin and body protection:		
Wear suitable protective clothing, gloves and eye/face protection		
Respiratory protection:		
In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator		

### Personal protective equipment symbol(s):



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	hemical properties
9.1. Information on basic physical and c Physical state Appearance Color Odor Odor threshold pH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Vapor pressure at 50°C Relative density Density Molecular mass Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic	hemical properties : Liquid : Liquid : Colorless : Pungent : No data available : No data available : -98 °C (-144 °F) : No data available : 64.7 °C (148.5 °F) : 9.7 °C (49.5 °F) - closed cup : No data available : No data available : No data available : No data available : 130.3 hPa (97.7 mmHg) at 20 °C (68 °F); 169.27 hPa (126.96 mmHg) at 25 °C (77 °F) : 546.6 hPa (410 mmHg) at 50 °C (122 °F) : 1.11 : No data available : 0.791 g/ml at 25 °C (77 °F) : 32.04 g/mol : No data available : -0.77 : 455 °C (851 °F) at 1,013 hPa (760 mmHg) : No data available : No data available : No data available : No data available : No data available
Viscosity, dynamic Explosion limits Explosive properties Oxidizing properties	<ul> <li>No data available</li> <li>6 - 36 % (V)</li> <li>Product is not explosive.</li> <li>Non oxidizing material according to EC criteria.</li> </ul>

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Vapors may form flammable mixture with air. Highly flammable liquid and vapor.

#### **10.2. Chemical stability**

See storage and expiration date on CoA.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**10.5. Incompatible materials** 

Acid anhydrides. Acid chlorides. Oxidizing agent. Alkali Metal Amides. Reducing agents. Acids.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **10.6. Hazardous decomposition products**

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity (dermal) :	Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.			
PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL				
LD50 oral rat	1187 – 2769 mg/kg			
LD50 dermal rabbit	17100 mg/kg			
LC50 Inhalation - Rat	128.2 mg/l/4h ; 87.6 mg/l - 6 h			
ATE US (oral)	100 mg/kg body weight			
ATE US (dermal)	300 mg/kg body weight			
ATE US (vapors)	3 mg/l/4h			
Additional data	LDLO, oral, human: 143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
100% METHANOL UNLABELED (67-56-1)				
LD50 oral rat	1187 – 2769 mg/kg			
LD50 dermal rabbit	17100 mg/kg			
LC50 Inhalation - Rat	128.2 mg/l/4h ; 87.6 mg/l - 6 h			
ATE US (oral)	100 mg/kg body weight			
ATE US (dermal)	300 mg/kg body weight			
ATE US (vapors)	3 mg/l/4h			
ATE US (dust, mist)	128.2 mg/l/4h			
LDLO, oral, human	143 mg/kg Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
PERFLUORONONANESULFONATE, SODIUM	SALT UNLABELED (98789-57-2)			
ATE US (oral)	100 mg/kg body weight			
ATE US (gases)	4500 ppmV/4h			
ATE US (vapors)	11 mg/l/4h			
ATE US (dust, mist)	1.5 mg/l/4h			
Skin corrosion/irritation :	Causes skin irritation.			
PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED (98789-57-2)				
рН	6 at 100 g/l at 20 °C (68 °F)			
, ,	Causes serious eye irritation.			
PERFLUORONONANESULFONATE, SODIUM				
рН	6 at 100 g/l at 20 °C (68 °F)			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Not classified
: Not classified
: Not classified
No component of this product present at levels greater than or equal to 0.1% is identifiable as probable, possible, or confirmed human carcinogen by IARC.
Not classified
: Causes damage to organs (central nervous system, eyes, heart, kidneys, liver) (Dermal, Inhalation, oral).
Causes damage to organs (eyes, kidneys, liver, heart, central nervous system) (Dermal, Inhalation, oral).
: Not classified
: Not classified
: No data available
: This information is based on our current knowledge and is intended to describe the product for
the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Effects due to Ingestion may include: Headache. Dizziness. Drowsiness. metabolic acidosis. Coma. May be fatal if swallowe and enters airways. If swallowed there is a risk of blindness. Effects on humans. stomach.
: Causes damage to organs (Eyes, kidneys, liver, heart, central nervous system) (Inhalation, Dermal, oral).
: Toxic if inhaled. Danger of serious damage to health by prolonged exposure through inhalation
: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin. Causes skin irritation.
: Causes eye irritation.
: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

## SECTION 12: Ecological information

12.1. Toxicity				
	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL				
LC50 - Fish [1]	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h			
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna (Water flea) - 48 h			
EC50 - Crustacea [2]	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h			
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h			
100% METHANOL UNLABELED (67-56-1)				
LC50 - Fish [1]	15400 mg/l mortality LC50 - Lepomis machrochirus (Bluegill) - 96 h			
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna (Water flea) - 48 h			
EC50 - Crustacea [2]	22000 mg/l Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 96 h			
NOEC (acute)	7900 mg/l Oryzias latipes - 200 h			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.2. Persistence and degradability

PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL				
Biochemical oxygen demand (BOD)	600 – 1200 mg/g			
Chemical oxygen demand (COD)	1420 mg/g			
ThOD	1500 mg/g			
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d			
100% METHANOL UNLABELED (67-56-1)				
Biochemical oxygen demand (BOD)	600 – 1200 mg/g			
Chemical oxygen demand (COD)	1420 mg/g			
ThOD	1500 mg/g			
Biodegradation	72 % - rapidly biodegradable aerobic - Exposure time 5 d			

### 12.3. Bioaccumulative potential

PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL					
BCF - Fish [1] 5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C					
Bioconcentration factor (BCF REACH)	(BCF REACH) 1				
Partition coefficient n-octanol/water (Log Pow) -0.77					
100% METHANOL UNLABELED (67-56-1)					
BCF - Fish [1]	5 mg/l Cyprinus carpio (Carp) - 72 d at 20 °C				
Bioconcentration factor (BCF REACH)	1				
Partition coefficient n-octanol/water (Log Pow) -0.77					

### 12.4. Mobility in soil

PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL					
Ecology - soil	Not degradable in the soil.				
100% METHANOL UNLABELED (67-56-1)					
Ecology - soil	Not degradable in the soil.				
12.5. Other adverse effects					
	Avoid release to the environment. Disposal must be done according to official regulations. Stability in water: at 19 °C - (83 - 91%) - 72 h. Remarks: Hydrolyses on contact with water. Hydrolyses readily.				

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
Product/Packaging disposal recommendations	: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - waste materials

: Dispose of as unused product.

In accordance with DOT / TDG / IMDG / IAT/		
14.1. UN number		
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN1230 : UN1230 : 1230 : 1230	
14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Methanol</li> <li>METHANOL</li> <li>METHANOL</li> <li>Methanol</li> </ul>	
14.3. Transport hazard class(es)		
<b>DOT</b> Transport hazard class(es) (DOT) Hazard labels (DOT)	: 3 (6.1) : 3, 6.1	
<b>TDG</b> Transport hazard class(es) (TDG) Hazard labels (TDG)	: 3 (6.1) : 3, 6.1	
<b>IMDG</b> Transport hazard class(es) (IMDG) Hazard labels (IMDG)	: 3 (6.1) : 3, 6.1	
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 (6.1) : 3, 6.1	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Packing group	
Packing group (DOT)	: 11
Packing group (TDG)	: 11
Packing group (IMDG)	
Packing group (IATA)	: 11
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT	
UN-No.(DOT)	: UN1230
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110
	kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
	T7 - 4 178.274(d)(2) Normal
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the
	following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the
	temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical
	expansion of the liquid between the mean temperature of the liquid during filling (tf) and the
	maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For
	liquids transported under ambient conditions may be calculated using the formula: (image)
	Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49	: 1L
CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 60 L
CFR 175.75)	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
	passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on
	passenger vessels in which the number of passengers specified in paragraph $(k)(2)(i)$ of this
	section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG	
UN-No. (TDG)	: UN1230
TDG Special Provisions	: 43 - Despite section 2.1 of Part 2 (Classification), these dangerous goods are assigned to this
	classification based on human experience.
Explosive Limit and Limited Quantity Index	: 1L
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger	: 1L
Carrying Railway Vehicle Index	• 121
Emergency Response Guide (ERG) Number	: 131
IMDG	
Special provision (IMDG)	: 279
Limited quantities (IMDG) Excepted quantities (IMDG)	: 1L : E2
Packing instructions (IMDG)	: E2 : P001
IBC packing instructions (IMDG)	: IBC02

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: 12°C c.c.
Properties and observations (IMDG)	: Colourless, volatile liquid. Flashpoint: 12°C c.c. Explosive limits: 6% to 36.5% Miscible with water.Toxic if swallowed; may cause blindness. Avoid skin contact.
MFAG-No	: 131
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A113
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Not applicable

### SECTION 15: Regulatory information

### **15.1. US Federal regulations**

PERFLUORONONANESULFONATE, SODIUM	SALT UNLABELED 50	UG/ML IN METH	IANOL	
CERCLA RQ	5000 lb			
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard			
Commercial status of components according to the Unit	ed States Environmental F	Protection Agency's	Toxic Substances Con	trol Act (TSCA):
Name	CAS-No.	Listing	Commercial status	Flags
100% METHANOL UNLABELED	67-56-1	Present	Active	
PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED	98789-57-2	Not present	-	

100% METHANOL UNLABELED (67-56-1)		
CERCLA RQ	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	Not subject to reporting requirements of the United States SARA Section 302.	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SARA Section 302 Threshold Planning Quantity (TPQ)       Not subject to reporting requirements of the United States SARA Section 302         SARA Section 311/312 Hazard Classes       Immediate (acute) health hazard	PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED (98789-57-2)		
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard	<b>3</b>	Not subject to reporting requirements of the United States SARA Section 302	
	SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

### **15.2. International regulations**

### CANADA

#### PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL

Listed on the Canadian DSL (Domestic Substances List)

#### 100% METHANOL UNLABELED (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

#### PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED (98789-57-2)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

PERFLUORONONANESULFONATE, SODIUM SALT UNLABELED 50 UG/ML IN METHANOL			
U.S California - Proposition 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity	Yes		
U.S California - Proposition 65 - Reproductive Toxicity - Female	No		
U.S California - Proposition 65 - Reproductive Toxicity - Male	No		
State or local regulations	U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List U.S New Jersey - Right to Know Hazardous Substance List		

100% METHANOL UNLABELED (67-56-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	Proposition 65 -			Maximum allowable dose level (MADL)
No	Yes	No	No		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List; U.S New Jersey - Right to Know Hazardous Substance List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 10/23/2023 Other information : This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.

Full text of H-phrases	
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H370	Causes damage to organs
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.